

#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LGHP 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

**Supplier** 

Company: SKF MPT

Address: Meidoornkade 14

Zip code: 3992 AE
City: AE Houten
Country: NETHERLANDS
E-mail: support.mpt@skf.com
Phone: +31 30 6307200
Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

CLP-classification: Repr. 2;H361f

Most serious harmful effects: Suspected of damaging fertility.



#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

#### 2.2. Label elements

#### **Pictograms**



Signal word: Warning

**Contains** 

**Substance:** Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene;

**Hazard Statements** 

H361f Suspected of damaging fertility.

**Precautionary statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulation.

#### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.

Endocrine disrupting properties: None known.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea, 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea, 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea	- 406-530-2 01-0000015606-69	3 -< 5 %		Aquatic Chronic 4;H413
3,3'-dicyclohexyl-1,1'- methylenebis(4,1- phenylene)diurea	58890-25-8 406-370-3 01-0000015591-72	3 -< 5 %		Aquatic Chronic 4;H413
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23	3 -< 5 %		Repr. 2;H361f Aquatic Chronic 3;H412
3,3'-dioctadecyl-1,1'- methylenebis(4,1- phenylene)diurea	43136-14-7 406-690-3 01-0000015620-79	1 -< 3 %		Aquatic Chronic 4;H413

Please see section 16 for the full text of H-  $\!\!\!/$  EUH-phrases.



#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**General:** When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Suspected of damaging fertility.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of eye splash. Wear gloves. Stay upwind/keep

distance from source. Stop leak if this can be done without risk. Keep unnecessary

personnel away.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.



Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy or when breastfeeding.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Do not store with the following: Oxidisers.

#### 7.3. Specific end use(s)

None.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

hand protection:

Personal protective equipment, Wear gloves. Nitrile rubber/ Neoprene rubber/ PVC. Breakthrough time has not been determined for the product. Change gloves often. Gloves must conform to EN 374.

> The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek

advice from the glove supplier.

Personal protective equipment, Not required.

respiratory protection:

In case of risk of formation of spray mist, wear respiratory protective equipment with P2 filter. Respiratory protection must conform to one of the following standards: EN

136/140/145.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.



#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Parameter	Value/unit	
State	Paste Fat.	
Colour	Light blue	
Odour	Characteristic	
Solubility	Insoluble in the following: Water.	

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	210 °C	
Auto-ignition temperature		Not spontaneously flammable
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	0,90 g/cm <sup>3</sup>	(25 °C)
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Parameter	Value/unit	Remarks
Explosive properties		Non-explosive

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with the following: Oxidisers.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid



#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

Avoid heating and contact with ignition sources.

#### 10.5. Incompatible materials

Oxidisers.

#### 10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: The product does not have to be classified. Test data are not available. Ingestion of large

quantities may cause discomfort.

**Acute toxicity - dermal:** The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

**Skin corrosion/irritation:** The product does not have to be classified. Test data are not available. Degreases the skin.

Long-term exposure may cause irritation and possible infection.

Serious eye damage/eye

irritation:

The product does not have to be classified. Test data are not available. Temporary irritation.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** Suspected of damaging fertility.

Single STOT exposure: The product does not have to be classified. Test data are not available. Inhalation of spray

mist may cause irritation to the upper airways.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product does not have to be classified. Test data are not available. The product contains small quantities of environmentally



#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

hazardous substances.

#### 12.2. Persistence and degradability

Test data are not available. Not expected to be biodegradable.

#### 12.3. Bioaccumulative potential

Test data are not available.

#### 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 13 02 08\* other engine,

gear and lubricating oils

Absorbent/cloth contaminated with the product: EWC code: 15 02 02\* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing

hazards.

contaminated by hazardous substances

#### **SECTION 14: Transport information**

14.1. UN number or ID number: Not applicable. 14.4. Packing group: Not applicable. 14.2. UN proper shipping Not applicable. 14.5. Environmental Not applicable.

name: 14.3. Transport hazard

Not applicable.

class(es):

#### 14.6. Special precautions for user

None.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

7/9



#### LGHP 2

Replaces date: 27/06/2022 Revision date: 20/03/2023

Version: 2.0.0

**Other Information:** The product is not covered by the rules for transport of dangerous goods.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Special Provisions:**

Covered by:

Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

#### 15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name	
01-0000015591-72	3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea	
01-0000015606-69	reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea, 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea, 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea	
01-0000015620-79	3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea	
01-2119491299-23	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	

#### **SECTION 16: Other information**

#### Version history and indication of changes

	<del>_</del>		
Version	Revision date	Responsible	Changes
2.0.0	20/03/2023	Bureau Veritas HSE/ SRU	2-11, 13, 15-16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

#### List of relevant H-statements

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.



LGHP 2

Revision date: 20/03/2023 Version: 2.0.0 Replaces date: 27/06/2022

GB Country: