

LHMF 300

SECTION 1: Identification

1.1. Product identifier used on the label

Trade name: LHMF 300

1.2. Recommended use of the chemical and restrictions on use

Recommended uses: Lubricant.

Inadvisable uses: None.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF USA Inc.
Address: 890 Forty Foot Road

Zip code: 19446 City: Lansdale, PA

Country: UNITED STATES OF AMERICA E-mail: Mapro.Repair.USA@skf.com

Phone: +1 888-753-3477 Homepage: www.skf.com

Manufacturer

Company: SKF MPT

Address: Meidoornkade 14

Zip code: 3992 AE
City: AE Houten

Country: NETHERLANDS (KINGDOM OF THE)

E-mail: support.mpt@skf.com
Phone: +31 30 6307200
Homepage: www.skf.com

1.4. Emergency phone number

+31 30 6307200

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 1 703-527-3887 (collect calls accepted)

Location: CHEMTREC 2900 Fairview Park Drive Falls Church VA 22042-4513 USA

SECTION 2: Hazard Identification



LHMF 300

2.1. Classification of the chemical in accordance with paragraph (d) of §1910.1200

HazCom classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substances and mixtures..

Most serious harmful effects: May cause slight irritation to the skin and eyes.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures..

2.3. Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	Concentration	Notes
Lubricating oils	74869-22-0	1 -< 10 %	

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

The specific chemical identity and/or exact percentage of composition has been withheld

as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Immediately remove contaminated clothing. Wash skin with soap and water. Seek medical

advice in case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: Bring the safety data sheet or label when seeking medical advice.

4.2. Most important symptoms/effects, acute and delayed.

May cause slight irritation to the skin and eyes.

4.3. Indication of immediate medical attention and special treatment needed, if necessary.

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media.

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use a jet of water, as it may spread the fire.



LHMF 300

5.2. Specific hazards arising from the chemical

Not flammable, but combustible. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Special protective equipment and precautions for fire-fighters.

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Wear safety goggles if there is a risk of eye

splash. Wear gloves.

For emergency responders: In addition to the above: Normal protective clothing is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spills using sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safety out of reach of children and not together with food, feed, medicine and the like. Do not expose to heat (e.g. sunlight). Do not store with the following: Strong alkalis/ Strong acids/ Strong oxidizers.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Notations
Oil mist	OSHA		5		Oil mist, mineral oil	
Oil mist	ACGIH TWA		5		Pure, highly and severely refined	A4, I



LHMF 300

A4 = Not Classifiable as a Human Carcinogen

I = Inhalable fraktion.

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements according to NIOSH/OSHA.

Legal basis: ACGIH Threshold Limit Values (TLV's) and Biological Exposure Indices (BEI's), 2024.

OSHA 29 CFR part 1910.1000, table Z1-Z3, Limits for Air Contaminants 2006.

8.2. Exposure controls

Appropriate engineering

controls:

Use the product under well-ventilated conditions. Wear the personal protective equipment

specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash.

Personal protective equipment, Plastic or rubber gloves recommended. hand protection:

Personal protective equipment, Not required.

respiratory protection:

Environmental exposure

Ensure compliance with local regulations for emissions.

controls:

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- <u></u>		
Parameter	Value/unit	
physical state	Liquid	
Color	Amber	
Odour	Characteristic	
Solubility	Insoluble in the following: Water.	

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	-30 °C	-22 °F
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Upper/lower flammability limits	No data	
Explosion limits	No data	
Flash Point	213 °C	415,4 °F
Auto-ignition temperature	No data	
Decomposition temperature:	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	307 mm2/s	(68 °F)
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	0.88 g/cm ³	(59 °F)
Relative vapour density	No data	



LHMF 300

Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Doramotor	Value/u	unit Domorke	9
Parameter	Value/u	ınıt Remarks	S

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidizers/ Strong alkalis/ Strong acids.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight).

10.5. Incompatible materials

Strong oxidizers/ Strong alkalis/ Strong acids.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Ingestion may cause discomfort. The product does not have to be classified. Test data are

not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May irritate the skin - may cause reddening. The product does not have to be classified.

Test data are not available.

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Test data are not

available.

Respiratory sensitization or

skin sensitization:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.



LHMF 300

Carcinogenic properties: This product does not contain any carcinogens or potential carcinogens at reportable

quantities as listed by OSHA, IARC or NTP. The product does not have to be classified.

Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Ecotoxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

German water pollution classification (WGK): 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.



LHMF 300

SECTION 14: Transport information

14.1. UN number:

Not applicable.

14.4. Packing group:

Not applicable.

14.2. UN proper shipping

Not applicable.

Not applicable.

name:

14.5. Environmental hazards:

14.3. Transport hazard

Not applicable.

class(es):

14.6. Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

None.

14.7. Transport in bulk (according to IMO instruments)

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Special Provisions:

None.

Proposition 65

Chemicals known to cause

cancer.

TSCA:

None of the substances in the formulation is listed in the latest version publicly available.

Chemicals known to cause

reproductive toxicity:

None of the substances in the formulation is listed in the latest version publicly available.

All substances in the formulation are listed in the latest version publicly available.

NFPA ratings

Health hazard:

0

Flammability:

1

Instability:

15.2. Chemical Safety Assessment

Other Information:

Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

	Version	Revision date	Responsible	Changes
	1.5.0	1/15/2025	SRU	1.3.5.7.8.13.16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity



LHMF 300

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with CFR29, §1910.1200.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Revision date: 1/15/2025

Replaces date: 7/5/2023

Classification method: Calculation based on the hazards of the known components.

Country: US