2018

457285

Supersedes/Reemplaza al/Remplace 457285, Dated/Con fecha de/Daté de 2016

SKF Universal Joints/Crucetas/Joints de cardan

Passenger car, light, medium and heavy duty truck applications
Includes Universal Joint dimensions & related parts

Aplicaciones de automóviles de pasajeros, camiones de uso ligeros, medianos y pesados
Incluye las dimensiones de la Cruceta y las partes relacionadas

Applications pour voitures de tourisme et camionnettes légères, moyennes et véhicules lourds
Comprend les cotes des joints de cardan et des pièces connexes











Table of contents

Introduction

Universal joint identification 2A
How to use this catalog 3A
Manufacturer index 4A

Applications

RWD passenger car applications 1
2WD & 4WD light and medium duty truck applications 74
Heavy Duty 550

Universal Joint Related Parts

Double cardan CV parts 535
U-joint kit hardware listing 537

Universal Joint Dimensions

U-bolt dimensions 539
U-joints with 4 grooved round bearings 540
U-joints with 4 plain round bearings 543
U-joints with 2 grooved & 2 plain round bearings 547
U-joints with 4 welded plate type round bearings 554
U-joints with 2 welded plate type & 2 plain round bearings 554
U-joints with 4 wing bearings 555
U-joints with 2 wing bearings & 2 grooved round bearings 558
U-joints with 2 wing bearings & 2 plain round bearings or
2 welded plate round bearings 559

Universal Joint identification

Round Inside Lock-Up/Snap Ring (ISR)

This universal joint design uses round bearing cups with a snap ring groove on the outside diameter of the bearings and machined flat surfaces on the inside of the yoke ears. It is easier to measure the lock-up for this style by measuring the yoke from inside ear to inside ear. If the yoke is not available, lock-up can be measured on the universal joint itself.

1. Assemble bearing cups onto cross.
2. Install snap rings in bearing grooves.
3. Remove rubber seals or clamp bearing cups with a C-clamp or vise.
4. Measure across the outside of the two installed snap rings facing one another to obtain the lock-up dimension.
5. Measure the outside diameters of the bearing cups. Conversion joints and some OE applications may have two different diameter bearing cups.
6. For conversion type universal joints repeat steps 1-5 for the other leg of the universal joint.



Round Outside Lock-Up/Snap Ring (OSR)

This universal joint design uses round bearing cups with a flat ground back surface. The cups are retained in the yoke by a snap ring that locks into a groove in the yoke crosshole.

1. Assemble bearing cups onto cross.
2. Remove rubber seals or clamp bearing cups with a C-clamp or vise.
3. Measure across the outside of the two bearing cups.
4. Measure outside diameters of the bearing cups. Conversion joints and some OE applications use two different diameter bearing cups.
5. For conversion type universal joints repeat steps 1-4 for the other leg of the universal joint.



Plastic injection

This style of lock-up was used in OEM Saginaw & AAM applications. When disassembled, OE joints are replaced with standard universal joint kits using round inside lock-up/snap rings.

U-Bolt & bearing strap

These two types of universal joints use round bearings secured in the yoke ears by a U-shaped bolt or strap that fits over the bearing cups. Measure in the same manner as round ISR or OSR.

Round w/Plate

These universal joint kits use a flat plate welded to the back surface of the bearing cups. Two bolts retain each bearing in the yoke ears. Heavy Duty series using this style are 1610, 1710, 1760, and 1810. Basic reference dimensions required to identify each one are listed below. Measure between the inside surfaces of the retainer plates or across the outside surfaces of the yoke ears.

Lock-Up	Series	Kit no.
5.312	1610	UJ333
6.094	1710	UJ334
7.000	1760	UJ376
7.547	1810	UJ382

Mechanics design (Wing bearings)

This universal joint design uses a block- or wing-style bearing cup that locates in a flat flange-type yoke with a tongue and groove arrangement. Identify the bearing shape on the previous diagram. Some applications use two different bearing types.

1. Assemble bearing cups onto cross.
2. Clamp the bearings with C-clamp or vise.
3. Measure across two opposite bearings, in the same manner as round outside lock-up/snap ring to obtain the yoke lock-up.
4. Measure the cap holes CL to CL (centerline to centerline) to identify the series.
5. Identify the proper cup (Bearing Type) DWT, HWD, LWD, or LWT.

How to use this catalog

Application section

1. Locate Manufacturer.
   - Manufacturer's are listed in alphabetical order (refer to "Manufacturer's index" or correct page number)
2. Locate Model.
   - Models are listed within each manufacturer's section
3. Locate year.
4. Locate your application information.
5. Locate position.
   - Location number is located next to location description.
6. Locate the location number on the application drawing.
   - Application drawing is below the application listings at the bottom of the page.
7. Locate standard part.
8. Locate Brute Force Greaseable.
9. Locate Brute Force Non Greaseable.

① ②

Ford (RWD) Mustang

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft	③	④
U-Joint		
2017-2015 Mustang w/ Man. Trans. Exc. 8 Cyl. Eng.: [Type 1]		
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rear)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
2017-2015 Mustang w/ 8 Cyl. Eng.: [Type 4]		
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (Cont.)	⑤	⑦
U-Joint (Cont.)		
1995-1994 Mustang w/ 6 Cyl. Eng.: [Type 1]		
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280*** ⑧
Brute Force Non Greaseable		***UJ269*** ⑨
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1995-1994 Mustang w/ 8 Cyl. Eng.: [Type 1]		
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**



Footnote codes

- • For use w/U-Bolt Application.
- ■ For use w/o U-Bolt Application.
- ▲ For use w/1.063" Bearing Cap Application.
- ⦸ For use w/1.188" Bearing Cap Application.
- ◇ For use w/Inner Lock Ring Application on Half Shaft.
- ☐ For use w/Outer Lock Ring Application on Half Shaft.

Manufacturer index

Manufacturer Page

PASSENGER CARS

ALFA ROMEO 1
AMERICAN MOTORS 1
AUSTIN 5
AUSTIN-HEALEY 6
BMW 6
BUICK 6
CADILLAC 11
CHECKER MOTORS 15
CHEVROLET 16
CHRYSLER 23
DAIHATSU 24
DODGE 25
EAGLE 28
EDSEL 28
FIAT 28
FORD 29
HYUNDAI(CANADA) 41
JAGUAR 41
LINCOLN 42
LOTUS 45
MAZDA 45
MERCURY 46
METROPOLITAN 54
MG 54
MITSUBISHI 54
MORRIS 55
NISSAN/DATSUN 55
OLDSMOBILE 56
PLYMOUTH 60
PONTIAC 62
ROLLS ROYCE 67
SRT 67
STUDEBAKER 67
SUBARU 68
SUNBEAM 68
TOYOTA 69
TRIUMPH 70
VOLVO 70

Manufacturer Page

LIGHT & MED. DUTY TRUCKS (2 WD & 4 WD) and VANS

ACURA 74
BUICK 74
CADILLAC 74
CHEVROLET/GMC 76
Vans 84
1/2 Ton Trucks 100
3/4 Ton Trucks 154
1 Ton Trucks 187
1 1/2 Ton Trucks 209
CHRYSLER 211
DODGE 211
Vans 213
1/2 Ton Trucks 216
3/4 Ton Trucks 237
1 Ton Trucks 265
1 1/2 Ton Trucks 290
FORD 291
Vans 326
1/2 Ton Trucks 339
3/4 Ton Trucks 367
1 Ton Trucks 426
1 1/2 Ton Trucks 462
GEO 464
HINO 464
HONDA 465
HUMMER 466
IHC 467
INFINITI 469
ISUZU 470
IVECO 475
JEEP 475
KIA 496

Manufacturer Page

LEXUS 496
LINCOLN 498
MAZDA 500
MERCURY 505
MITSUBISHI 506
NISSAN 509
OLDSMOBILE 514
PLYMOUTH 514
PONTIAC 516
RAM 517
1/2 Ton Trucks 517
3/4 Ton Trucks 518
1 Ton Trucks 520
1 1/2 Ton Trucks 523
ROVER 524
SAAB 525
SATURN 525
SUBARU 525
SUZUKI 526
TOYOTA 527

Notes

WARNING!

Proper selection of the products listed for sale in this catalog is essential to minimize the risk of any seal, bearing or other product failure. Such failures can result in property damage or severe personal injury to operators of machinery, vehicles or to others. You must carefully evaluate the particular application on or into which you intend to install the products. Products in this catalog require installation by an experienced professional mechanic or qualified maintenance professional.

The product properties and operating parameters described in this catalog are based upon tests conducted by SKF or reported by others. SKF does not assume any responsibility for errors in the data published in this catalog. The life and performance of the products ultimately depend on a number of factors. These include, for example, selection of product design type, selection of materials for their different properties, handling and installation, operating conditions, including shaft surface or bore conditions, the quantity, quality and chemistry of lubricants and other factors. Severe environments can adversely affect product life or performance. For help in realizing longer SKF product life, and optimal performance for your specific application, contact SKF's Customer Services Department at 1-800-882-0008.

LIMITED WARRANTY

SKF warrants to the first purchaser that the products sold by it, when properly installed, will be free from defects in material and workmanship. SKF's sole obligation and liability for any defect found to exist contrary to this limited warranty in a product sold by SKF, and purchaser's sole and exclusive remedy for such defect, shall be limited to: (A) SKF furnishing without additional charge to purchaser, including transportation, a replacement for any of the products sold by SKF which are found by SKF to be defective contrary to this limited warranty, and (B) in the case of products which cannot be repaired or replaced by SKF, SKF shall credit or refund to purchaser the purchase price paid therefore; provided, that SKF is advised in writing of such product non-conformance within thirty (30) days of the date of discovery thereof, and that the non-conforming product is returned f.o.b. to SKF's designated warehouse promptly thereafter, but in any case not later than twelve (12) months from the date of purchase, and only for light duty hub units: the first to occur of either (i) thirty-six (36) months from the date of purchase, or (ii) 45,000 miles (72,000 kilometers). Valid proof of purchase date/mileage required. In no event shall SKF be obligated under this limited warranty or otherwise in any way whatsoever for normal wear and tear, or for any products sold by SKF which, after delivery by SKF and in SKF's sole determination, have been subjected to accident, abuse, misapplication, improper or faulty repair or installation, improper or faulty maintenance or lubrication, any alteration or neglect, excessive loading or other excessive operating conditions, or for defects caused by or resulting from purchaser's specifications or designs or otherwise caused by purchaser. TO THE FURTHEST EXTENT PERMITTED UNDER APPLICABLE LAW, SKF DISCLAIMS LIABILITY, IN TORT OR CONTRACT, IN NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, FOR ANY OTHER REMEDY OR DAMAGE, WHETHER DIRECT OR INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL WITH RESPECT TO ITS PERFORMANCE HEREUNDER, INCLUDING WITHOUT LIMITATION THE PRODUCTS SOLD OR PROVIDED HEREUNDER BY SKF, AND ITS PROVISION OF ANY RELATED SERVICES. THIS LIMITED WARRANTY IS TO THE EXCLUSION OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. COSTS INCURRED FOR ROUTINE MAINTENANCE ARE NOT COVERED BY THIS LIMITED WARRANTY. Without limiting the generality of the foregoing, SKF specifically disclaims liability to purchaser for any loss, cost, or damage incurred as a result of equipment downtime, or loss of use or availability of worksite, lost revenues or lost profits, regardless of whether SKF is on notice of the possibility of such damage or loss and did or could have anticipated same. No other person has been authorized by SKF to undertake or make on behalf of SKF any further representation, warranty or guarantee in addition to or contrary to this limited warranty or contrary to the limitations and disclaimers provided herein. The exclusive remedies provided in this limited warranty shall not be deemed to have failed of their essential purpose so long as SKF is willing and able to perform to the extent and in the manner prescribed in this limited warranty.

SOME STATES OR PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES OR CERTAIN LIMITATIONS REGARDING WARRANTY RIGHTS, SO THE ABOVE EXCLUSIONS OR LIMITATIONS MAY NOT APPLY TO YOU. This limited warranty gives you specific legal rights, and you may also have other rights, which vary by state or province.

INFORMATION AND RETURNS: This catalog refers to products as designed prior to its publication, and does not cover product changes made after its publication date. Inquiries can be directed to: SKF Customer Service Department, 890 North State Street, Suite 200, Elgin, IL 60123, or call 1-800-882-0008. Any error in shipment (for over-shipments in the quantity of product or for product not matching purchaser's description given in its order) is returnable for credit or replacement by SKF, provided that SKF is advised in writing by purchaser of such non-conformance within 30 days after the product's delivery to purchaser, and only after written authorization therefore is given by SKF. Approved returns must be shipped freight prepaid and arrive in good, saleable condition to qualify for credit or replacement. SKF shall not otherwise be obligated to accept the return of any products sold or distributed by it.

NOTICE: The SKF part numbering systems for the SKF products are proprietary to SKF. Any improper or unauthorized use of these numbering systems, including adoption or use of any of their part numbers or part number lists, even where the subject of modification or addition, is strictly prohibited and will be prosecuted by SKF as a violation of U.S. and foreign copyright, trademark and unfair competition laws. In addition, use of any SKF trademarks, trade names or packaging schemes, systems, colors or designs is likewise considered a violation of the trademarks, trade names and trade identities rights of SKF USA Inc. and their affiliates. Possible violation of such use should be brought to the attention of SKF: SKF USA Inc., 890 North State Street, Suite 200, Elgin, Illinois 60123, Attn: Catalog Manager.

Tabla de contenido

Introducción

Identificación de Cruceta 2B
Cómo usar este catálogo 3B
Índice de Fabricante 4B

Aplicaciones

Aplicaciones de auto de pasajero de Tracción Trasera 1
Aplicaciones de camiones de uso ligero y mediano 2WD y 4WD 74
Servicio Pesado 550

Partes Relacionadas a la Cruceta

Partes doble cardan de VC 535
Lista de componentes del kit de Cruceta 537

Dimensiones de la Cruceta

Dimensiones del Tornillo en Forma U 539
Crucetas con 4 rodamientos redondos lisos 540
Crucetas con 4 rodamientos redondos lisos 543
Crucetas con 2 rodamientos acanalados y 2 rodamientos redondos lisos 547
Crucetas con 4 rodamientos redondos de placa soldada 554
Crucetas con 2 rodamientos redondos de placa soldada y 2 rodamientos redondos lisos 554
Crucetas con 4 rodamientos de aleta 555
Crucetas con 2 rodamientos de aleta y 2 rodamientos redondos acanalados 558
Crucetas con 2 rodamientos de aleta y 2 rodamientos redondos lisos o 2 rodamientos redondos de placa soldada 559

Identificación de Cruceta

Anillo Redondo Interno de Bloqueo/ Retención (ISR, por sus siglas en Inglés)

Este diseño de Cruceta utiliza tazas de rodamiento redondas con una ranura de retención anular en el diámetro exterior de los rodamientos y superficies planas mecanizadas en el interior de las espigas de la horquilla. Es más fácil medir el bloqueo para este tipo, midiendo la horquilla de espiga interior a espiga interior. Si la horquilla no está disponible, el bloqueo se puede medir en la misma Cruceta.

1. Ensamble las tazas de rodamiento en la cruz.
2. Instale los anillos de retención en las ranuras de los rodamientos.
3. Quite los sellos de hule o sujete las tazas de los rodamientos con una prensa C o una prensa de banco.
4. Mida a través de la parte exterior de los dos anillos de retención instalados frente a frente para obtener la dimensión de bloqueo.
5. Mida el diámetro exterior de las tazas de rodamientos. Las crucetas de conversión y algunas aplicaciones OE pueden tener dos diámetros de tazas de rodamientos diferentes.
6. Para crucetas universales de tipo conversión, repita los pasos del 1 al 5 para la otra pata de la Cruceta.



Anillo Redondo Externo de Bloqueo/ Retención (OSR, por sus siglas en Inglés)

Este diseño de Cruceta utiliza tazas de rodamientos redondas con una superficie mecanizada posterior plana. Las tazas se mantienen en la horquilla por un anillo de retención que encaja en una ranura en el agujero transversal de la horquilla.

1. Ensamble las tazas de rodamiento en la cruz.
2. Quite los sellos de hule o sujete las tazas de los rodamientos con una prensa C o una prensa de banco.
3. Mida a través de la parte exterior de las dos tazas de rodamiento.
4. Mida el diámetro exterior de las tazas de rodamientos. Las crucetas de conversión y algunas aplicaciones OE usan dos diámetros de tazas de rodamientos diferentes.
5. Para crucetas universales de tipo conversión, repita los pasos del 1 al 4 para la otra pata de la Cruceta.



Inyección plástica

Este estilo de bloqueo se usó en aplicaciones OEM de Saginaw y AAM. Cuando están desensamblados, las crucetas OE se sustituyen con kits de Cruceta estándar usando anillos redondos de bloqueo/retención.

Tornillo en Forma U y correa de rodamiento

Estos dos tipos de crucetas universales utilizan rodamientos redondos sujetos en las espigas de la horquilla por un perno en forma de U o una correa que se ajusta sobre las tazas de rodamiento. Mida de la misma forma que los ISR o OSR redondos.

Redondo con Placa

Estos kits de crucetas universales usan una placa plana soldada a la superficie posterior de las tazas de rodamientos. Dos pernos retienen cada rodamiento en las espigas de la horquilla. Series de Servicio Pesado que usan este estilo son las 1610, 1710, 1760, y 1810. Las dimensiones de referencias básicas necesarias para identificar cada una se indican a continuación. Mida entre las superficies interiores de las placas de retención o a través de las superficies exteriores de las espigas de la horquilla.

Bloqueo	Serie	No. de Kit
5.312	1610	UJ333
6.094	1710	UJ334
7.000	1760	UJ376
7.547	1810	UJ382

Diseño de Mecánico (Rodamientos de aleta)

Este diseño de Cruceta utiliza una copa del rodamiento de bloque o de estilo de aleta que se coloca en un yugo de tipo de brida plana con una estructura de ranura y lengüeta. Identifique la forma de rodamiento en el diagrama anterior. Algunas aplicaciones usan dos tipos de rodamientos diferentes..

1. Ensamble las tazas de rodamiento en la cruz.
2. Sujete los rodamientos con una prensa C o una prensa de banco.
3. Mida a través de dos cojinetes opuestos, de la misma manera que un anillo redondo externo de bloqueo/ retención para obtener el bloqueo de la horquilla.
4. Mida los agujeros de las tazas de LC a LC (Línea central a línea central) para identificar la serie.
5. Identifique la copa correcta (Tipo de Rodamiento) DWT, HWD, LWD o LWT.

Cómo usar este catálogo

Sección de Aplicación

1. Ubique el Fabricante.
   - Los fabricantes están enlistados en orden alfabético (consulte el "Índice de fabricantes" o el número de página correcto)
2. Ubique el Modelo.
   - Los modelos están enlistados dentro de la sección de cada fabricante
3. Ubique el Año.
4. Ubique su información de aplicación.
5. Ubique la posición.
   - El número de ubicación se encuentra junto a la descripción de la ubicación.
6. Ubique el número de ubicación en el dibujo de la aplicación.
   - El dibujo de la aplicación se encuentra debajo de las listas de aplicaciones en la parte inferior de la página.
7. Ubique la parte estándar.
8. Ubique la Brute Force Engrasable.
9. Ubique la Brute Force No Engrasable.

① ②

Ford (RWD) Mustang

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint ③		④
2017-2015 Mustang w/ Man. Trans. Exc. 8 Cyl. Eng.: [Type 1]		
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Rear)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
2017-2015 Mustang w/ 8 Cyl. Eng.: [Type 4]		
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (Cont.)		
U-Joint (Cont.) ⑤		⑦ ⑧ ⑨
1995-1994 Mustang w/ 6 Cyl. Eng.: [Type 1]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1995-1994 Mustang w/ 8 Cyl. Eng.: [Type 1]		
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**



⑥

Códigos de nota de pie de página

- • Para usar en Aplicación con tornillo en forma U.
- ■ Para usar en Aplicación sin tornillo en forma U.
- ▲ Para usar en Aplicación con Tapa de Rodamiento de 1.063".
- ⦸ Para usar en Aplicación con Tapa de Rodamiento de 1.188".
- ◇ Para usar en Aplicación con Anillo de Retención Interior en Medio Eje.
- □ Para usar en Aplicación con Anillo de Retención Exterior en Medio Eje.

Índice de Fabricante

Fabricante Página

AUTOMÓVILES DE PASAJEROS

ALFA ROMEO 1
AMERICAN MOTORS 1
AUSTIN 5
AUSTIN-HEALEY 6
BMW 6
BUICK 6
CADILLAC 11
CHECKER MOTORS 15
CHEVROLET 16
CHRYSLER 23
DAIHATSU 24
DODGE 25
EAGLE 28
EDSEL 28
FIAT 28
FORD 29
HYUNDAI(CANADA) 41
JAGUAR 41
LINCOLN 42
LOTUS 45
MAZDA 45
MERCURY 46
METROPOLITAN 54
MG 54
MITSUBISHI 54
MORRIS 55
NISSAN/DATSUN 55
OLDSMOBILE 56
PLYMOUTH 60
PONTIAC 62
ROLLS ROYCE 67
SRT 67
STUDEBAKER 67
SUBARU 68
SUNBEAM 68
TOYOTA 69
TRIUMPH 70
VOLVO 70

Fabricante Página

CAMIONES LIGEROS y MEDIANOS (2 WD y 4 WD) y VANS

ACURA 74
BUICK 74
CADILLAC 74
CHEVROLET/GMC 76
Vans 84
1/2 Ton Camioneta 100
3/4 Ton Camioneta 154
1 Ton Camioneta 187
1 1/2 Ton Camioneta 209
CHRYSLER 211
DODGE 211
Vans 213
1/2 Ton Camioneta 216
3/4 Ton Camioneta 237
1 Ton Camioneta 265
1 1/2 Ton Camioneta 290
FORD 291
Vans 326
1/2 Ton Camioneta 339
3/4 Ton Camioneta 367
1 Ton Camioneta 426
1 1/2 Ton Camioneta 462
GEO 464
HINO 464
HONDA 465
HUMMER 466
IHC 467
INFINITI 469
ISUZU 470
IVECO 475
JEEP 475
KIA 496

Fabricante Página

LEXUS 496
LINCOLN 498
MAZDA 500
MERCURY 505
MITSUBISHI 506
NISSAN 509
OLDSMOBILE 514
PLYMOUTH 514
PONTIAC 516
RAM 517
1/2 Ton Camioneta 517
3/4 Ton Camioneta 518
1 Ton Camioneta 520
1 1/2 Ton Camioneta 523
ROVER 524
SAAB 525
SATURN 525
SUBARU 525
SUZUKI 526
TOYOTA 527

Notas

ADVERTENCIA!

La selección correcta de los productos enumerados para venta en este catálogo es esencial para minimizar el riesgo de falla de los sellos, cojinetes u otros productos. Tales fallas pueden ocasionar daños a la propiedad o lesiones graves a los operadores de maquinarias, vehículos u otros. Debe evaluar cuidadosamente la aplicación particular sobre o en la que usted prevé instalar los productos. Los productos de este catálogo requieren instalación por un mecánico profesional experimentado o un profesional de mantenimiento calificado.

Las propiedades y los parámetros operacionales descritos en este catálogo se basan en pruebas realizadas por SKF o informadas por terceros. SKF no asume ninguna responsabilidad por los errores de los datos publicados en este catálogo. La vida útil y el rendimiento de los productos dependen, en última instancia, de varios factores. Entre ellos, por ejemplo, está la selección del tipo de diseño del producto, la selección de los materiales por sus diferentes propiedades, la manipulación e instalación, las condiciones de funcionamiento, incluidas las condiciones de las superficies de los ejes y el interior de los orificios, la cantidad, calidad y composición química de los lubricantes y otros factores. Los ambientes inclementes pueden afectar adversamente a la vida útil o el rendimiento de los productos. Para obtener asistencia a fin de prolongar la vida útil de los productos SKF, así como para lograr un rendimiento óptimo en su aplicación específica, comuníquese con el Departamento de Servicio al Cliente al 1-800-882-0008.

GARANTÍA LIMITADA

SKF garantiza al comprador original que los productos vendidos por la empresa, al ser instalados apropiadamente, estarán libres de defectos de materiales y de fabricación. La obligación y la responsabilidad únicas de SKF por cualquier defecto cuya existencia se descubra que exista y sea contrario a esta garantía limitada de productos vendidos por SKF, así como la solución única y exclusiva para el comprador en caso de dicho defecto, deberán estar limitadas a lo siguiente: (A) SKF suministrará sin cargo adicional para el comprador, incluyendo el envío, un reemplazo para cualquiera de los productos vendidos por SKF que sean hallados defectuosos por SKF y en contra de esta garantía limitada; y (B) en el caso de productos que no puedan ser reparados o reemplazados por SKF, SKF deberá acreditar o reembolsar al comprador el precio de compra del producto; siempre y cuando SKF sea notificada por escrito acerca del incumplimiento del producto dentro de treinta (30) días a partir de la fecha del descubrimiento del mismo, y el producto no conforme deberá ser devuelto inmediatamente, f.a.b, al almacén designado por SKF; pero en ningún caso después de la expiración del periodo de garantía aplicable al producto tal como se describe a continuación: los productos son garantizados por SKF por un periodo de doce (12) meses a partir de la fecha de compra; excepto unidades de ejes de trabajo para aplicaciones ligeras, las cuales están garantizadas para un periodo de treinta y seis (36) meses a partir de la fecha de compra o 45,000 millas (72,000 kilómetros), lo que ocurra primero. Se requiere un comprobante válido de la fecha de compra o kilometraje. En ningún caso SKF será responsable, bajo esta garantía limitada o de alguna otra manera, del desgaste normal o de cualquier producto vendido por SKF el cual, después de la entrega por parte de SKF y de acuerdo a la determinación exclusiva de SKF, haya estado sujeto a accidentes, abusos, usos indebidos, reparaciones o instalaciones incorrectas o defectuosas, mantenimiento o lubricación incorrectas o defectuosas, cualquier alteración o negligencia, carga excesiva u otras condiciones de funcionamiento excesivas, o por defectos causados por o como resultado de las especificaciones o diseños del comprador, o de otro modo causados por el comprador. HASTA EL MÁXIMO QUE PERMITEN LAS LEYES VIGENTES, SKF DECLINA TODA RESPONSABILIDAD LEGAL, BASADA EN ACTOS EXTRACONTRACTUALES O CONTRACTUALES, EN NEGLIGENCIA, RESPONSABILIDAD CIVIL ESTRICTA O DE OTRO TIPO, POR CUALQUIER OTRA REPARACIÓN O DAÑOS Y PERJUICIOS, YA SEAN DIRECTOS O INDIRECTOS, INCIDENTALES, ESPECIALES, EJEMPLARES O CONSECUENTES CON RESPECTO AL CUMPLIMIENTO DE LA PRESENTE, INCLUIDOS SIN LIMITACIONES LOS PRODUCTOS VENDIDOS O PROVISTOS SEGÚN LA PRESENTE POR SKD, ASÍ COMO SU PROVISIÓN DE CUALQUIER SERVICIO RELACIONADO. ESTA GARANTÍA LIMITADA EXCLUYE TODAS LAS DEMÁS GARANTÍAS, EXPRESAS O IMPLÍCITAS, INCLUIDAS LAS GARANTÍAS DE COMERCIABILIDAD O APTITUD PARA UN PROPÓSITO PARTICULAR. ESTA GARANTÍA LIMITADA NO CUBRE LOS COSTOS INCURRIDOS PARA EL MANTENIMIENTO DE RUTINA. Sin limitar la generalidad de lo antedicho, SKF declina específicamente la responsabilidad legal ante el comprador por cualquier pérdida, costo o daño incurrido como resultado del tiempo que el equipo estuvo fuera de servicio, o las pérdidas de uso o disponibilidad del lugar de la obra, los ingresos o ganancias perdidas, independientemente de que SKF estuviera notificada de la posibilidad de tales daños o pérdidas y hubiera podido o no prevenirlas. SKF no autoriza a ninguna otra persona a tomar a cargo o realizar en nombre de SKF ninguna manifestación o garantía ulterior adicional o contraria a esta garantía limitada o a las limitaciones y declinaciones de responsabilidad establecidas en la presente. Las reparaciones exclusivas previstas en esta garantía limitada no se considerarán fallidas en cuanto su propósito esencial siempre que SKF esté dispuesta y sea capaz de cumplirlas con el alcance y de la manera prescriptos en esta garantía limitada.

ALGUNOS ESTADOS O PROVINCIAS NO PERMITEN EXCLUSIONES O LIMITACIONES DE DAÑOS INCIDENTALES O CONSECUENTES LA O CIERTAS LIMITACIONES EN CUANTO A LOS DERECHOS DE GARANTÍA, DE MODO QUE LAS EXCLUSIONES O LIMITACIONES ARRIBA INDICADAS PUEDEN NO APLICARSE A SU CASO. Esta garantía le otorga derechos legales específicos y usted puede tener otros derechos, que varían según el estado o la provincia.

INFORMACIÓN Y DEVOLUCIONES: Este catálogo se refiere a los productos diseñados antes de su publicación y no cubre los cambios a los productos realizados después de esa fecha. Las consultas pueden dirigirse a: SKF Customer Service Department, 890 North State Street, Suite 200, Elgin, IL 60123, o por teléfono al 1-800-882-0008. En caso de cualquier error de entrega (excesos en la cantidad de despacho del producto o productos que no coinciden con la descripción dada por el cliente en su orden de compra) puede efectuarse la devolución para crédito o reemplazo por SKF, siempre que el comprador notifique tal discrepancia a SKF por escrito dentro de los 30 días posteriores a la entrega del producto al comprador y sólo después que SKF otorgue la autorización correspondiente por escrito. Las devoluciones aprobadas deben despacharse con flete prepago y llegar en buen estado vendible a fin de calificar para crédito o reemplazo. De lo contrario, SKF no está obligada a aceptar la devolución de ningún producto que haya vendido o distribuido.

AVISO: Los sistemas de numeración de piezas de sus productos son propietarios de SKF. Todo uso incorrecto o no autorizado de estos sistemas de numeración, incluida la adopción o uso de cualquiera de sus números de pieza o listas de números de piezas, incluso cuando el objeto sea la modificación o adición, está estrictamente prohibido y será demandado legalmente por SKF como violación de las leyes de copyright, marcas comerciales y competencia desleal de EE.UU. y otros países. Además, el uso de cualquier marca, nombre o esquema de embalaje comercial, sistemas, colores o diseños de SKF se considera igualmente una violación de los derechos a las marcas, nombres e identidades comerciales de SKF USA y sus afiliadas. La posible violación de ese uso debe ser puesta a la atención de SKF: SKF USA Inc., 890 North State Street, Suite 200, Elgin, Illinois 60123, Attn: Catalog Manager (Gerente de catálogos).

Table des matières

Introduction

Identification des joints de cardan 2C
Mode d'emploi de ce catalogue 3C
Index des fabricants 4C

Applications

Applications pour voitures de tourisme à propulsion 1
Applications pour camionnettes légères et moyennes à 2 et 4 roues motrices 74
Véhicules lourds 550

Pièces connexes de joints de cardan

Pièces de joint à double cardan homocinétique 535
Liste des pièces de fixation de joints de cardan 537

Dimensions des joints de cardan

Dimensions des étriers de fixation 539
Joints de cardan à 4 roulements ronds rainurés 540
Joints de cardan à 4 roulements ronds simples 543
Joints de cardan à 2 roulements ronds rainurés et 2 roulements ronds simples .. 547
Joints de cardan à 4 roulements ronds de type à plaque soudée 554
Joints de cardan à 2 roulements ronds de type à plaque soudée et 2 roulements ronds simples 554
Joints de cardan à 4 roulements à ailettes 555
Joints de cardan à 2 roulements à ailettes et 2 roulements ronds rainurés 558
Joints de cardan à 2 roulements à ailettes et 2 roulements ronds simples ou 2 roulements ronds à plaque soudée 559

Identification des joints de cardan

Circlip à blocage intérieur rond

Cette conception de joint de cardan utilise des cuvettes de roulement ronds dotées d'une rainure à circlip sur le diamètre externe des paliers et des surfaces plates usinées sur la face interne des oreilles de la chape. Il est plus facile de mesurer le blocage pour ce type de joint en mesurant la chape d'une oreille interne à l'autre. Si la chape n'est pas disponible, le blocage peut se mesurer sur le joint de cardan proprement dit.

1. Assemblez les cuvettes de roulement sur le croisillon.
2. Montez les circlips dans les rainures de roulement.
3. Retirez les bouchons en caoutchouc ou serrez les cuvettes de roulement avec un serre-joint ou un étau.
4. Mesurez à travers l'extérieur des deux circlips montés en face à face pour obtenir la dimension du de blocage.
5. Mesurez les diamètres extérieurs des cuvettes de roulement. Les joints de conversion et certaines applications d'équipement d'origine peuvent présenter deux diamètres de cuvettes de roulement différentes.
6. Pour les joints de cardan de type conversion, répétez les étapes 1 à 5 pour l'autre patte du joint de cardan.



Circlip à blocage extérieur rond

Cette conception de joint de cardan utilise des cuvettes de roulement rondes avec une surface arrière rectifiée plate. Les cuvettes sont maintenues dans la chape par un circlip qui se verrouille dans une rainure de l'orifice de la chape.

1. Assemblez les cuvettes de roulement sur le croisillon.
2. Retirez les bouchons en caoutchouc ou serrez les cuvettes de roulement à l'aide d'un serre-joint ou d'un étau.
3. Mesurez à travers l'extérieur des deux cuvettes de roulement.
4. Mesurez les diamètres extérieurs des cuvettes de roulement. Les joints de conversion et certaines applications d'équipement d'origine utilisent deux diamètres de cuvettes de roulement différentes.
5. Pour les joints de cardan de type conversion, répétez les étapes 1 à 4 pour l'autre patte du joint de cardan.



Injection de matière plastique

Ce type de blocage a été utilisé dans des applications d'équipement d'origine Saginaw et AAM. Lors du démontage, les joints d'origine sont remplacés par des trousses de joints de cardan standard utilisant des circlips ronds à blocage intérieur.

Étrier de fixation et courroie de retenue

Ces deux types de joints de cardan utilisent des roulements ronds assujettis aux oreilles de chape par un étrier de fixation ou une courroie de retenue qui s'ajuste sur les cuvettes de roulement. Mesurez de la même manière que les circlips ronds à blocage intérieur ou extérieur.

Rond avec plaque

Ces trousses de joints de cardan utilisent une plaque plate soudée à la surface arrière des cuvettes de roulement. Deux boulons maintiennent chaque roulement dans les oreilles de la chape. Les séries pour véhicules lourds utilisant ce type sont les séries 1610, 1710, 1760 et 1810. Des dimensions de renvoi de base nécessaires exigées pour identifier chacune d'entre elles sont énumérées ci-dessous. Mesurez entre les surfaces intérieures des plaques de retenue ou en travers des surfaces extérieures des oreilles de chape.

Blocage	Série	Numéro de trousse
5,312	1610	UJ333
6,094	1710	UJ334
7,000	1760	UJ376
7,547	1810	UJ382

Conception mécanique (Roulements à ailettes)

Cette conception de joint de cardan utilise une cuvette de roulement à bloc ou de type à ailettes, qui se situe dans une chape à bride plate avec un emboîtement à rainure et languette. Identifiez la forme de roulement sur le schéma précédent. Certaines applications utilisent deux types de roulements différents.

1. Assemblez les cuvettes de roulement sur le croisillon.
2. Serrez les roulements à l'aide d'un serre-joint ou d'un étau.
3. Mesurez en travers deux roulements en vis-à-vis, de la même manière que pour le circlip à blocage extérieur rond pour obtenir le blocage de chape.
4. Mesurez les trous de capuchon de ligne médiane à ligne médiane pour identifier la série.
5. Identifiez la bonne cuvette (type de roulement) DWT, HWD, LWD ou LWT.

Mode d'emploi de ce catalogue

Section d'application

1. Localisez le fabricant.
   - Les fabricants sont énumérés par ordre alphabétique (reportez-vous à l' « Index des fabricants » ou au bon numéro de page)
2. Localisez le modèle.
   - Les modèles sont énumérés dans la section de chacun des fabricants
3. Localisez l'année.
4. Localisez les données de votre application.
5. Localisez la position.
   - Le numéro de l'emplacement est situé à côté de la description de l'emplacement.
6. Localisez le numéro de l'emplacement sur le dessin de l'application.
   - Le dessin de l'application se trouve sous les énumérations d'applications en bas de page.
7. Localisez la pièce standard.
8. Localisez « Brute Force » graissable.
9. Localisez « Brute Force » non graissable.

① ②

Ford (RWD) Mustang

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft	③	④
U-Joint		
2017-2015 Mustang w/ Man. Trans. Exc. 8 Cyl. Eng.: [Type 1]		
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rear)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
2017-2015 Mustang w/ 8 Cyl. Eng.: [Type 4]		
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (Cont.)	⑤	
U-Joint (Cont.)		
1995-1994 Mustang w/ 6 Cyl. Eng.: [Type 1]		
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1995-1994 Mustang w/ 8 Cyl. Eng.: [Type 1]		
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**

⑦ ⑧ ⑨



⑥

Codes de notes en bas de page

- • Pour les applications avec étrier de fixation.
- ■ Pour les applications sans étrier de fixation.
- ▲ Pour les applications à chapeau de palier de 1,063 po.
- ⦸ Pour les applications à chapeau de palier de 1,188 po.
- ◇ Pour les applications à circlip intérieur sur le demi-arbre.
- □ Pour les applications à circlip extérieur sur le demi-arbre.

Index des fabricants

Fabricant Page

Voitures de tourisme

ALFA ROMEO 1
AMERICAN MOTORS 1
AUSTIN 5
AUSTIN-HEALEY 6
BMW 6
BUICK 6
CADILLAC 11
CHECKER MOTORS 15
CHEVROLET 16
CHRYSLER 23
DAIHATSU 24
DODGE 25
EAGLE 28
EDSEL 28
FIAT 28
FORD 29
HYUNDAI(CANADA) 41
JAGUAR 41
LINCOLN 42
LOTUS 45
MAZDA 45
MERCURY 46
METROPOLITAN 54
MG 54
MITSUBISHI 54
MORRIS 55
NISSAN/DATSUN 55
OLDSMOBILE 56
PLYMOUTH 60
PONTIAC 62
ROLLS ROYCE 67
SRT 67
STUDEBAKER 67
SUBARU 68
SUNBEAM 68
TOYOTA 69
TRIUMPH 70
VOLVO 70

Fabricant Page

Camionnettes légères et moyennes (deux roues motrices et traction intégrale) et fourgonnettes

ACURA 74
BUICK 74
CADILLAC 74
CHEVROLET/GMC 76
Fourgonnettes 84
Camionnette 1/2 tonne 100
Camionnette 3/4 tonne 154
Camionnette 1 tonne 187
Camionnette 1 1/2 tonne 209
CHRYSLER 211
DODGE 211
Fourgonnettes 213
Camionnette 1/2 tonne 216
Camionnette 3/4 tonne 237
Camionnette 1 tonne 265
Camionnette 1 1/2 tonne 290
FORD 291
Fourgonnettes 326
Camionnette 1/2 tonne 339
Camionnette 3/4 tonne 367
Camionnette 1 tonne 426
Camionnette 1 1/2 tonne 462
GEO 464
HINO 464
HONDA 465
HUMMER 466
IHC 467
INFINITI 469
ISUZU 470
IVECO 475
JEEP 475
KIA 496

Fabricant Page

LEXUS 496
LINCOLN 498
MAZDA 500
MERCURY 505
MITSUBISHI 506
NISSAN 509
OLDSMOBILE 514
PLYMOUTH 514
PONTIAC 516
RAM 517
Camionnette 1/2 tonne 517
Camionnette 3/4 tonne 518
Camionnette 1 tonne 520
Camionnette 1 1/2 tonne 523
ROVER 524
SAAB 525
SATURN 525
SUBARU 525
SUZUKI 526
TOYOTA 527

Remarques

AVERTISSEMENT!

La bonne sélection des produits vendus dans ce catalogue est essentielle pour minimiser les risques de défaillance des joints, roulements et autres produits. De telles défaillances peuvent entraîner des dégâts matériels ou des lésions corporelles graves aux opérateurs de machines, véhicules ou autres. Il faut évaluer soigneusement l'application particulière sur laquelle ces produits doivent être montés. Les produits de ces catalogues exigent un montage par un mécanicien professionnel expérimenté ou un professionnel qualifié de l'entretien.

Les propriétés et les paramètres de fonctionnement décrits dans le présent catalogue sont basés sur des essais conduits par SKF ou d'autres. SKF rejette la responsabilité de toute erreur dans les données contenues dans le présent catalogue. La durée de service et le rendement des produits dépendent d'un certain nombre de facteurs. Parmi ceux-ci : la sélection du type de conception de produit, la sélection des matériaux pour leurs différentes propriétés, la manutention et le montage, y compris les états des surfaces d'arbres ou des alésages, la quantité, la qualité et la nature chimique des lubrifiants et d'autres facteurs encore. Les milieux hostiles peuvent influer négativement sur la durée de service et le rendement des produits. Pour assurer une plus grande longévité des produits SKF et un rendement optimal pour votre application spécifique, se mettre en rapport avec le Customer Service Department (service après-vente) de SKF au 1-800-882-0008.

GARANTIE LIMITÉE

SKF garantit à l'acheteur initial que les produits vendus par la société seront, dans la mesure où ils sont adéquatement montés, exempts de vices de matière et de façon. La seule obligation et responsabilité de SKF concernant tout vice contraire à la présente garantie limitée existant dans un produit vendu par SKF, et le seul recours exclusif de l'acheteur en ce qui concerne un tel vice se limitera à : (A) la fourniture par SKF à titre gratuit pour l'acheteur, y compris en ce qui concerne le transport, d'une pièce de rechange pour tout produit vendu par SKF dont SKF aura déterminé qu'il est défectueux contrairement à la présente garantie limitée et (B) dans le cas où le produit ne peut être réparé ou remplacé par SKF, SKF accordera un avoir ou un remboursement correspondant au prix d'achat payé par l'acheteur : dans la mesure où SKF aura reçu dans les trente (30) jours de la découverte de la non-conformité du produit notification écrite de ladite non-conformité et dans la mesure où le produit non conforme aura été retourné à l'entrepôt désigné de SKF franco à bord dans les meilleurs délais, mais en aucun casplus de douze (12) mois après la date, à l'exception des unités de roulements de moyeux de véhicules légers, qui sont garantis pour une période de trente-six (36) mois à compter de la date d'achat, ou 45 000 milles (soit 72 000 kilomètres), selon ce qui se produira en premier. Une preuve de date d'achat/kilométrage valide sera nécessaire. SKF ne sera en aucun cas obligé au titre de la présente garantie limitée ou autrement et d'aucune façon en ce qui concerne l'usure normale de tout produit vendu par SKF qui, après la livraison par SKF et à la seule discrétion de SKF, aura fait l'objet d'un accident, d'une usage abusif, d'une mauvaise application d'une réparation, d'un montage ou d'un entretien inadéquats ou défectueux, d'une charge excessive ou d'autres conditions de fonctionnement excessives, ou du fait de vices causés ou résultant des spécifications ou conceptions de l'acheteur ou causés par l'acheteur de toute autre façon. **DANS LE PLUS GRANDE MESURE PERMISE PAR LA LOI, SKF REJETTE LA RESPONSABILITÉ, EN DROIT DE LA RESPONSABILITÉ CIVILE DÉLICTUELLE OU EN DROIT CONTRACTUEL, EN NÉGLIGENCE, RESPONSABILITÉ STRICTE, OU AUTRE, DE TOUT AUTRE RECOURS OU DE TOUS DOMMAGES, DIRECTS OU INDIRECTS, ACCESSOIRES, SPÉCIAUX, EXEMPLAIRES, OU CONSÉCUTIFS EN CE QUI CONCERNE SA EXÉCUTION AU TITRE DES PRÉSENTES, Y COMPRIS SANS LIMITATION EN CE QUI CONCERNE LES PRODUITS VENDUS OU FOURNIS CI-DEDANS PAR SKF, ET SA PRESTATION DE TOUT SERVICE ANNEXE. LA PRÉSENTE GARANTIE LIMITÉE EXCLUT TOUTE AUTRE GARANTIE, EXPRESSE OU IMPLICITE, Y COMPRIS LES GARANTIES DE VALEUR MARCHANDE OU D'ADAPTATION À UNE FIN PARTICULIERE. LES COÛTS ENCOURUS POUR L'ENTRETIEN PROGRAMMÉ NE SONT PAS COUVERTS PAR LA PRÉSENTE GARANTIE LIMITÉE.** Sans limiter le caractère général de ce qui précède, SKF rejette spécifiquement toute responsabilité envers l'acheteur pour toute perte, coût ou dommage résultant du temps d'immobilisation du matériel, ou de la perte d'usage ou de disponibilité de chantier, les recettes ou bénéfices perdus, que SKF soit informé ou non de la possibilité de tels dommages ou pertes ou aurait pu prévoir ces derniers. Aucun personne n'a été autorisée par SKF à entreprendre ou à faire de la part de SKF des déclarations de garantie allant au delà ou contraires à la présente garantie limitée ou contraire aux limitations et dénis de responsabilité énoncés ci-dedans. Les recours exclusifs prévus dans la présente garantie limités ne seront pas considérés comme ayant manqué à leur objet essentiel dans la mesure où SKF est disposé et capable de remplir ses obligations dans la mesure et de la façon prescrite dans la présente garantie limitée.

CERTAINS ÉTATS OU PROVINCES NE PERMETTENT PAS DE LIMITATIONS QUANT À LA DURÉE DE TOUTE GARANTIE IMPLICITE OU QUANT À L'EXCLUSION OU LA LIMITATION DES DOMMAGES ACCESSOIRES OU CONSÉCUTIFS, OU CERTAINES LIMITATIONS EN CE QUI CONCERNE LES DROITS DES GARANTIE, LES EXCLUSIONS CI-DESSUS PEUVENT DONC NE PAS S'APPLIQUER À VOUS. La présente garantie limitée vous confère des droits légaux spécifiques et vous pouvez avoir d'autres droits, qui varient d'un état ou d'une province à l'autre.

RENSEIGNEMENTS ET RETOURS : Le présent catalogue fait référence à des produits conçus avant sa publication et ne couvre pas les modifications de produits effectuées après sa date de publication. Les demandes de renseignements peuvent être adressées à : SKF Customer Service Department, 890 North State Street, Suite 200, Elgin, IL 60123, ou appeler 1-800-882-0008. Toute erreur d'expédition (pour les expéditions de quantité excessives de produits ou de produits ne correspondant pas à la description donnée par l'Acheteur dans sa commande) peut faire l'objet d'un retour contre un avoir ou un remplacement par SKF, dans la mesure où SKF aura été notifié par écrit par l'acheteur de ladite non-conformité dans les 30 jours suivant la livraison du produit à l'acheteur, et seulement après autorisation écrite donnée par SKF. Les retours agréés doivent être expédiés tous frais payés et arriver en bon état propre à la revente pour donner droit à un avoir ou un remplacement. Autrement, SKF ne sera pas tenu d'accepter le retour de tout produit vendu ou distribué par la société.

AVIS : Les systèmes de numérotation des pièces SKF pour les produits SKF sont la propriété exclusive de SKF. Tout utilisation non autorisée ou inadéquate de ces systèmes de numérotation, y compris l'adoption ou l'utilisation de tout numéro de pièces ou de listes de numéros de pièces, même dans un but de modification or d'ajout, est strictement interdit et sera poursuivi par SKFcomme une contravention aux droits de propriété, à la protection des marques de commerce et un acte de concurrence déloyale aux Etats-Unis comme à l'étranger. En outre, l'utilisation des marques de commerces, des noms commerciaux ou des motifs de conditionnement, systèmes, couleurs ou conceptions SKF sera de même considérée comme une contravention aux droits sur les marques de commerce, noms commerciaux et identité commerciale de SKF USA et de son groupe. Les éventuelles contraventions à ces droits devront être signalées à SKF : SKF USA Inc., 890 North State Street, Suite 200, Elgin, Illinois 60123, Attn: Catalog Manager.

RWD Passenger Car
Application Section

Notes

Passenger cars, light & medium trucks

Alfa Romeo Berlina, Giulia, Giulietta, Spider

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1994-1954 All: [Type 6]

U-Joint (Center)❶ **UJ413**

U-Joint (Rear)❷ **UJ413**

American Motors Ambassador

Drive Shaft

U-Joint

1974-1967 All: [Type 1]

U-Joint (Front)❶ **UJ369**

Brute Force Greaseable ***UJ280***

Brute Force Non Greaseable ***UJ269***

(For Aluminum Drive Shaft) **UJ369C**

U-Bolt Kit (Front) **UJ329-10**

U-Joint (Rear)❷ **UJ369**

Brute Force Greaseable ***UJ280***

Brute Force Non Greaseable ***UJ269***

(For Aluminum Drive Shaft) **UJ369C**

U-Bolt Kit (Rear) **UJ329-10**

1966-1963 All: [Type 4]

U-Joint (Front)❶ **UJ515**

1962-1960 Auto. Trans. & 1.016" Dia. Brg. Cup: [Type 4]

U-Joint (Front)❶ **UJ507**

Drive Shaft (Cont.)

U-Joint (Cont.)

1962-1960 Auto. Trans. & 1.125" Dia. Brg. Cup: [Type 4]

U-Joint (Front)❶ **UJ513**

1962-1960 Man. Trans.: [Type 4]

U-Joint (Front)❶ **UJ513**

1959-1958 All: [Type 4]

U-Joint (Front)❶ **UJ513**

American Motors American, AMX (1968 thru 1974), Javelin

Drive Shaft

U-Joint

1974-1968 AMX & Javelin: [Type 1]

U-Joint (Front)❶ **UJ369**

Brute Force Greaseable ***UJ280***

Brute Force Non Greaseable ***UJ269***

(For Aluminum Drive Shaft) **UJ369C**

U-Bolt Kit (Front) **UJ329-10**

U-Joint (Rear)❷ **UJ369**

Brute Force Greaseable ***UJ280***

Brute Force Non Greaseable ***UJ269***

(For Aluminum Drive Shaft) **UJ369C**

U-Bolt Kit (Rear) **UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1968 American: [Type 1]

U-Joint (Front)❶ **UJ369**

Brute Force Greaseable ***UJ280***

Brute Force Non Greaseable ***UJ269***

(For Aluminum Drive Shaft) **UJ369C**

U-Bolt Kit (Front) **UJ329-10**

U-Joint (Rear)❷ **UJ369**

Brute Force Greaseable ***UJ280***

Brute Force Non Greaseable ***UJ269***

(For Aluminum Drive Shaft) **UJ369C**

U-Bolt Kit (Rear) **UJ329-10**

1967 American w/ Auto Trans.: [Type 1]

U-Joint (Front)❶ **UJ507**

U-Joint (Rear)❷ **UJ498**

1967 American w/ Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ498**

U-Joint (Rear)❷ **UJ498**

1966-1965 American w/ 3.2L & 3.3L Engs.: [Type 1]

U-Joint (Front)❶ **UJ514G**

U-Joint (Rear)❷ **UJ514G**

(Continued)



Type 1



Type 4



Type 6

American Motors American, AMX (1968 thru 1974), Javelin -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1966-1965 American w/ 3.8L & 4.7L Engs.: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ498**

1964 American: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**

American Motors Concord, Gremlin, Hornet, Pacer, Spirit

Drive Shaft

U-Joint

1982-1979 4 & 6 Cyl. Engs. w/ Inner Lock Ring: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1982-1979 4 & 6 Cyl. Engs. w/ Outer Lock Ring: [Type 4]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**

1978-1976 V8 Eng.: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1978-1976 4 & 6 Cyl. Engs. w/ Inner Lock Ring: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1978-1976 4 & 6 Cyl. Engs. w/ Outer Lock Ring: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1975 V8 Eng. w/ Inner Lock Ring: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1975 6 Cyl Eng. w/ 2.6875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rear)	**UJ437-10**

1975 V8 Eng. w/ Outer Lock Ring: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

(Continued)



Type 1



Type 4

(Cont.) -- American Motors Concord, Gremlin, Hornet, Pacer, Spirit

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1975 6 Cyl Eng. w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1974-1970 Gremlin & Hornet: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

American Motors Classic, Marlin, Rambler

Drive Shaft

U-Joint

1969 Rambler: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1967 Marlin: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1966 Classic & Marlin: [Type 4]

U-Joint (Front)❶	**UJ515**

Drive Shaft (Cont.)

U-Joint (Cont.)

1965 Classic w/ 3.2L & 3.3L Engs.: [Type 4]

U-Joint (Front)❶	**UJ514G**

1965 Classic w/ 3.8L Eng.: [Type 4]

U-Joint (Front)❶	**UJ515**

1965-1963 Classic & Marlin w/ V8 Eng.: [Type 4]

U-Joint (Front)❶	**UJ515**

1964 Classic w/ 6 Cyl. Eng.: [Type 4]

U-Joint (Front)❶	**UJ514G**

1963 Classic w/ 6 Cyl. Eng.: [Type 4]

U-Joint (Front)❶	**UJ341**



Type 1



Type 4

American Motors Eagle

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1988-1982 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

1981 4 Cyl. Eng. w/ Inner Lock Rings: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ341**
U-Joint (Rr. Shaft; Frt.)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Frt.)	**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**

1981 4 Cyl. Eng. w/ Outer Lock Rings: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ341**
U-Joint (Rr. Shaft; Frt.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ319**
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1981-1980 6 Cyl. Eng. w/ Inner Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Frt.)	**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**

1981-1980 6 Cyl. Eng. w/ Outer Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ319**



Type 13



Type 15

American Motors Matador, Rebel

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1978-1976 6 Cyl. Eng. w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1978-1976 V8 Eng.: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1978-1976 6 Cyl. Eng. w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1975 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1975 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1974-1967 All: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1966 All: [Type 4]

U-Joint (Front)❶	**UJ515**

Austin America, Marina

Drive Shaft

U-Joint

1975-1973 Marina w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**

1971-1968 America: [Type 11]

U-Joint (Rear Half Shaft)❶	[2]	**UJ341**



Type 1



Type 4



Type 11

Austin-Healey Sprite, 100-6, 3000

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1970-1958 Sprite: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**

1967-1956 100-6 & 3000: [Type 1]

U-Joint (Front)❶	**UJ344**
U-Joint (Rear)❷	**UJ344**

BMW M5, 535i, 735i, 750iL

Drive Shaft

U-Joint

1994-1988 750iL: [Type 1]

U-Joint (Front)❶	**UJ10431**
U-Joint (Rear)❷	**UJ10431**

1993-1991 M5: [Type 1]

U-Joint (Front)❶	**UJ10431**
U-Joint (Rear)❷	**UJ10431**

1993-1989 535i: [Type 1]

U-Joint (Front)❶	**UJ10431**
U-Joint (Rear)❷	**UJ10431**

1992-1987 735i: [Type 1]

U-Joint (Front)❶	**UJ10431**
U-Joint (Rear)❷	**UJ10431**

Buick (RWD) Centurion, Electra (thru 1984), Estate Wagon, Invicta, LeSabre (thru 1985), Riviera (thru 1978), Roadmaster, Wildcat

Drive Shaft

U-Joint

1996-1991 Roadmaster: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1990-1986 LeSabre Estate Wagon: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1985 Electra Estate Wagon: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1985-1982 LeSabre w/ Inner Lock Rings: [Type1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1

(Cont.) -- Buick (RWD) Centurion, Electra (thru 1984), Estate Wagon, Invicta, LeSabre (thru 1985), Riviera (thru 1978), Roadmaster, Wildcat

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1985-1982 LeSabre w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1984-1982 Electra w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 Electra w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1981-1973 Electra & LeSabre w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1981-1973 Electra & LeSabre w/ "CV" at Rear Axle: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

Drive Shaft (Cont.)

U-Joint (Cont.)

1978-1977 Riviera: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1976-1973 Riviera: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

1973 Centurion: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

1972-1971 Centurion: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1972-1971 Riviera: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1972-1969 Electra & LeSabre w/ "CV" at Rear Axle: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

(Continued)



Type 1

Buick (RWD) Centurion, Electra (thru 1984), Estate Wagon, Invicta, LeSabre (thru 1985), Riviera (thru 1978), Roadmaster, Wildcat -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1972-1969 Electra & LeSabre w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1970-1968 Wildcat: [Type 1]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1970-1964 Riviera: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1968-1963 Electra & LeSabre: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ492**
U-Joint (Rr. Shaft; Frt.)❸		**UJ492**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1967-1963 Wildcat: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ492**
U-Joint (Rr. Shaft; Frt.)❸		**UJ492**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1963 Riviera: [Type 2]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1962-1961 Electra, Invicta, LeSabre & Wildcat w/ Inner Lock Rings: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ492**
U-Joint (Rr. Shaft; Frt.)❸		**UJ492**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1962-1961 Electra, Invicta, LeSabre & Wildcat w/ Outer Lock Rings: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**



Type 1



Type 2



Type 5

Buick (RWD) Apollo, Skyhawk (thru 1980)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1980-1975 Skyhawk: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1975-1973 Apollo: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

Buick (RWD) Century (1973-1981), Regal (thru 1987), Skylark (thru 1979), Special (from 1961)

Drive Shaft

U-Joint

1987-1982 Regal w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1987-1982 Regal w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1981-1973 Century & Regal: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1979-1975 Skylark w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1979-1975 Skylark w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1972-1968 Skylark: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

(Continued)



Type 1

Buick (RWD) Century (1973-1981), Regal (thru 1987), Skylark (thru 1979), Special (from 1961) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1969-1968 Special: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1967-1966 Skylark & Special w/ 225 & 300 Engs.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1967-1966 Skylark & Special w/ 340 Eng.: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ **UJ492**
U-Joint (Rr. Shaft; Frt.)❸ **UJ492**
U-Joint (Rr. Shaft; Rr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1965-1964 Skylark & Special: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1963-1961 Special: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Rr.)❹ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***



Type 1



Type 5

Cadillac (RWD) Brougham, Calais, Commercial Chassis, DeVille (thru 1984), Fleetwood (from 1993), Seville (thru 1979)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft

U-Joint

1996-1993 Brougham, Com. Chassis & Fleetwood w/ Armored Body: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1996-1993 Brougham, Com. Chassis & Fleetwood Exc. Armored Body: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1992 Commercial Chassis Broham: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1992-1987 Brougham: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1986-1985 Fleetwood Brougham: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1985-1982 Comm. Chas. & Limo: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Rr.)❹ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1984-1982 DeVille w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Fleetwood: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 DeVille w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

(Continued)



Type 1



Type 5

Cadillac (RWD) Brougham, Calais, Commercial Chassis, DeVille (thru 1984), Fleetwood (from 1993), Seville (thru 1979) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1981-1973 DeVille: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1973 Comm. Chas.: [Type 2]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1973 Fleetwood: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1979-1976 Seville: [Type 1]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1976-1973 Calais: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1972-1968 Calais: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1972-1968 Fleetwood: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1972-1968 DeVille: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1972-1968 Comm. Chas.: [Type 2]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

(Continued)



Type 1



Type 2

(Cont.) -- Cadillac (RWD) Brougham, Calais, Commercial Chassis, DeVille (thru 1984), Fleetwood (from 1993), Seville (thru 1979)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1967 Comm. Chassis & 75 Series: [Type 2]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1967-1965 Calais: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1967-1963 DeVille: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1967-1963 Fleetwood: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1966-1963 Comm. Chassis & 75 Series: [Type 2]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1964-1963 Eldorado: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1962-1958 DeVille w/ Inner Lock Rings: [Type 2]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

1962-1958 Comm. Chassis & 75 Series w/ Inner Lock Rings: [Type 2]

U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***

(Continued)



Type 2



Type 5

Cadillac (RWD) Brougham, Calais, Commercial Chassis, DeVille (thru 1984), Fleetwood (from 1993), Seville (thru 1979) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1962-1958 DeVille w/ Outer Lock Rings: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
1962-1958 Comm. Chassis & 75 Series w/ Outer Lock Rings: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
1962-1957 Eldorado w/ Inner Lock Rings: [Type 2]	
U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
1962-1957 Eldorado w/ Outer Lock Rings: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1957 DeVille: [Type 2]	
U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
1957 Comm. Chassis & 75 Series: [Type 2]	
U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
1956-1953 Eldorado w/ 2 Joint Shaft: [Type 1]	
U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ531G**
1956-1953 Eldorado w/ 3 Joint Shaft: [Type 2]	
U-Joint (Front)❶	**UJ531G**
U-Joint (Center)❷	**UJ531G**
U-Joint (Rear)❸	**UJ531G**
1956-1950 DeVille w/ 2 Joint Shaft: [Type 1]	
U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ531G**
1956-1950 DeVille w/ 3 Joint Shaft: [Type 2]	
U-Joint (Front)❶	**UJ531G**
U-Joint (Center)❷	**UJ531G**
U-Joint (Rear)❸	**UJ531G**
1956-1950 Comm. Chassis & 75 Series w/ 2 Joint Shaft: [Type 1]	
U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ531G**
1956-1950 Comm. Chassis & 75 Series w/ 3 Joint Shaft: [Type 2]	
U-Joint (Front)❶	**UJ531G**
U-Joint (Center)❷	**UJ531G**
U-Joint (Rear)❸	**UJ531G**

(Continued)



Type 1



Type 2

(Cont.) -- Cadillac (RWD) Brougham, Calais, Commercial Chassis, DeVille (thru 1984), Fleetwood (from 1993), Seville (thru 1979)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1950-1946 Comm. Chassis & 75 Series w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ536**
U-Joint (Center)❷	**UJ536**
U-Joint (Rear)❸	**UJ536**

1949-1946 DeVille w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ536**
U-Joint (Rear)❷	**UJ536**

1949-1946 DeVille w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ536**
U-Joint (Center)❷	**UJ536**
U-Joint (Rear)❸	**UJ536**

Drive Shaft (Cont.)

U-Joint (Cont.)

1949-1946 Comm. Chassis & 75 Series w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ536**
U-Joint (Rear)❷	**UJ536**

Checker Motors Corp.

Drive Shaft

U-Joint

1977-1974 Marathon & Taxi: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1974-1965 AeroBus: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1973-1972 Marathon & Taxi: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1971-1969 Marathon & Taxi: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1968-1962 Marathon & Taxi: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**



Type 1



Type 2

Chevrolet (RWD) Bel Air, Biscayne, Caprice (thru 1996), Del Ray, Impala (thru 1996), One-Fifty, Two-Ten

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft

U-Joint

1996-1985 Caprice & Impala: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Caprice & Impala w/ Inner Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Caprice & Impala w/ Outer Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

1981-1977 Bel Air, Caprice & Impala: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1976 Caprice & Impala: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

Drive Shaft (Cont.)

U-Joint (Cont.)

1975-1973 Sedan: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1975-1971 Station Wagon w/ Inner Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1975-1971 Station Wagon w/ Outer Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

1972-1971 Sedan: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1970-1969 Bel Air, Biscayne & Impala: [Type 1]
U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

(Continued)



Type 1

(Cont.) -- Chevrolet (RWD) Bel Air, Biscayne, Caprice (thru 1996), Del Ray, Impala (thru 1996), One-Fifty, Two-Ten

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1970-1969 Caprice w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1970-1969 Caprice w/o Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1968-1966 Bel Air, Biscayne, Caprice & Impala w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1968-1966 Bel Air, Biscayne, Caprice & Impala w/o Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1965 Bel Air, Biscayne & Impala: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1964-1958 Bel Air, Biscayne, Del Ray & Impala: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1957-1955 Bel Air, Del Ray, One-Fifty & Two-Ten: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**



Type 1



Type 2

Chevrolet (RWD) Chevy II, Nova (thru 1979)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1979-1969 Nova: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1968-1962 Chevy II: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Chevrolet (RWD) Camaro, Chevelle, El Camino, Laguna, Malibu (1971-1983), Monte Carlo (thru 1988), Nomad

Drive Shaft

U-Joint

2002-1993 Camaro: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1992-1988 Camaro w/ Aluminum Drive Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ372**
(For Aluminum Drive Shaft)	**UJ372C**
Clamp Kit (Rear)	**UJ530-10**

1992-1988 Camaro w/ Steel Drive Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1988-1985 El Camino & Monte Carlo: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1987-1985 Camaro: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 Camaro w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1

(Cont.) -- Chevrolet (RWD) Camaro, Chevelle, El Camino, Laguna, Malibu (1971-1983), Monte Carlo (thru 1988), Nomad

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1984-1982 El Camino, Malibu & Monte Carlo w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 Camaro w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1984-1982 El Camino, Malibu & Monte Carlo w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1981-1976 Camaro: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1981-1973 Chevelle, El Camino, Laguna, Malibu & Monte Carlo: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1975-1969 Camaro: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1972-1971 Chevelle, El Camino & Monte Carlo w/ 454 V-8: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1972-1971 Chevelle, El Camino & Monte Carlo w/o 454 V-8: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1970-1969 Chevelle, El Camino & Monte Carlo: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

(Continued)



Type 1

Chevrolet (RWD) Camaro, Chevelle, El Camino, Laguna, Malibu (1971-1983), Monte Carlo (thru 1988), Nomad -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1968-1967 Camaro w/o Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1968-1967 Camaro w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1968-1967 Chevelle, El Camino & Malibu w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1968-1967 Chevelle, El Camino & Malibu w/o Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1966-1964 Chevelle, El Camino & Malibu: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1961-1958 Nomad: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1957-1955 Nomad: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**



Type 1



Type 2

Chevrolet (RWD) Chevette

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft
U-Joint
1987-1976 All: [Type 1]

U-Joint (Front)❶		**UJ368**
Clamp Kit (Front)		**UJ360-10**
U-Joint (Rear)❷		**UJ368**
Clamp Kit (Rear)		**UJ360-10**

Chevrolet (RWD) Corvair

Drive Shaft
U-Joint
1969-1960 Corvair: [Type 12]

U-Joint (Rear Half Shaft)❶	[4]	**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**

Chevrolet (RWD) Corvette, Stingray

Drive Shaft
U-Joint
1996-1984 All: [Type 10]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1982-1980 Auto. Trans.: [Type 10]

U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

Drive Shaft (Cont.)
U-Joint (Cont.)
1982-1980 Man. Trans.: [Type 10]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1979-1971 All: [Type 10]

U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

(Continued)



Type 1



Type 10



Type 12

Chevrolet (RWD) Corvette, Stingray -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1970-1968 Auto. Trans.: [Type 10]

U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Bolt Kit (Rear)		**UJ329-10**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1970-1968 Man. Trans.: [Type 10]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1967-1963 All: [Type 10]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
U-Joint (Rear Half Shaft)❸	[4]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1962-1953 All: [Type 1]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**

Chevrolet (RWD) Monza, Vega

Drive Shaft

U-Joint

1980-1971 All: [Type 1]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**



Type 1



Type 10

Chrysler (RWD) (Full Size-exc. Imperial), Conquest (from 1987), Cordoba, Fifth Avenue, LeBaron (thru 1981), Newport, New Yorker (thru 1982), Town & Country (thru 1982), Windsor, 300 (thru 1971)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1989-1987 Fifth Avenue: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1989-1987 Conquest : [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1986-1979 Cordoba, Fifth Avenue, New Yorker, Newport & Valiant: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1981-1979 LeBaron: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1978-1968 Cordoba, LeBaron, New Yorker, Newport & Valiant w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1978-1968 Cordoba, LeBaron, New Yorker, Newport & Valiant w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1967 New Yorker, Newport, Town and Country & 300 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1967 New Yorker, Newport, Town and Country & 300 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***

1966-1965 Newport, Town and Country & 300 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***

1966-1965 New Yorker: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***

1966-1965 Newport, Town and Country & 300 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1964-1958 New Yorker, Newport, Town and Country, 300 & Windsor: [Type 7]

U-Joint (Rear)❶	**UJ315G**
Brute Force Greaseable	***UJ246***



Type 1



Type 7

Chrysler (RWD) Imperial (thru 1983)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1975-1974 All: [Type 1]

U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**

1973-1970 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**

1973-1970 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Centering Yoke		**UJ615**

1969-1965 All: [Type 1]

U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1964-1960 All: [Type 1]

U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***

1959 2 Joint Shaft: [Type 1]

U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***

1959 3 Joint Shaft: [Type 6]

U-Joint (Center)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***

1958 All: [Type 6]

U-Joint (Center)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***

Daihatsu Rocky

Drive Shaft (4 W/D)

U-Joint

1992-1990 Rocky: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶		**UJ450**
U-Joint (Rr. Shaft; Rr.)❷		**UJ450**



Type 1



Type 6



Type 17

Dodge (RWD) Challenger (from 1978), Colt (thru 1979), Conquest (thru 1986)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1986-1984 Conquest : [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1983-1981 Challenger w/ Auto Trans.: [Type 2]

U-Joint (Front)❶	**UJ398**
U-Joint (Center)❷	**UJ398**
U-Joint (Rear)❸	**UJ398**

1983-1981 Challenger w/ Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

1980-1978 Challenger: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1980-1978 Colt Wgn.: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

Drive Shaft (Cont.)

U-Joint (Cont.)

1979-1978 Colt Sedan: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

1977-1971 Colt: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

Dodge (RWD) Aspen, Challenger (thru 1974), Dart

Drive Shaft

U-Joint

1980-1976 Aspen: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1975-1970 Dart: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1974-1972 Challenger: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1971-1970 Challenger w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1971-1970 Challenger w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1969-1968 Dart w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1969-1968 Dart w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***

1967-1966 Dart: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1965-1960 Dart: [Type 7]

U-Joint (Rear)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**



Type 1



Type 2



Type 7

Dodge (RWD) Charger (thru 1978), Coronet, Custom, Diplomat, Magnum, Mirada, Monaco (thru 1978), Polara, Royal Monaco, St. Regis

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft

U-Joint

1989-1986 Diplomat: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1985-1977 Diplomat, Mirada & St. Regis: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1979 Magnum: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1978-1968 Charger, Coronet, Magnum, Monaco, Polara & Royal Monaco w/ 2.125" Yoke: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1978-1968 Charger, Coronet, Magnum, Monaco, Polara & Royal Monaco w/ 2.625" Yoke: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1967-1966 Charger, Coronet & Polara w/ 225, 273, 318 & 383 Engs.: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1967-1966 Charger, Coronet & Polara w/ 426 & 440 Engs. & Inner Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1967-1966 Monaco w/ 383 Eng.: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1967-1966 Monaco w/ 440 Eng. & Inner Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1967-1966 Charger, Coronet & Polara w/ 426 & 440 Engs. & Outer Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1967-1966 Monaco w/ 440 Eng. & Outer Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

(Continued)



Type 1

(Cont.) -- Dodge (RWD) Charger (thru 1978), Coronet, Custom, Diplomat, Magnum, Mirada, Monaco (thru 1978), Polara, Royal Monaco, St. Regis

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1965 Coronet, Custom & Polara w/ 318, 361, 383 & 426 Engs. & Auto Trans.: [Type 1]

U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1965 Coronet, Custom & Polara w/ 318, 361, 383 & 426 Engs. & Man. Trans.: [Type 7]

U-Joint (Rear)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1965 Coronet, Custom & Polara w/ 225 & 273 Engs.: [Type 1]

U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1965 Monaco w/ Auto Trans.: [Type 1]

U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1964-1958 Coronet, Custom, Polara & 880: [Type 7]

U-Joint (Rear)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

Dodge (RWD) Viper

Drive Shaft

U-Joint

2017-2015 All: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2010-2003 All: [Type 1]

U-Joint (Front)❶ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Rear)❷ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**

Drive Shaft (Cont.)

U-Joint (Cont.)

2002-1992 All: [Type 8]

U-Joint (Front)❶ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Rear)❷ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Rear Half Shaft)❸ ..... [2] **UJ231**
(For Aluminum Drive Shaft) **UJ231C**



Type 1



Type 7



Type 8

Eagle Talon

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint		
1995-1990 AWD: [Type 42]		
U-Joint (Front)❶		**UJ398**
U-Joint (Center)❷		**UJ398**
U-Joint (Rear)❸		**UJ398**

Eagle (Canada) Vista, 2000GTX

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint		
1992-1989 AWD: [Type 42]		
U-Joint (Front)❶		**UJ398**
U-Joint (Center)❷		**UJ398**
U-Joint (Rear)❸		**UJ398**

Edsel

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint		
1960-1958 All: [Type 1]		
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**

Fiat (RWD) Brava, 124, 131

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint		
1983-1966 124 Spider, 131 & Brava: [Type 6]		
U-Joint (Center)❶		**UJ341**
U-Joint (Rear)❷		**UJ341**



Type 1



Type 6



Type 42

Ford (FWD) Tempo

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1991-1987 Tempo w/ AWD: [Type 45]

U-Joint (Front)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Front)	**UJ437-10**
U-Joint (Center)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rear)	**UJ437-10**
U-Joint (Rear Half Shaft)❹ [2]	**UJ237**

Ford (RWD) (Full Size), Country Sedan, Country Squire, Crown Victoria, Custom, Fairlane (1955-1961), Galaxie, LTD (thru 1982)

Drive Shaft

U-Joint

2011-2006 Crown Victoria From 6/19/06: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2006-2003 Crown Victoria Thru 6/18/06 w/ Alum. Driveshaft & 1.063" O.D. Brg. Cap: [Type 1]

U-Joint (Front)❶	**UJ354C**
U-Joint (Rear)❷	**UJ354C**

2006-2003 Crown Victoria Thru 6/18/06 w/ Alum. Driveshaft & 1.188" O.D. Brg. Cap: [Type 1]

U-Joint (Front)❶	**UJ331C**
U-Joint (Rear)❷	**UJ331C**

2006-2003 Crown Victoria Thru 6/18/06 w/ Steel Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ345**
U-Joint (Rear)❷	**UJ345**

2002-1995 Crown Victoria: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1994-1987 Crown Victoria & Country Squire w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1994-1987 Crown Victoria & Country Squire w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1982-1979 LTD w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

(Continued)



Type 1



Type 45

Ford (RWD) (Full Size), Country Sedan, Country Squire, Crown Victoria, Custom, Fairlane (1955-1961), Galaxie, LTD (thru 1982) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1982-1979 LTD w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1978 LTD w/ 302 Eng.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***

1978-1975 LTD w/ 351 Eng. & 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1978-1975 LTD w/ 400 & 460 Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1978-1975 LTD w/ 351 Eng. & 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1974-1966 Country Sedan, Country Squire, Custom & LTD w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1974-1966 Galaxie w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***

1974-1966 Country Sedan, Country Squire, Custom & LTD w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1974-1966 Galaxie w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***

1965-1963 Country Sedan, Country Squire, Custom & LTD w/ 390, 406 & 427 Engs. From 6/63: [Type 1]

U-Joint (Front)❶	**UJ433**
Brute Force Greaseable	***UJ260***
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1965-1963 Country Sedan, Country Squire, Custom & LTD w/ 170, 200, 223 & 240 Engs: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1965-1963 Country Sedan, Country Squire, Custom & LTD w/ 221, 260, 289 & 352 Engs: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

(Cont.) -- Ford (RWD) (Full Size), Country Sedan, Country Squire, Crown Victoria, Custom, Fairlane (1955-1961), Galaxie, LTD (thru 1982)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1965-1963	**Galaxie w/ 200, 223 & 240 Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ429**
Brute Force Greaseable		***UJ250***
U-Joint (Rear)❷		**UJ430**
Brute Force Greaseable		***UJ255***
U-Bolt Kit (Rear)		**UJ534-10**
1965-1963	**Galaxie w/ 221, 260, 289 & 352 Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ429**
Brute Force Greaseable		***UJ250***
U-Joint (Rear)❷		**UJ430**
Brute Force Greaseable		***UJ255***
U-Bolt Kit (Rear)		**UJ534-10**
1965-1963	**Galaxie w/ 390, 406 & 427 Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ433**
Brute Force Greaseable		***UJ260***
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1963	**Country Sedan, Country Squire & Fairlane w/ 390, 406 & 427 Engs. Thru 5/63: [Type 1]**	
U-Joint (Front)❶		**UJ429**
Brute Force Greaseable		***UJ250***
U-Joint (Rear)❷		**UJ430**
Brute Force Greaseable		***UJ255***
U-Bolt Kit (Rear)		**UJ534-10**
1962-1961	**Country Sedan & Country Squire: [Type 1]**	
U-Joint (Front)❶		**UJ429**
Brute Force Greaseable		***UJ250***
U-Joint (Rear)❷		**UJ430**
Brute Force Greaseable		***UJ255***
U-Bolt Kit (Rear)		**UJ534-10**
1962-1961	**Galaxie: [Type 1]**	
U-Joint (Front)❶		**UJ429**
Brute Force Greaseable		***UJ250***
U-Joint (Rear)❷		**UJ430**
Brute Force Greaseable		***UJ255***
U-Bolt Kit (Rear)		**UJ534-10**
1960-1959	**Country Sedan, Country Squire & Fairlane w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ507**
U-Joint (Rear)❷		**UJ505**
1960-1959	**Galaxie w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ507**
U-Joint (Rear)❷		**UJ505**

Drive Shaft (Cont.)

U-Joint (Cont.)

1960-1959	**Country Sedan, Country Squire & Fairlane w/ Outer Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1960-1959	**Galaxie w/ Outer Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1958-1949	**w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ507**
1958-1949	**w/ Outer Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**



Type 1

Ford (RWD) Elite, Gran Torino, LTD II, Ranchero, Torino

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft

U-Joint

1979 LTD II w/ Inner Lock Rings: [Type 1]
U-Joint (Front)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Front) UJ530-10
U-Joint (Rear)❷ UJ375

1979 LTD II w/ Outer Lock Rings: [Type 1]
U-Joint (Front)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rear)❷ UJ434
Brute Force Greaseable UJ265
Brute Force Non Greaseable UJ264
U-Bolt Kit (Rear) UJ534-10

1979-1966 Ranchero w/ 3.5" Yoke: [Type 1]
U-Joint (Front)❶ UJ369
Brute Force Greaseable UJ280
Brute Force Non Greaseable UJ269
(For Aluminum Drive Shaft) UJ369C
U-Joint (Rear)❷ UJ430
Brute Force Greaseable UJ255
U-Bolt Kit (Rear) UJ534-10

1979-1966 Ranchero w/ 3.875" Yoke: [Type 1]
U-Joint (Front)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rear)❷ UJ434
Brute Force Greaseable UJ265
Brute Force Non Greaseable UJ264
U-Bolt Kit (Rear) UJ534-10

1978-1977 LTD II: [Type 1]
U-Joint (Front)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rear)❷ UJ434
Brute Force Greaseable UJ265
Brute Force Non Greaseable UJ264
U-Bolt Kit (Rear) UJ534-10

1976-1975 Elite, Gran Torino & Torino w/ 351 Eng. & 3.5" Yoke: [Type 1]
U-Joint (Front)❶ UJ369
Brute Force Greaseable UJ280
Brute Force Non Greaseable UJ269
(For Aluminum Drive Shaft) UJ369C
U-Joint (Rear)❷ UJ430
Brute Force Greaseable UJ255
U-Bolt Kit (Rear) UJ534-10

Drive Shaft (Cont.)

U-Joint (Cont.)

1976-1975 Elite, Gran Torino & Torino w/ 400 & 460 Engs.: [Type 1]
U-Joint (Front)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rear)❷ UJ434
Brute Force Greaseable UJ265
Brute Force Non Greaseable UJ264
U-Bolt Kit (Rear) UJ534-10

1976-1975 Elite, Gran Torino & Torino w/ 351 Eng. & 3.875" Yoke: [Type 1]
U-Joint (Front)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rear)❷ UJ434
Brute Force Greaseable UJ265
Brute Force Non Greaseable UJ264
U-Bolt Kit (Rear) UJ534-10

1974-1968 Gran Torino & Torino w/ 3.5" Yoke: [Type 1]
U-Joint (Front)❶ UJ369
Brute Force Greaseable UJ280
Brute Force Non Greaseable UJ269
(For Aluminum Drive Shaft) UJ369C
U-Joint (Rear)❷ UJ430
Brute Force Greaseable UJ255
U-Bolt Kit (Rear) UJ534-10

1974-1968 Gran Torino & Torino w/ 3.875" Yoke: [Type 1]
U-Joint (Front)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rear)❷ UJ434
Brute Force Greaseable UJ265
Brute Force Non Greaseable UJ264
U-Bolt Kit (Rear) UJ534-10

1970-1966 Fairlane w/ 3.5" Yoke: [Type 1]
U-Joint (Front)❶ UJ369
Brute Force Greaseable UJ280
Brute Force Non Greaseable UJ269
(For Aluminum Drive Shaft) UJ369C
U-Joint (Rear)❷ UJ430
Brute Force Greaseable UJ255
U-Bolt Kit (Rear) UJ534-10

(Continued)



Type 1

(Cont.) -- Ford (RWD) Elite, Gran Torino, LTD II, Ranchero, Torino

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1970-1966 Fairlane w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1965-1963 Ranchero w/ 170 & 200 Engs.: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1965-1963 Ranchero w/ 260, 289 & 352 Engs.: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1965-1963 Fairlane w/ 170 & 200 Engs.: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1965-1963 Fairlane w/ 390 & 427 Engs. From 6/63: [Type 1]

U-Joint (Front)❶	**UJ433**
Brute Force Greaseable	***UJ260***
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1963 Fairlane w/ 390 & 427 Engs. Thru 5/63: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1962-1961 Ranchero: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1960-1959 Ranchero w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ505**

1960-1959 Ranchero w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1958-1957 Ranchero w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ507**

1958-1957 Ranchero w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**



Type 1

Ford (RWD) Fairmont, Maverick

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1983-1979 Fairmont: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1978 Fairmont: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1977-1970 Maverick: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Ford (RWD) Falcon

Drive Shaft

U-Joint

1970-1969 Falcon: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1968-1965 Falcon w/ 170 & 200 Engs. & 3 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**

1968-1965 Falcon w/ Inner Lock Rings Exc. 170 & 200 Engs. & 3 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ498**
U-Bolt Kit (Rear)	**UJ534-10**

1968-1965 Falcon w/ Outer Lock Rings Exc. 170 & 200 Engs. & 3 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1964-1963 Falcon w/ 6 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**

1964-1963 Falcon w/ 8 Cyl. Eng. & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ498**

1964-1963 Falcon w/ 8 Cyl. Eng. & Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1962-1960 Falcon: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**



Type 1

Ford (RWD) Granada, LTD (from 1983)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1986-1983 LTD w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1986-1983 LTD w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1982-1981 Granada: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1980-1978 Granada: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1977-1975 Granada w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1977-1975 Granada w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**



Type 1

Ford (RWD) Mustang

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

2017-2015 Mustang w/ Man. Trans. Exc. 8 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2015 Mustang w/ 8 Cyl. Eng.: [Type 4]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2014-2013 Mustang Exc. GT500: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2004-2001 Mustang Exc. Cobra: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2004-2001 Mustang Cobra: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2000-1996 Mustang: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1995-1994 Mustang w/ 6 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1995-1994 Mustang w/ 8 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1993 Mustang w/ 4 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1993-1987 Mustang w/ 8 Cyl. Eng. & Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1993-1987 Mustang w/ 8 Cyl. Eng. & Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 4

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (Cont.)		
U-Joint (Cont.)		
1992-1987	**Mustang w/ 4 Cyl. Eng. & Auto. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1992-1987	**Mustang w/ 4 Cyl. Eng., Man. Trans. & 3.5" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1992-1987	**Mustang w/ 4 Cyl. Eng., Man. Trans. & 3.875" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
1986-1979	**Mustang: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1978-1974	**Mustang II: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ430**
	Brute Force Greaseable	***UJ255***
	U-Bolt Kit (Rear)	**UJ534-10**
Drive Shaft (Cont.)		
U-Joint (Cont.)		
1973-1970	**Mustang w/ 3.5" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ430**
	Brute Force Greaseable	***UJ255***
	U-Bolt Kit (Rear)	**UJ534-10**
1973-1970	**Mustang w/ 3.875" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1969-1968	**Mustang w/ 200 Eng. Exc. 3 Spd. Man. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ430**
	Brute Force Greaseable	***UJ255***
	U-Bolt Kit (Rear)	**UJ534-10**
1969-1968	**Mustang w/ 250, 289, 302 & 351 Engs.: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ430**
	Brute Force Greaseable	***UJ255***
	U-Bolt Kit (Rear)	**UJ534-10**
1969-1968	**Mustang w/ 390, 427 & 428 Engs.: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1969-1967	**Mustang w/ 200 Eng. & 3 Spd. Man. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ514G**
	U-Joint (Rear)❷	**UJ514G**

(Continued)



Type 1

Ford (RWD) Mustang -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1967 Mustang w/ 200 Eng. & Auto. Trans.: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ430**
Brute Force Greaseable ***UJ255***
U-Bolt Kit (Rear) **UJ534-10**

1967 Mustang w/ 289 Eng.: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ430**
Brute Force Greaseable ***UJ255***
U-Bolt Kit (Rear) **UJ534-10**

1967 Mustang w/ 390 Eng.: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1966-1964 Mustang w/ 170 & 200 Engs. & Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ514G**
U-Joint (Rear)❷ **UJ514G**

1966-1964 Mustang w/ 200 Eng., Auto. Trans. & Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ507**
U-Joint (Rear)❷ **UJ498**
U-Bolt Kit (Rear) **UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1966-1964 Mustang w/ 260 & 289 Engs. & Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ507**
U-Joint (Rear)❷ **UJ498**
U-Bolt Kit (Rear) **UJ534-10**

1966-1964 Mustang w/ 200 Eng., Auto. Trans. & Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ430**
Brute Force Greaseable ***UJ255***
U-Bolt Kit (Rear) **UJ534-10**

1966-1964 Mustang w/ 260 & 289 Engs. & Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ430**
Brute Force Greaseable ***UJ255***
U-Bolt Kit (Rear) **UJ534-10**



Type 1

Ford (RWD) Pinto

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1980 Pinto: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1979-1971 Pinto: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Ford (RWD) Thunderbird

Drive Shaft

U-Joint

1997-1994 Thunderbird: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1993-1987 Thunderbird w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1993-1987 Thunderbird w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1986-1983 Thunderbird: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1982-1980 Thunderbird: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
Centering Ball Kit	**UJ612**
Flange Yoke	**UJ627**
H Yoke	**UJ647**

1979 Thunderbird w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ375**
U-Bolt Kit (Rear)	**UJ534-10**

1979 Thunderbird w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1978-1977 Thunderbird: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

Ford (RWD) Thunderbird -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1976-1973 Thunderbird: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1972 Thunderbird: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1971-1968 Thunderbird: [Type 1]

U-Joint (Front)❶ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1967 Thunderbird 2 Door Model: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1967 Thunderbird 4 Door Model: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1966-1963 Thunderbird: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1962 Thunderbird w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ353**
Brute Force Greaseable ***UJ275***

1962 Thunderbird w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ429**
Brute Force Greaseable ***UJ250***
U-Joint (Rear)❷ **UJ431**

1961-1956 Thunderbird: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ507**

1955 Thunderbird: [Type 1]

U-Joint (Front)❶ **UJ507**
U-Joint (Rear)❷ **UJ12134**



Type 1



Type 5

Hyundai (Canada) Pony, Stellar

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1987-1985 Stellar: [Type 2]

U-Joint (Front)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Front)	**UJ437-10**
U-Joint (Center)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rear)	**UJ437-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1987-1984 Pony: [Type 1]

U-Joint (Front)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rear)	**UJ437-10**

Jaguar

Drive Shaft

U-Joint

1985-1961 2 Joint Shaft: [Type 8]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear Half Shaft)❸	[2]	**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1985-1961 3 Joint Shaft: [Type 9]

U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear Half Shaft)❹	[2]	**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**

1961-1955 All: [Type 8]

U-Joint (Front)❶		**UJ344**
U-Joint (Rear)❷		**UJ344**
U-Joint (Rear Half Shaft)❸	[2]	**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**



Lincoln (RWD) Capri, Continental (thru 1987), Cosmopolitan, Mark II,III,IV,V,VI,VII,VIII, Mark VIII, Premiere, Town Car

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

2011-2006 Town Car: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2005 Town Car From 3/18/05: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2005 Town Car Thru 3/17/05: [Type 1]

U-Joint (Front)❶	**UJ345**
U-Joint (Rear)❷	**UJ345**

2004-2003 Town Car: [Type 1]

U-Joint (Front)❶	**UJ345**
U-Joint (Rear)❷	**UJ345**

2002-1995 Town Car: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1998-1993 Mark VIII: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1994-1981 Town Car w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1994-1981 Town Car w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1992-1988 Mark VII From 11/87: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
Centering Ball Kit	**UJ617**
H Yoke	**UJ647**

1988-1984 Mark VII To 10/31/87: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
Centering Ball Kit	**UJ612**
Flange Yoke	**UJ627**
H Yoke	**UJ647**

1987-1982 Continental: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
Centering Ball Kit	**UJ612**
Flange Yoke	**UJ627**
H Yoke	**UJ647**

1983-1980 Mark VI w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

(Continued)



Type 1

(Cont.) -- Lincoln (RWD) Capri, Continental (thru 1987), Cosmopolitan, Mark II,III,IV,V,VI,VII,VIII, Mark VIII, Premiere, Town Car

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1983-1980 Mark VI w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1980 Continental w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1980 Continental w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1979 Mark V: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1979-1978 Continental: [Type 1]

U-Joint (Front)❶	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (Cont.)

U-Joint (Cont.)

1978-1977 Mark V From 7/15/77: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1977 Mark V Thru 7/14/77: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1977-1966 Continental: [Type 1]

U-Joint (Front)❶	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Centering Yoke		**UJ615**
H Yoke		**UJ648**

1976-1973 Mark IV: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1972 Mark IV: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

Lincoln (RWD) Capri, Continental (thru 1987), Cosmopolitan, Mark II,III,IV,V,VI,VII,VIII, Mark VIII, Premiere, Town Car -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1971-1968 Mark III: [Type 1]
U-Joint (Front)❶ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1965-1963 Continental: [Type 1]
U-Joint (Front)❶ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Centering Yoke **UJ615**
H Yoke **UJ648**

1962-1961 Continental: [Type 1]
U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ353**
Brute Force Greaseable ***UJ275***

Drive Shaft (Cont.)

U-Joint (Cont.)

1960-1950 Capri, Cosmopolitan & Premier: [Type 1]
U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1957-1956 Mark II: [Type 1]
U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

Lincoln (RWD) Versailles

Drive Shaft

U-Joint

1980-1979 Versailles From 8/7/78: [Type 1]
U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
Centering Ball Kit **UJ612**
Flange Yoke **UJ627**
H Yoke **UJ647**

Drive Shaft (Cont.)

U-Joint (Cont.)

1979-1977 Versailles Thru 8/6/78: [Type 1]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
H Yoke **UJ648**



Type 1

Lotus Elan, Elite, Europa

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint		
1975-1966	Europa: [Type 11]	
	U-Joint (Rear Half Shaft)❶ [2]	UJ344
1973-1957	Elan & Elite: [Type 1]	
	U-Joint (Front)❶	UJ341
	U-Joint (Rear)❷	UJ341

Mazda (RWD), Cosmo, GLC (Thru 1980), Mizer, RX2, RX3, RX4, RX7, R100, 616, 618, 626 (Thru 1982), 808, 929, 1200

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft		
U-Joint		
1995-1992	929: [Type 1]	
	U-Joint (Front)❶	UJ10431
	U-Joint (Rear)❷	UJ10431
1991-1987	RX-7 w/ Turbocharged Eng.: [Type 1]	
	U-Joint (Front)❶	UJ10431
	U-Joint (Rear)❷	UJ10431
1983-1979	RX7: [Type 1]	
	U-Joint (Front)❶	UJ397
	U-Joint (Rear)❷	UJ397
1982-1979	626: [Type 2]	
	U-Joint (Front)❶	UJ397
	U-Joint (Center)❷	UJ397
	U-Joint (Rear)❸	UJ397
1981	GLC Wgn.: [Type 1]	
	U-Joint (Front)❶	UJ385
	U-Joint (Rear)❷	UJ385
1980-1977	GLC: [Type 1]	
	U-Joint (Front)❶	UJ385
	U-Joint (Rear)❷	UJ385
Drive Shaft (Cont.)		
U-Joint (Cont.)		
1978-1976	Cosmo: [Type 2]	
	U-Joint (Front)❶	UJ386
	U-Joint (Center)❷	UJ386
	U-Joint (Rear)❸	UJ386
1978-1974	RX4: [Type 2]	
	U-Joint (Front)❶	UJ386
	U-Joint (Center)❷	UJ386
	U-Joint (Rear)❸	UJ386
1978-1971	R100, RX2 & RX3: [Type 1]	
	U-Joint (Front)❶	UJ397
	U-Joint (Rear)❷	UJ397
1977-1971	616, 618, 808, 1200 & Mizer: [Type 1]	
	U-Joint (Front)❶	UJ397
	U-Joint (Rear)❷	UJ397

Mazda MPV

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (4 W/D)		
U-Joint		
1995-1989	All: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ386
	U-Joint (Frt. Shaft; Rr.)❷	UJ386
	U-Joint (Rr. Shaft; Frt.)❸	UJ384
	U-Joint (Rr. Shaft; Rr.)❹	UJ384



Type 1



Type 2



Type 11



Type 13

Mercury (FWD) Topaz

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1991-1987 Topaz: [Type 45]

U-Joint (Front)❶ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Front) **UJ437-10**
U-Joint (Center)❷ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Center) **UJ437-10**
U-Joint (Rear)❸ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Rear) **UJ437-10**
U-Joint (Rear Half Shaft)❹ ..... [2] **UJ237**

Mercury (RWD) (Full Size), Brougham, Country Cruiser, Grand Marquis, Marauder, Montclair, Monterey (thru 1974), Park Lane, S-55, Turnpike Cruiser

Drive Shaft

U-Joint

2011-2006 Grand Marquis From 6/19/06: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2006-2003 Grand Marquis Thru 6/18/06 w/ Alum. Driveshaft & 1.063" Brg. Caps: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2006-2003 Grand Marquis Thru 6/18/06 w/ Alum. Driveshaft & 1.188" Brg. Caps: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (Cont.)

U-Joint (Cont.)

2006-2003 Grand Marquis Thru 6/18/06 w/ Steel Driveshaft: [Type 1]

U-Joint (Front)❶ **UJ345**
U-Joint (Rear)❷ **UJ345**

2004-2003 Marauder w/ Alum. Driveshaft & 1.063" Brg. Caps: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2004-2003 Marauder w/ Alum. Driveshaft & 1.188" Brg. Caps: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2004-2003 Marauder w/ Steel Driveshaft: [Type 1]

U-Joint (Front)❶ **UJ345**
U-Joint (Rear)❷ **UJ345**

(Continued)



Type 1



Type 45

(Cont.) -- Mercury (RWD) (Full Size), Brougham, Country Cruiser, Grand Marquis, Marauder, Montclair, Monterey (thru 1974), Park Lane, S-55, Turnpike Cruiser

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (Cont.)		
U-Joint (Cont.)		
2002-1995	**Grand Marquis: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
1994-1979	**Colony Park, Grand Marquis & Marquis w/ 3.5" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1994-1979	**Colony Park, Grand Marquis & Marquis w/ 3.875" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
1978-1977	**Grand Marquis & Marquis w/ 3.5" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ430**
	Brute Force Greaseable	***UJ255***
	U-Bolt Kit (Rear)	**UJ534-10**
1978-1977	**Grand Marquis & Marquis w/ 3.875" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1976-1966	**Colony Park, Grand Marquis, Marquis & Monterey: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1970-1966	**Marauder, Montclair, Park Lane & S-55: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1967	**Brougham: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
1965	**Colony Park, Marauder, Montclair, Monterey & Park Lane w/ 3.5" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ430**
	Brute Force Greaseable	***UJ255***
	U-Bolt Kit (Rear)	**UJ534-10**
1965	**Colony Park, Marauder, Montclair, Monterey & Park Lane w/ 3.875" Yoke: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

Mercury (RWD) (Full Size), Brougham, Country Cruiser, Grand Marquis, Marauder, Montclair, Monterey (thru 1974), Park Lane, S-55, Turnpike Cruiser -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1964 Colony Park, Marauder, Montclair, Monterey & Park Lane: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1963 Country Cruiser & Marauder: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***

1963-1961 Colony Park, Meteor, Montclair & Monterey: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1960 Colony Park, Country Cruiser, Montclair, Monterey & Park Lane w/ 312 Eng.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1960 Colony Park, Country Cruiser, Montclair, Monterey & Park Lane w/ 383 & 430 Engs.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ353**
Brute Force Greaseable	***UJ275***

1959-1957 Colony Park, Country Cruiser, Park Lane & Turnpike Cruiser: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1959-1955 Custom, Medalist, Montclair & Monterey: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1954-1950 Custom & Monterey: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ12134**



Type 1

Mercury (RWD) Bobcat

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1980 Bobcat: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1979-1975 Bobcat: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Mercury (RWD) Capri (thru 1986)

Drive Shaft

U-Joint

1986-1979 All: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Mercury (RWD) Caliente, Comet, Cyclone, Zephyr

Drive Shaft

U-Joint

1983-1978 Zephyr: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1977-1971 Comet & Cyclone: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1970-1968 Comet & Cyclone w/ 200, 250, 302 & 351 Engs.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1970-1968 Comet & Cyclone w/ 390, 427 & 428 Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

Mercury (RWD) Caliente, Comet, Cyclone, Zephyr -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1967-1966 Caliente, Comet & Cyclone w/ 200 & 289 Engs.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1967-1966 Caliente, Comet & Cyclone w/ 390 & 427 Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1965 Caliente, Comet & Cyclone w/ Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1965 Caliente, Comet & Cyclone w/ Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**

Drive Shaft (Cont.)

U-Joint (Cont.)

1964-1963 Caliente, Comet & Cyclone w/ 144, 170 & 200 Engs.: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**

1964-1963 Caliente, Comet & Cyclone w/ 260 & 289 Engs.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1962-1960 Comet & Cyclone: [Type 1]

U-Joint (Front)❶	**UJ514G**
U-Joint (Rear)❷	**UJ514G**

Mercury (RWD) Cougar (thru 1997)

Drive Shaft

U-Joint

1997-1994 Cougar: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1993-1991 Cougar w/ 3.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

(Continued)



Type 1

(Cont.) -- Mercury (RWD) Cougar (thru 1997)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1993-1991 Cougar w/ 5.0L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1990-1989 Cougar w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1990-1989 Cougar w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1988-1983 Cougar: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1982-1980 Cougar: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
Centering Ball Kit	**UJ612**
Flange Yoke	**UJ627**
H Yoke	**UJ647**

1979 Cougar w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ375**
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1979 Cougar w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1978-1977 Cougar: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1976-1975 Cougar Exc. 351 Eng. & C4 Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1976-1975 Cougar w/ 351 Eng. & C4 Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1974 Cougar: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

Mercury (RWD) Cougar (thru 1997) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1973 Cougar: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1972 Cougar: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1971-1969 Cougar w/ Std. 302 & 351 Engs.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1971-1969 Cougar w/ Boss 302, 390, 428 & 429 Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1968-1967 Cougar w/ 289 & 302 Engs.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1968-1967 Cougar w/ 390, 427 & 428 Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**



Type 1

Mercury (RWD) Marquis (from 1983), Monarch

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1986-1983 Marquis w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1986-1983 Marquis w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1980-1978 Monarch: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1977-1975 Monarch w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1977-1975 Monarch w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

Mercury (RWD) Montego (thru 1976)

Drive Shaft

U-Joint

1976-1975 Montego w/ 351 Modified Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1976-1975 Montego w/ 351 Windsor Eng.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1976-1975 Montego w/ 400 Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1976-1975 Montego w/ 460 Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1

Mercury (RWD) Montego (thru 1976) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)
U-Joint (Cont.)
1974-1968 Montego w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)
U-Joint (Cont.)
1974-1968 Montego w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

Metropolitan 1500, Series A, Series B

Drive Shaft
U-Joint
1962-1954 All: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**

MG Magnette, MGA, MGB, MGB-GT, MGC-GT, MGC, Midget, TF

Drive Shaft
U-Joint
1980-1954 MGA, MGB, MGBGT, Magnette, Midget & TF: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**

Drive Shaft (Cont.)
U-Joint (Cont.)
1969-1968 MGC & MGC-GT: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Mitsubishi (RWD), Starion, Van/Wagon

Drive Shaft
U-Joint
1990-1988 Van/Wgn.: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1989-1983 Starion: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**



Type 1

Morris Minor, Oxford

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1971-1950 Minor & Oxford: [Type 1]

U-Joint (Front)❶ UJ340
U-Joint (Rear)❷ UJ340

Nissan (RWD), B110, 200SX, 240SX, 240Z, 260Z, 280Z, 280ZX, 410, 411, 510, 610, 710, 810

Drive Shaft

U-Joint

1998-1989 240SX: [Type 1]

U-Joint (Front)❶ UJ10430
U-Joint (Rear)❷ UJ10430

1984-1978 200SX: [Type 1]

U-Joint (Front)❶ UJ10430
U-Joint (Rear)❷ UJ10430

1983-1979 280ZX: [Type 10]

U-Joint (Front)❶ UJ10430
U-Joint (Rear)❷ UJ10430
U-Joint (Rear Half Shaft)❸ ..... [4] UJ393

1980-1977 810: [Type 10]

U-Joint (Front)❶ UJ10430
U-Joint (Rear)❷ UJ10430
U-Joint (Rear Half Shaft)❸ ..... [4] UJ393

1979-1978 510: [Type 1]

U-Joint (Front)❶ UJ391
U-Joint (Rear)❷ UJ391

1978-1975 260Z & 280Z: [Type 12]

U-Joint (Rear Half Shaft)❶ ..... [4] UJ393

1977-1974 710: [Type 1]

U-Joint (Front)❶ UJ391
U-Joint (Rear)❷ UJ391

1977-1973 610: [Type 10]

U-Joint (Front)❶ UJ391
U-Joint (Rear)❷ UJ391
U-Joint (Rear Half Shaft)❸ ..... [4] UJ393

Drive Shaft (Cont.)

U-Joint (Cont.)

1974-1970 240Z & 260Z: [Type 10]

U-Joint (Front)❶ UJ391
U-Joint (Rear)❷ UJ391
U-Joint (Rear Half Shaft)❸ ..... [4] UJ393

1973-1970 B110: [Type 1]

U-Joint (Front)❶ UJ392
U-Joint (Rear)❷ UJ392

1973-1968 510: [Type 10]

U-Joint (Front)❶ UJ391
U-Joint (Rear)❷ UJ391
U-Joint (Rear Half Shaft)❸ ..... [4] UJ393

1967-1966 410 & 411 w/ 1.6L Eng.: [Type 1]

U-Joint (Front)❶ UJ391
U-Joint (Rear)❷ UJ391

1967-1963 410 & 411 w/ 1.2L & 1.3L Engs.: [Type 1]

U-Joint (Front)❶ UJ341
U-Joint (Rear)❷ UJ341



Type 1



Type 10



Type 12

Oldsmobile (RWD) (Full Size), Custom Cruiser, Delta 88 (thru 1985), Dynamic, Jetstar, Starfire (thru 1966), 88 (thru 1985), 98 (thru 1984)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft

U-Joint

1985 Delta 88: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Delta 88 & 98 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Delta 88 & 98 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

1981-1973 Delta 88 & 98 w/ "CV" at Rear Axle: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1981-1971 Delta 88 & 98 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1972-1971 Delta 88 & 98 w/ "CV" at Rear Axle: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1970-1968 Delta 88 w/ 350 Eng.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1970-1968 Delta 88 & 98 w/ 455 Eng.: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**

1967-1966 Delta 88, Jetstar 88 & 98 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1967-1966 Delta 88, Jetstar 88 & 98 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

1965 Delta 88 & Jetstar 88 w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**

(Continued)



Type 1

(Cont.) -- Oldsmobile (RWD) (Full Size), Custom Cruiser, Delta 88 (thru 1985), Dynamic, Jetstar, Starfire (thru 1966), 88 (thru 1985), 98 (thru 1984)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1965	**Delta 88 & Jetstar 88 Exc. Turbo Hydramatic Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
1965	**98 w/ Turbo Hydramatic Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
1965	**98 Exc Turbo Hydramatic Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
1964	**98, Jetstar 88 & Super 88: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
1963-1961	**Super 88 w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
1963-1961	**Super 88 w/ Outer Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ372**
(For Aluminum Drive Shaft)		**UJ372C**
Clamp Kit (Rear)		**UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1960-1959	**Super 88 w/ Inner Lock Rings: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
1960-1959	**Super 88 w/ Outer Lock Rings: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ372**
(For Aluminum Drive Shaft)		**UJ372C**
Clamp Kit (Rear)		**UJ530-10**
1958-1957	**Super 88 w/ Inner Lock Rings: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
1958-1957	**Super 88 w/ Outer Lock Rings: [Type 2]**	
U-Joint (Front)❶		**UJ372**
(For Aluminum Drive Shaft)		**UJ372C**
Clamp Kit (Front)		**UJ530-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ372**
(For Aluminum Drive Shaft)		**UJ372C**
Clamp Kit (Rear)		**UJ530-10**
1956-1954	**Super 88 w/ Auto. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❷		**UJ531G**

(Continued)



Type 1



Type 2

Oldsmobile (RWD) (Full Size), Custom Cruiser, Delta 88 (thru 1985), Dynamic, Jetstar, Starfire (thru 1966), 88 (thru 1985), 98 (thru 1984) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1956-1954 Super 88 w/ Man. Trans.: [Type 4]
U-Joint (Front)❶ **UJ507**
1953 Super 88: [Type 4]
U-Joint (Front)❶ **UJ507**

Oldsmobile (RWD) Cutlass (thru 1987), Cutlass Calais, Cutlass Cruiser, Cutlass Salon, Cutlass Supreme (thru 1987), F-85, Vista Cruiser, 4-4-2

Drive Shaft

U-Joint

1988 Cutlass Supreme Classic: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1987-1985 Cutlass: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Cutlass w/ Inner Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1984-1982 Cutlass w/ Outer Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1981-1971 Cutlass, F85, 442 & Vista Cruiser: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1970-1968 Cutlass, F85, 442 & Vista Cruiser w/ 250, 350 & 400 Engs: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1970-1968 Cutlass, F85, 442 & Vista Cruiser w/ 455 Eng.: [Type 1]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**

1967-1966 Cutlass, F85, 442 & Vista Cruiser w/ Inner Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

(Continued)



Type 1



Type 4

(Cont.) -- Oldsmobile (RWD) Cutlass (thru 1987), Cutlass Calais, Cutlass Cruiser, Cutlass Salon, Cutlass Supreme (thru 1987), F-85, Vista Cruiser, 4-4-2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1967-1966 Cutlass, F85, 442 & Vista Cruiser w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1965 Cutlass, F85, 442 & Vista Cruiser w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1965 Cutlass, F85, 442 & Vista Cruiser Exc. Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

Drive Shaft (Cont.)

U-Joint (Cont.)

1964 Cutlass, F85, 442 & Vista Cruiser: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1963-1961 Cutlass, F85 & Jetfire: [Type 5]

U-Joint (Frt. Shaft; Frt.)❶	**UJ507**
U-Joint (Frt. Shaft; Rr.)❷	**UJ515**
U-Joint (Rr. Shaft; Frt.)❸	**UJ515**
U-Joint (Rr. Shaft; Rr.)❹	**UJ507**

Oldsmobile (RWD) Omega (thru 1979), Starfire (from 1975)

Drive Shaft

U-Joint

1980-1977 All: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1976 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 5

Oldsmobile (RWD) Omega (thru 1979), Starfire (from 1975) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1976 Exc. 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1975-1973 All: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Plymouth (RWD) Arrow, Conquest, Cricket, Sapporo

Drive Shaft

U-Joint

1986-1984 Conquest : [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1983-1981 Sapporo w/ Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ398**
U-Joint (Center)❷	**UJ398**
U-Joint (Rear)❸	**UJ398**

1983-1981 Sapporo w/ Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

1980-1979 Arrow w/ 1.6L Eng.: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

1980-1979 Arrow w/ 2.6L Eng.: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

Drive Shaft (Cont.)

U-Joint (Cont.)

1980-1978 Sapporo: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1978-1976 Arrow: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

1973-1971 Cricket: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**

Plymouth (RWD) Barracuda, Duster, Scamp, Valiant, Volare

Drive Shaft

U-Joint

1980-1970 Duster, Scamp, Valiant & Volare: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1973-1968 Barracuda w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

(Continued)



Type 1



Type 2

(Cont.) -- Plymouth (RWD) Barracuda, Duster, Scamp, Valiant, Volare

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1973-1968 Barracuda w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1969-1966 Valiant w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1969-1966 Valiant w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1967-1966 Barracuda: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1965-1960 Valiant: [Type 7]

U-Joint (Rear)❶	**UJ315G**
Brute Force Greaseable	***UJ246***

Plymouth (RWD) Belvedere, Fury, Gran Fury, Road Runner, Satellite

Drive Shaft

U-Joint

1989-1986 Gran Fury: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1985-1980 Gran Fury: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1978-1968 Belvedere, Fury, Gran Fury, Road Runner & Satellite w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1978-1968 Belvedere, Fury, Gran Fury, Road Runner & Satellite w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***

1967-1966 Belvedere, Fury & Satellite w/ 225, 273, 318 & 383 Engs.: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1967-1966 Belvedere, Fury & Satellite w/ 426 & 440 Engs. & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 7

Plymouth (RWD) Belvedere, Fury, Gran Fury, Road Runner, Satellite -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)
U-Joint (Cont.)

1967-1966 Belvedere, Fury & Satellite w/ 426 & 440 Engs. & Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

Pontiac (FWD) 6000

Drive Shaft
U-Joint

1990-1989 6000 w/ AWD: [Type 43]

U-Joint (Center)❶ ..... [2] **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Center) ..... [2] **UJ437-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

Pontiac (RWD) Astre, Phoenix (thru 1979), Sunbird (thru 1980), Ventura II

Drive Shaft
U-Joint

1980-1976 Sunbird: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

Drive Shaft (Cont.)
U-Joint (Cont.)

1979-1977 Phoenix: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ360-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ360-10**

1977 Ventura w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

(Continued)



Type 1



Type 43

(Cont.) -- Pontiac (RWD) Astre, Phoenix (thru 1979), Sunbird (thru 1980), Ventura II

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1977	**Ventura w/ Outer Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Front)		**UJ360-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rear)		**UJ360-10**
1977-1975	**Astre: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1976-1971	**Ventura: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Front)		**UJ360-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rear)		**UJ360-10**

Pontiac (RWD) (Full Size), Bonneville (thru 1986), Catalina, Chieftan, Executive Grand Prix (thru 1987), Grandville, Parisienne, Safari, Star Chief, Super Chief

Drive Shaft

U-Joint

1989-1987	**Safari Wgn.: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1987-1985	**Grand Prix: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1986-1985	**Bonneville & Parisienne: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1984-1982	**Bonneville & Parisienne w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

(Continued)



Type 1

Pontiac (RWD) (Full Size), Bonneville (thru 1986), Catalina, Chieftan, Executive Grand Prix (thru 1987), Grandville, Parisienne, Safari, Star Chief, Super Chief -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1984-1982 Grand Prix w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 Bonneville & Parisienne w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1984-1982 Grand Prix w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1981-1973 Bonneville, Catalina, Grandville & Parisienne w/ "CV" at Rear Axle: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1981-1973 Grand Prix: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1981-1971 Bonneville, Catalina, Grandville & Parisienne w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1972-1971 Bonneville, Catalina, Grandville & Parisienne w/ "CV" at Rear Axle: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1972-1962 Grand Prix: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1970-1961 Bonneville, Catalina, Executive, Parisienne, Safari & Star Chief: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

(Continued)



Type 1

(Cont.) -- Pontiac (RWD) (Full Size), Bonneville (thru 1986), Catalina, Chieftan, Executive, Grand Prix (thru 1987), Grandville, Parisienne, Safari, Star Chief, Super Chief

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)
U-Joint (Cont.)

1960-1958 Bonneville, Catalina, Chieftain, Parisienne, Safari & Star Chief: [Type2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

Drive Shaft (Cont.)
U-Joint (Cont.)

1957-1956 Bonneville, Catalina, Chieftain, Safari & Star Chief: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1955-1949 Catalina, Chieftain & Star Chief: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ12134**

Pontiac (RWD) Firebird, Grand Am (1973-1980), GTO, Le Mans (thru 1981), Tempest (1963-1970)

Drive Shaft
U-Joint

2002-1993 Firebird: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1992-1988 Firebird w/ Alum. Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ372**
(For Aluminum Drive Shaft)	**UJ372C**
Clamp Kit (Rear)	**UJ530-10**

1992-1988 Firebird w/ Steel Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (Cont.)
U-Joint (Cont.)

1987-1985 Firebird: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 Firebird w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 Firebird w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 2

Pontiac (RWD) Firebird, Grand Am (1973-1980), GTO, Le Mans (thru 1981), Tempest (1963-1970) -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1981-1976 Firebird: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1981-1973 Lemans: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1980-1978 Grand Am: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1975-1973 Grand Am: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1975-1969 Firebird: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1973-1966 GTO: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1972-1964 Lemans & Tempest: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1968-1967 Firebird w/ Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1968-1967 Firebird w/o Turbo Hydramatic Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**



Type 1

Pontiac (RWD) T1000

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

1987-1981 All: [Type 1]

U-Joint (Front)❶	**UJ368**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ368**
Clamp Kit (Rear)	**UJ360-10**

Rolls Royce Camargue, Corniche, Phantom, Silver Cloud, Silver Shadow, Silver Wraith II

Drive Shaft

U-Joint

1977-1963 All: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

SRT Viper

Drive Shaft

U-Joint

2014-2013 All: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Studebaker Passenger Cars

Drive Shaft

U-Joint

1966-1964 w/ Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ505**

Drive Shaft (Cont.)

U-Joint (Cont.)

1966-1964 w/ Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1963 Passenger Vehicles: [Type 1]

U-Joint (Front)❶	**UJ507**
U-Joint (Rear)❷	**UJ505**

(Continued)



Type 1

Studebaker Passenger Cars -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1962-1950 Passenger Vehicles: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Subaru Brat, DL, GL, GL-10, Legacy, RX, SVX, XT

Drive Shaft

U-Joint

1999 Legacy: [Type 41]		
U-Joint (Front)❶	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
U-Joint (Rear)❷		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
1987-1978 Brat: [Type 7]		
U-Joint (Rear)❶		**UJ391**

Drive Shaft (4 W/D)

U-Joint

1990-1985 XT: [Type 17]	
U-Joint (Rr. Shaft; Frt.)❶	**UJ10430**
U-Joint (Rr. Shaft; Rr.)❷	**UJ10430**
1989-1985 DL, GL, GL-10 & RX: [Type 17]	
U-Joint (Rr. Shaft; Frt.)❶	**UJ10430**
U-Joint (Rr. Shaft; Rr.)❷	**UJ10430**

Drive Shaft (AWD)

U-Joint

1999-1990 Legacy: [Type 41]	
U-Joint (Front)❶	**UJ10430**
U-Joint (Rear)❷	**UJ10430**
1997-1992 SVX: [Type 41]	
U-Joint (Front)❶	**UJ10430**
U-Joint (Rear)❷	**UJ10430**

Sunbeam Alpine, Rapier, Tiger 260, Tiger 289

Drive Shaft

U-Joint

1971-1957 Alpine & Rapier: [Type 1]	
U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**
1967-1964 Tiger 260 & 289: [Type 1]	
U-Joint (Front)❶	**UJ344**
U-Joint (Rear)❷	**UJ344**



Type 1



Type 7



Type 17



Type 41

Toyota (RWD), Carina, Celica, Corolla, Corona, Corona Mark II, Cressida, Crown, Starlet, Supra

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft

U-Joint

1993-1985 Supra: [Type 2]
- **U-Joint (Front)❶ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***
- **U-Joint (Center)❷ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***
- **U-Joint (Rear)❸ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***

1984-1981 Cressida Wagon: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1984-1980 Starlet: [Type 1]
- **U-Joint (Front)❶ UJ395**
- **U-Joint (Rear)❷ UJ395**

1983-1980 Corolla Sedan: [Type 2]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Center)❷ UJ394**
- **U-Joint (Rear)❸ UJ394**

1982-1980 Corona: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1981-1971 Celica w/ 2 Joint Shaft: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1981-1971 Celica w/ 3 Joint Shaft: [Type 2]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Center)❷ UJ394**
- **U-Joint (Rear)❸ UJ394**

1980-1978 Cressida Sedan: [Type 2]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Center)❷ UJ394**
- **U-Joint (Rear)❸ UJ394**

1980-1978 Cressida Wagon: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1979-1971 Corolla w/ 1.6L Eng.: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1979-1968 Corolla w/ 1.1L & 1.2L Engs.: [Type 1]
- **U-Joint (Front)❶ UJ395**
- **U-Joint (Rear)❷ UJ395**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1979-1965 Corona & Mark II w/ 2 Joint Shaft: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1979-1965 Corona & Mark II w/ 3 Joint Shaft: [Type 2]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Center)❷ UJ394**
- **U-Joint (Rear)❸ UJ394**

1973-1972 Carina: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**

1972-1971 Crown From 2/71: [Type 2]
- **U-Joint (Front)❶ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***
- **U-Joint (Center)❷ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***
- **U-Joint (Rear)❸ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***

1971-1967 Crown From 9/66 Thru 1/71: [Type 1]
- **U-Joint (Front)❶ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***
- **U-Joint (Rear)❷ UJ387**
- *Brute Force Greaseable **UJ285***
- *Brute Force Non Greaseable **UJ287***

1967-1964 Crown Thru 8/66: [Type 1]
- **U-Joint (Front)❶ UJ394**
- **U-Joint (Rear)❷ UJ394**



Type 1



Type 2

Toyota Previa, Sienna

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD)

U-Joint

2010-2004 Sienna: [Type 41]

U-Joint (Front)❶		UJ10430
U-Joint (Rear)❷		UJ10430

1996-1991 Previa: [Type 41]

U-Joint (Front)❶		UJ10430
U-Joint (Rear)❷		UJ10430

Triumph GT6, Spitfire, Stag, TR2, TR250, TR3, TR4, TR4A, TR5, TR6, TR7, TR8

Drive Shaft

U-Joint

1981-1975 TR7 & TR8: [Type 1]

U-Joint (Front)❶		UJ341
U-Joint (Rear)❷		UJ341

1980-1963 GT6 & Spitfire: [Type 8]

U-Joint (Front)❶		UJ341
U-Joint (Rear)❷		UJ341
U-Joint (Rear Half Shaft)❸	[2]	UJ341

1977-1965 TR4A, TR5, TR6 & TR250: [Type 8]

U-Joint (Front)❶		UJ344
U-Joint (Rear)❷		UJ344
U-Joint (Rear Half Shaft)❸	[2]	UJ344

1973-1970 Stag: [Type 8]

U-Joint (Front)❶		UJ344
U-Joint (Rear)❷		UJ344
U-Joint (Rear Half Shaft)❸	[2]	UJ344

Drive Shaft (Cont.)

U-Joint (Cont.)

1965-1953 TR2, TR3 & TR4: [Type 1]

U-Joint (Front)❶		UJ344
U-Joint (Rear)❷		UJ344

Volvo 140 series, 164, 240 series, 260 series, 740 series, 760 series, 780 series, 940 series, 960 series

Drive Shaft

U-Joint

1994-1991 940 & 960: [Type 2]

U-Joint (Front)❶		UJ344
U-Joint (Center)❷		UJ344
U-Joint (Rear)❸		UJ344

1993-1985 240 Series: [Type 2]

U-Joint (Front)❶		UJ344
U-Joint (Center)❷		UJ344
U-Joint (Rear)❸		UJ344

1992-1988 740, 760 & 780 w/ 3.25" Yoke: [Type 2]

U-Joint (Front)❶		UJ344
U-Joint (Center)❷		UJ344
U-Joint (Rear)❸		UJ344

Drive Shaft (Cont.)

U-Joint (Cont.)

1992-1988 740, 760 & 780 w/ 3.5" Yoke: [Type 2]

U-Joint (Front)❶		UJ369
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		UJ369C
U-Joint (Center)❷		UJ369
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		UJ369C
U-Joint (Rear)❸		UJ369
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		UJ369C

1987-1985 740, 760 & 780 w/ 1.75" Dia. Driveshaft: [Type 2]

U-Joint (Front)❶		UJ341
U-Joint (Center)❷		UJ341
U-Joint (Rear)❸		UJ344

(Continued)



Volvo 140 series, 164, 240 series, 260 series, 740 series, 760 series, 780 series, 940 series, 960 series -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1987-1985 740, 760 & 780 w/ 2" Dia. Driveshaft & 3.25" Yoke: [Type 2]

U-Joint (Front)❶ **UJ344**
U-Joint (Center)❷ **UJ344**
U-Joint (Rear)❸ **UJ344**

1987-1985 740, 760 & 780 w/ 2" Dia. Driveshaft & 3.5" Yoke: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1984-1983 760 w/ 0.938" Brg. Cap: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ344**

1984-1983 760 w/ 1.063" Brg. Cap: [Type 2]

U-Joint (Front)❶ **UJ344**
U-Joint (Center)❷ **UJ344**
U-Joint (Rear)❸ **UJ344**

1984-1975 240 & 260 Series w/ 1.75" Dia. Driveshaft: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ344**

1984-1975 240 & 260 Series w/ 2" Dia. Driveshaft: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1975-1969 164: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1974 140 Series w/ Carb. Eng.: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ344**

1974 140 Series w/ Fuel Inj. Eng.: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1973 140 Series w/ Carb. Eng.: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ341**

1973 140 Series w/ Fuel Inj. Eng. & Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

(Continued)



Type 2

(Cont.) -- Volvo 140 series, 164, 240 series, 260 series, 740 series, 760 series, 780 series, 940 series, 960 series

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1973 140 Series w/ Fuel Inj. Eng. & Man. Trans.: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1973-1961 1800: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ341**

1972-1971 140 Series w/ Carb. Eng.: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ341**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1972-1967 140 Series w/ Fuel Inj. Eng.: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1968-1960 122: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ341**



Type 2

Light and Medium Duty Trucks (2 WD & 4 WD) and Vans

Acura Truck SLX

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

1999-1998 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ411**
U-Joint (Rr. Shaft; Rr.)❹	**UJ411**

1997-1996 All: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ383**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ383**
U-Joint (Rr. Shaft; Rr.)❺	**UJ383**

Buick Truck Rainier

Drive Shaft (2 W/D)

U-Joint

2007-2004 All: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

Drive Shaft (AWD)

U-Joint

2007-2004 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Cadillac Truck Escalade

Drive Shaft (2 W/D)

U-Joint

2016-2015 Escalade: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2014-2006 Escalade: [Type 1]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2005 Escalade w/ 5.3L Eng.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2005 Escalade w/ 6.0L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 1



Type 13



Type 14



Type 15

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-2003 Escalade: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (4 W/D)

U-Joint

2016-2015 Escalade: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2016-2015 Escalade ESV: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1999 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Drive Shaft (AWD)

U-Joint

2014-2009 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***

2008-2007 Escalade: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 1



Type 13

Cadillac Truck Escalade -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

2008-2007 Escalade ESV & EXT: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

2006-2002 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Chevrolet/GMC CUV Equinox

Drive Shaft (AWD)

U-Joint

2006-2005 Equinox: [Type 43]

U-Joint (Center)❶	**UJ10439**
U-Joint (Rear)❷	**UJ409**

Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy

Drive Shaft (2 W/D)

U-Joint

2012-2004 Canyon & Colorado w/ Reg. Cab: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2012-2004 Canyon & Colorado w/ Ext. Cab & Crew Cab Exc. Z71: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2



Type 13



Type 43

(Cont.) -- Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2009 Envoy & Trailblazer: [Type 1]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

2008-2006 Trailblazer SS: [Type 1]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

2008-2002 Envoy & Trailblazer Exc. SS: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2006-2005 SSR w/ Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2006-2005 SSR w/ Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

2005-2004 Canyon & Colorado Z71 w/ Ext. Cab & Crew Cab: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2005-2003 Astro & Safari: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2005-1983 Blazer & Jimmy: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2004 S10 Pickup: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2004-2003 SSR: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2003-2000 S10 Pickup & Sonoma w/ Ext. Cab.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**
Ball Seat Repair Kit	**UJ606**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2003-1997 S10 Pickup & Sonoma w/ Reg. Cab.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**
Ball Seat Repair Kit **UJ606**

2002-1985 Astro & Safari: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ331-10**

1999-1996 S10 Pickup & Sonoma w/ Ext. Cab.: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Center)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Center) **UJ530-10**
U-Joint (Rear)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**
Ball Seat Repair Kit **UJ606**

1996-1994 S10 Pickup & Sonoma w/ Reg. Cab. & Long Bed: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Rear) **UJ530-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1982 S10, S15 & Sonoma Pickups w/ Reg. Cab & Short Bed: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1995-1982 S10, S15 & Sonoma Pickups w/ Ext. Cab: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Center)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Center) **UJ530-10**
U-Joint (Rear)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1993-1982 S10, S15 & Sonoma Pickups w/ Reg. Cab & Long Bed: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Center)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Center) **UJ530-10**
U-Joint (Rear)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1982-1972 Luv w/ Long Bed: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ341**

1982-1972 Luv w/ Standard Bed: [Type 1]

U-Joint (Front)❶ **UJ341**
U-Joint (Rear)❷ **UJ341**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2012-2004 Colorado & Canyon: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2009-2006 Envoy & Trailblazer Exc. SS: [Type15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2009-2006 Trailblazer SS: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Rr. Shaft; Rr.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***

2005-2003 Blazer w/ ZR2 Pkg.: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005-2003 Blazer w/o ZR2 Pkg. & Jimmy: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

2005-2002 Envoy & Trailblazer: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2004-1997 S10 Pickup & Sonoma: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2002-1995 Blazer & Jimmy: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 15

Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1995 S10 Pickup w/o ZR2 Pkg. & Sonoma: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1996-1995 S10 Pickup w/ ZR2 Pkg.: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

1994 S10 Pickup & Sonoma w/ Reg. Cab.: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 S10 Pickup & Sonoma w/ Ext. Cab.: [Type 16]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Ctr.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1994-1988 Blazer & Jimmy w/ Press-On Slip Yoke Seal: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ455**
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1994-1988 Blazer & Jimmy w/ Screw-On Slip Yoke Seal: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Rr.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 15



Type 16

(Cont.) -- Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1988 S10 Pickup, S15 Pickup & Sonoma w/ Reg. Cab. & Press-On Slip Yoke Seal: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ455**
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1993-1988 S10 Pickup, S15 Pickup & Sonoma w/ Reg. Cab. & Screw-On Slip Yoke Seal: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Rr.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1988 S10 Pickup, S15 Pickup & Sonoma w/ Ext. Cab. & Press-On Slip Yoke Seal: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ455**
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Ctr.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1993-1988 S10 Pickup, S15 Pickup & Sonoma w/ Ext. Cab. & Screw-On Slip Yoke Seal: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Rr.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Ctr.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1983 Blazer & Jimmy: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Frt.) **UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Rr.) **UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

1987-1983 S10 Pickup & S15 Pickup w/ Reg. Cab.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Frt.) **UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Rr.) **UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1983 S10 Pickup & S15 Pickup w/ Ext. Cab.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Frt.) **UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Rr.) **UJ360-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Ctr.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

1982-1979 Luv: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ341**
U-Joint (Frt. Shaft; Rr.)❷ **UJ383**
U-Joint (Rr. Shaft; Frt.)❸ **UJ341**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ341**
U-Joint (Rr. Shaft; Rr.)❺ **UJ341**

Drive Shaft (AWD)

U-Joint

2005-2003 Astro & Safari: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

(Continued)



Type 13



Type 14



Type 15

(Cont.) -- Chevrolet/GMC Truck Astro/Safari, Blazer/Jimmy, Colorado/Canyon, S10 Blazer/S15 Jimmy, S10/S15, Sonoma, SSR, Trailblazer/Envoy

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

2002-1990 Astro & Safari: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Ball Seat Repair Kit	**UJ606**

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

Chevrolet/GMC Truck LLV (Postal Service)

Drive Shaft (2 W/D)

U-Joint

1995-1987 All: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Chevrolet/GMC Truck Caballero

Drive Shaft

U-Joint

1987-1979 Caballero: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**



Type 1



Type 15

Chevrolet/GMC Truck Tracker

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (2 W/D)

U-Joint

2004-1998 Tracker: [Type 1]

U-Joint (Front)❶ **UJ398**
U-Joint (Rear)❷ **UJ398**

Drive Shaft (4 W/D)

U-Joint

2004-1998 Tracker: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ398**
U-Joint (Frt. Shaft; Rr.)❷ **UJ398**
U-Joint (Rr. Shaft; Frt.)❸ **UJ398**
U-Joint (Rr. Shaft; Rr.)❹ **UJ398**

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

Drive Shaft (2 W/D)

U-Joint

2016-2011 Express 2500 & Savana 2500 w/ 2 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2016-2011 Express 2500 & Savana 2500 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2016-2011 Express 2500 & Savana 2500 w/ 2 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶ **UJ351A**
U-Joint (Rear)❷ **UJ351A**

2016-2011 Express 2500 & Savana 2500 w/ 3 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶ **UJ351A**
U-Joint (Center)❷ **UJ351A**
U-Joint (Rear)❸ **UJ351A**

2016-2011 Express 3500 & Savana 3500 w/ 2 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2016-2011 Express 3500 & Savana 3500 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2016-2011 Express 3500 & Savana 3500 w/ 2 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶ **UJ351A**
U-Joint (Rear)❷ **UJ351A**

2016-2011 Express 3500 & Savana 3500 w/ 3 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶ **UJ351A**
U-Joint (Center)❷ **UJ351A**
U-Joint (Rear)❸ **UJ351A**

2014-1997 Express 1500 & Savana 1500: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

(Continued)



Type 1



Type 2



Type 13

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2010-2005 Express 3500 & Savana 3500 Cutaway w/ 139" Wheel Base & Single Rear Wheels: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2010-2005 Express 3500 & Savana 3500 Cutaway w/ 139" Wheel Base & Dual Rear Wheels: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2010-2003 Express 3500 & Savana 3500 w/ 135" Wheel Base Exc. Cutaway: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2010-2003 Express 3500 & Savana 3500 w/ 155" Wheel Base Exc. Cutaway: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2010-2003 Express 3500 & Savana 3500 Cutaway w/ 159" & 177" Wheel Base: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2010-1996 Express 2500 & Savana 2500 w/ 135" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2010-1996 Express 2500 & Savana 2500 w/ 155" Wheel Base: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2004-2003 Express 3500 & Savana 3500 Cutaway w/ 139" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2002-2001 Express 3500 & Savana 3500 w/ 2 Joint Shaft Exc. Cutaway: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2002-2001 Express 3500 & Savana 3500 w/ 3 Joint Shaft Exc. Cutaway: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2002-2001 Express 3500 & Savana 3500 Cutaway w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2002-2001 Express 3500 & Savana 3500 Cutaway w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2000-1996 Express 3500 & Savana 3500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2000-1996 Express 3500 & Savana 3500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1996 Express 1500 & Savana 1500 w/ 110" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1996 Express 1500 & Savana 1500 w/ 135" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996 Express 2500 & Savana 2500 w/ 110" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1996-1991 G30 & G3500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1996-1991 G30 & G3500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1995-1992 G10 & G1500 w/ 125" Wheel Base & Alum. Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1995-1992 G10 & G1500 w/ 125" Wheel Base & Steel Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1995-1992 G20 & G2500 w/ 125" Wheel Base & Alum. Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

1995-1992 G20 & G2500 w/ 125" Wheel Base & Steel Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1995-1985 G10 & G1500 w/ 110" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1995-1985 G20 & G2500 w/ 110" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991-1985 G10 & G1500 w/ 125" Wheel Base & 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1991-1985 G10 & G1500 w/ 125" Wheel Base & 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1991-1985 G20 & G2500 w/ 125" Wheel Base & 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1991-1982 G20 & G2500 w/ 125" Wheel Base & 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1985 G30 & G3500 w/ 125" Wheel Base & 4 Spd. Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**
Clamp Kit (Rear)	**UJ331-10**

1990-1985 G30 & G3500 w/ 125" Wheel Base Exc. 4 Spd. Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**
Clamp Kit (Rear)	**UJ331-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1985 G30 & G3500 w/ 146" Wheel Base: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**
Clamp Kit (Rear)	**UJ331-10**

1989-1985 P20 & P2500 w/ 125" Wheel Base & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1989-1985	**P20 & P2500 w/ 125" Wheel Base & Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1989-1985	**P20 & P2500 w/ 133" Wheel Base & Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1989-1985	**P20 & P2500 w/ 133" Wheel Base & Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1984	**G20 & G2500 w/ 3 Joint Shaft & THM400 Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1984	**G20 & G2500 w/ 3 Joint Shaft Exc. THM400 Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Center)		**UJ530-10**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1984-1983	**G30 & G3500 Cab & Chassis: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**

(Continued)



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1984-1983 G30 & G3500 Exc. Cab & Chassis: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1984-1982 G10 & G1500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 G10 & G1500 w/ 3 Joint Shaft & THM400 Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1984-1982 G10 & G1500 w/ 3 Joint Shaft w/o THM400 Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1984-1982 P20 & P2500: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1983-1982 G20 & G2500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1982	**G30 & G3500 Cab & Chassis w/ Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1982	**G30 & G3500 Exc. Cab & Chassis w/ Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1981-1980	**G30 & G3500 w/ HD 3 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1981-1980	**G30 & G3500 w/o HD 3 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1981-1979	**G20 & G2500 w/ 2 Joint Shaft & Inner Lock Rings: [Type 1]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Rear)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**
1981-1979	**G20 & G2500 w/ 2 Joint Shaft & Outer Lock Rings: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1981-1979	**P20 & P2500 w/ 4 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981-1979 P20 & P2500 Exc. 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1981-1978 G10, G15 & G1500 w/ 2 Joint Shaft & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1981-1978 G10, G15 & G1500 w/ 2 Joint Shaft & Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1981-1978 G10, G15 & G1500 w/ 3 Joint Shaft & 2.563" Yoke: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981-1978 G10, G15 & G1500 w/ 3 Joint Shaft & 3.5" Yoke: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1981-1978 G10, G15 & G1500 w/ 3 Joint Shaft & 4" Yoke: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1980-1979 P10 & P1500 w/ 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1980-1979 P10 & P1500 w/ THM400 Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1980-1979 P10 & P1500 w/o 4 Spd. Man. Trans. & THM400 Auto. Trans.: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ360-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ360-10**

1979-1978 G30 & G3500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

1979-1978 G30 & G3500 w/ 3 Joint Shaft & THM400 Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1979-1978 G30 & G3500 w/ 3 Joint Shaft Exc. THM400 Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

1978-1976 G20 & G25 w/ 2 Joint Shaft & 400 Eng.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**

1978-1976 G20 & G25 w/ 3 Joint Shaft & 400 Eng.: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1978-1976 G20 & G25 w/ 2 Joint Shaft Exc. 400 Eng.: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ360-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ360-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1976 G20 & G25 w/ 3 Joint Shaft Exc. 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1978-1976 P20 & P25 w/ 2 Joint Shaft, HD 3 Spd. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1978-1976 P20 & P25 w/ 2 Joint Shaft Exc. HD 3 Spd. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1976 P20 & P25 w/ 3 Joint Shaft, HD 3 Spd. & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1978-1976 P20 & P25 w/ 3 Joint Shaft Exc. HD 3 Spd. & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1978-1976 P35 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ427**
U-Joint (Rear)❷	**UJ427**
U-Joint (Steering Shaft)	**UJ861**

1978-1973 P10 & P15 w/ 2 Joint Shaft, HD 3 Spd. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1973 P10 & P15 w/ 2 Joint Shaft w/o HD 3 Spd. & 4 Spd. Man. Trans.: [Type 1]	
U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**
1978-1973 P10 & P15 w/ 3 Joint Shaft, HD 3 Spd. & 4 Spd. Man. Trans.: [Type 2]	
U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**
1978-1973 P10 & P15 w/ 3 Joint Shaft w/o HD 3 Spd. & 4 Spd. Man. Trans.: [Type 2]	
U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1977-1975 G30 & G35 w/ 2 Joint Shaft & 400 Eng.: [Type 1]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**
1977-1975 G30 & G35 w/ 2 Joint Shaft Exc. 400 Eng.: [Type 1]	
U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**
1977-1975 G30 & G35 w/ 3 Joint Shaft & 400 Eng.: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (2 W/D) (Cont.)		
U-Joint (Cont.)		
1977-1975 G30 & G35 w/ 3 Joint Shaft Exc. 400 Eng.: [Type 2]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Bolt Kit (Center)	**UJ330-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Bolt Kit (Rear)	**UJ330-10**
1977-1972 G10 & G15 w/ 2 Joint Shaft: [Type 1]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
1977-1972 G10 & G15 w/ 3 Joint Shaft: [Type 2]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Center)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Center)	**UJ360-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
Drive Shaft (2 W/D) (Cont.)		
U-Joint (Cont.)		
1975-1973 G20 & G25 w/ 2 Joint Shaft: [Type 1]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
1975-1973 G20 & G25 w/ 3 Joint Shaft: [Type 2]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Center)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Center)	**UJ360-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
1975-1967 P20 & P25 w/ 3 Spd. Man. Trans.: [Type 2]		
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1975-1967 P20 & P25 w/ 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1975-1967 P20 & P25 w/ Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1974-1971 G30 & G35 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1974-1971 G30 & G35 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1967 G20 & G25 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1967 G20 & G25 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1961 P10 & P15 w/ 2 Joint Shaft, HD 3 Spd. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1972-1961 P10 & P15 w/ 2 Joint Shaft w/o HD 3 Spd. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1961 P10 & P15 w/ 3 Joint Shaft, HD 3 Spd. & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1961 P10 & P15 w/ 3 Joint Shaft w/o HD 3 Spd. & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1971-1964 G10 & G15 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1971-1964 G10 & G15 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (AWD)

U-Joint

2014-2003 Express 1500 & Savana 1500 w/ AWD: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**



Type 1



Type 2



Type 13

Chevrolet/GMC Truck 1/2 ton

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (2 W/D)

U-Joint

2016-2015 Suburban & Yukon XL: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2016-2015 Tahoe & Yukon Exc. XL: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2016-2014 Silverado & Sierra w/ 8 Cyl. Eng.: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2016-2014 Silverado & Sierra w/ 6 Cyl. Eng.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

2014-2009 Avalanche, Suburban, Tahoe & Yukon: [Type 1]

U-Joint (Front)❶ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Rear) **UJ492-10**

2013-2008 Silverado & Sierra w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Rear) **UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2013-2008 Silverado & Sierra w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Rear) **UJ492-10**

2008 Tahoe & Yukon w/ Hybrid Eng.: [Type 1]

U-Joint (Front)❶ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Rear) **UJ492-10**

2008 Tahoe & Yukon w/o Hybrid Eng.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

2008-2007 Avalanche, Suburban & Yukon XL w/ 5.3L Eng.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

2008-2007 Avalanche, Suburban & Yukon XL w/ 6.0L Eng.: [Type 1]

U-Joint (Front)❶ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331A**
Brute Force Greaseable ***UJ232A***
Clamp Kit (Rear) **UJ492-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Exc. Classic w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

2007 Silverado & Sierra Exc. Classic w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

2007 Silverado & Sierra Classic Exc. HD w/ Reg. Cab & Long Bed: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2007 Silverado & Sierra Classic Exc. HD w/ Reg. Cab & Standard Bed: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2007 Silverado & Sierra Classic Exc. HD w/ Ext. Cab & Short Bed: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic Exc. HD w/ Ext. Cab, Long Bed & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2007 Silverado & Sierra Classic Exc. HD w/ Ext. Cab, Long Bed & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

2007 Silverado & Sierra Classic Exc. HD w/ Crew Cab: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007	**Silverado & Sierra Classic & HD: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
2007-1992	**Tahoe & Yukon Exc. XL: [Type 1]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Rear)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**
2006	**Silverado & Sierra Exc. HD & SS w/ Crew Cab & Quadrasteer: [Type 1]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Rear)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
2006	**Silverado & Sierra Exc. HD & SS w/ Crew Cab w/o Quadrasteer: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006	**Silverado & Sierra HD: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
2006	**Silverado SS: [Type 2]**	
	U-Joint (Front)❶	**UJ331A**
	Brute Force Greaseable	***UJ232A***
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331A**
	Brute Force Greaseable	***UJ232A***
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331A**
	Brute Force Greaseable	***UJ232A***
	Clamp Kit (Rear)	**UJ492-10**
2006-2005	**Silverado & Sierra Exc. HD & SS w/ Ext. Cab & Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Center)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Center)	**UJ530-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra Exc. HD & SS w/ Ext. Cab & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2006-2004 Silverado & Sierra Exc. HD & SS w/ Reg. Cab & Long Bed: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2006-2004 Silverado & Sierra Exc. HD & SS w/ Reg. Cab & Standard Bed: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2006-2000 Avalanche, Suburban & Yukon XL: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2005 Silverado & Sierra HD & SS: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2005-2004 Silverado & Sierra Exc. HD & SS w/ Crew Cab: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2004-2002 Silverado & Sierra w/ Ext. Cab & Auto. Trans. w/o Quadrasteer: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-2002 Silverado & Sierra w/ Ext. Cab & Man. Trans. w/o Quadrasteer: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2004-2002 Silverado & Sierra w/ Ext. Cab & Quadrasteer: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2003-2001 Silverado & Sierra Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2003-1996 C1500, Silverado & Sierra w/ Reg. Cab & Short Bed: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2003-1996 C1500, Silverado & Sierra w/ Reg. Cab & Long Bed: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2001 Silverado & Sierra w/ Ext. Cab & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2001-1999 C1500, Silverado & Sierra w/ Ext. Cab & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2000-1999 C1500, Silverado & Sierra w/ Ext. Cab, Short Bed & Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2000-1999 C1500, Silverado & Sierra w/ Ext. Cab, Long Bed & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

1999-1996 Suburban w/ 6.5L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1999-1996 Suburban w/ 5.7L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1998-1996 C1500 w/ Ext. Cab: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1996 C1500 w/ Reg. Cab & Short Bed: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1995 C1500 w/ Gas Eng., Reg. Cab, Long Bed & MW3 Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1995 C1500 w/ Gas Eng., Reg. Cab, Long Bed w/o MW3 Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1995	**C1500 w/ Gas Eng., Ext. Cab & MW3 Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1995	**C1500 w/ Gas Eng., Ext. Cab w/o MW3 Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
1995-1994	**C1500 w/ Diesel Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
1995-1994	**C1500 w/ Gas Eng., Reg. Cab & Short Bed: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1995-1992	**Suburban: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Rear)		**UJ530-10**
1994	**C1500 w/ Gas Eng., Reg. Cab, Long Bed & MT8 Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1994	**C1500 w/ Gas Eng., Reg. Cab, Long Bed w/o MT8 Man. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Rear)		**UJ530-10**
1994	**C1500 w/ Gas Eng., Ext. Cab, Auto. Trans. & Inner Lock Rings: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Center)		**UJ530-10**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1994	**C1500 w/ Gas Eng., Ext. Cab, Auto. Trans. & Outer Lock Rings: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	Clamp Kit (Rear)	**UJ530-10**
1994	**C1500 w/ Gas Eng., Ext. Cab & MG5 Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	Clamp Kit (Rear)	**UJ530-10**
1994	**C1500 w/ Gas Eng., Ext. Cab & MT8 Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1993-1992	**C1500 w/ Reg. Cab & Short Bed: [Type 1]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Rear)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**
1993-1992	**C1500 w/ Ext. Cab & Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Center)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Center)	**UJ530-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**
1993-1992	**C1500 w/ Reg. Cab, Long Bed & MT8 Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1993-1992	**C1500 w/ Reg. Cab & Long Bed w/o MT8 Man. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1993-1991 C1500 w/ Ext. Cab & MG5 Man.Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

1993-1991 C1500 w/ Ext. Cab & MT8 Man.Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1991 C1500 w/ Reg. Cab, 2 Joint Shaft & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1991 C1500 w/ Reg. Cab, 2 Joint Shaft & Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991 C1500 w/ Reg. Cab & 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1991 C1500 w/ Ext. Cab & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1991-1988 C1500 w/ Ext. Cab & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991-1987 Suburban w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1991-1982 Suburban w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1990-1989 C1500 w/ Reg. Cab, 2 Joint Steel Shaft & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1990-1989 C1500 w/ Reg. Cab, 2 Joint Steel Shaft & Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1989 C1500 w/ Ext. Cab, Short Bed & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1990-1989 C1500 w/ Ext. Cab, Long Bed & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1990-1989 C1500 w/ Ext. Cab & 5 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

1990-1988 C1500 w/ Reg. Cab & 2 Joint Alum. Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1988	**C1500 w/ Reg. Cab & 3 Joint Shaft: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1988	**C1500 w/ Reg. Cab & 2 Joint Steel Shaft: [Type 1]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Rear)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**
1988	**C1500 w/ Ext. Cab & Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988	**C1500 w/ Ext. Cab, 5 Spd. Man. Trans. & Inner Lock Rings: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Center)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Center)	**UJ530-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**
1988	**C1500 w/ Ext. Cab, 5 Spd. Man. Trans. & Outer Lock Rings: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	Clamp Kit (Rear)	**UJ530-10**
1987	**R10 & R1500 w/ 2 Joint Shaft: [Type 1]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Front)	**UJ530-10**
	U-Joint (Rear)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1987	**R10 & R1500 w/ 3 Joint Shaft, 4 Spd. Man. Trans. & V6 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Center)		**UJ530-10**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1987	**R10 & R1500 w/ 3 Joint Shaft, 4 Spd. Man. Trans. & V8 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1987	**R10 & R1500 w/ 3 Joint Shaft w/o 4 Spd. Man. Trans: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Center)		**UJ530-10**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1982	**Suburban w/ 3 Joint Shaft & Inner Lock Ring: [Type 2]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Center)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Center)		**UJ530-10**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1986-1982	**Suburban w/ 3 Joint Shaft & Outer Lock Ring: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1986-1982	**C10 & C1500 w/ 2 Joint Shaft: [Type 1]**	
U-Joint (Front)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Front)		**UJ530-10**
U-Joint (Rear)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1982 C10 & C1500 w/ 3 Joint Shaft & Inner Lock Rings: [Type 2]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Center)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Center) **UJ530-10**
U-Joint (Rear)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1986-1982 C10 & C1500 w/ 3 Joint Shaft & Outer Lock Rings: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

1982 Blazer & Jimmy Exc. 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Front) **UJ530-10**
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rear) **UJ530-10**

1982 Blazer & Jimmy w/ 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981-1979 Suburban w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ360-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ360-10**

1981-1979 Suburban w/ THM400 Trans., 4 Spd. Man. Trans. & 3 Joint Rear Shaft: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ360-10**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Center) **UJ360-10**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ360-10**

1981-1979 Suburban w/ 3 Joint Shaft Exc. THM400 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981-1979 C10 & C1500 w/ 3 Joint Shaft, 1.063" Dia. Brg. Cap & 3.5" Rear Yoke: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1981-1979 C10 & C1500 w/ 3 Joint Shaft, 1.188" Dia. Brg. Cap & 3.5" Rear Yoke: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1981-1979 C10 & C1500 w/ 3 Joint Shaft, 1.063" Dia. Brg. Cap & 3.875" Rear Yoke: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ360-10**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1981-1979 C10 & C1500 w/ 3 Joint Shaft, 1.188" Dia. Brg. Cap & 3.875" Rear Yoke: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**

1981-1978 C10 & C1500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1981-1969 Blazer & Jimmy Exc. 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1981-1969 Blazer & Jimmy w/ 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978	**C10, C15 & Suburban w/ 3 Joint Shaft & THM400 Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Center)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
1978-1973	**C10, C15 & Suburban w/ 3 Joint Shaft & Std. 3 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Center)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Center)	**UJ360-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
1978-1973	**C10, C15 & Suburban w/ 3 Joint Shaft & HD 3 Spd. Man. & 4 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Center)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Center)	**UJ360-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1971	**C10, C15 & Suburban w/ 3 Joint Shaft & THM350 Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Center)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Center)	**UJ360-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
1977-1973	**C10, C15 & Suburban w/ 3 Joint Shaft & THM400 Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Center)	**UJ360-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**
1977-1973	**C10, C15 & Suburban w/ 2 Joint Shaft & THM350 Auto. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Front)	**UJ360-10**
	U-Joint (Rear)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	Clamp Kit (Rear)	**UJ360-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1977-1973 C10, C15 & Suburban w/ 2 Joint Shaft & THM400 Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1977-1973 C10, C15 & Suburban w/ 2 Joint Shaft & Std. 3 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ360-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1977-1973 C10, C15 & Suburban w/ 2 Joint Shaft & HD 3 Spd. Man. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ360-10**

1972-1970 C10, C15 & Suburban w/ 3 Joint Shaft & THM400 Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1972-1970 C10, C15 & Suburban w/ 3 Joint Shaft & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1967 C10, C15 & Suburban w/ 2 Joint Shaft & 3 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1967 C10, C15 & Suburban w/ 2 Joint Shaft & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1967 C10, C15 & Suburban w/ 2 Joint Shaft & Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1972-1967	**C10, C15 & Suburban w/ 3 Joint Shaft & 3 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Center)		**UJ329-10**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
1970	**C10, C15 & Suburban w/ 2 Joint Shaft & Auto. Trans. Exc. THM400: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Center)		**UJ329-10**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
1969-1968	**C10, C15 & Suburban w/ 3 Joint Shaft, Auto. Trans. & 396 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Center)		**UJ330-10**
U-Joint (Rear)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Bolt Kit (Rear)		**UJ329-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1969-1968	**C10, C15 & Suburban w/ 3 Joint Shaft & Auto. Trans. Exc. 396 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Center)		**UJ329-10**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
1969-1968	**C10 & C15 w/ 3 Joint Shaft & 4 Spd. Man. Trans. Exc. 396 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Center)		**UJ329-10**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
1969-1968	**C10 & C15 w/ 3 Joint Shaft, 4 Spd. Man. Trans. & 396 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Front)		**UJ330-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Center)		**UJ330-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rear)		**UJ330-10**

(Continued)



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1967 C10 & C15 w/ 3 Joint Shaft & Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Center) **UJ329-10**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

1967 C10 & C15 w/ 3 Joint Shaft & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Center) **UJ329-10**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

Drive Shaft (4 W/D)

U-Joint

2016-2015 Suburban & Yukon XL: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2016-2015 Tahoe & Yukon Exc. XL: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2016-2014 Silverado & Sierra: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

(Continued)



Type 2



Type 13

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2014-2009 Tahoe & Yukon: [Type 13]	
U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2014-2009 Avalanche, Suburban & Yukon XL: [Type 13]	
U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2013-2008 Silverado & Sierra: [Type 13]	
U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2008 Tahoe & Yukon w/ Hybrid Eng.: [Type 13]	
U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2008 Tahoe & Yukon w/o Hybrid Eng.: [Type 13]	
U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2008-2007 Avalanche, Suburban & Yukon XL w/ 5.3L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2008-2007 Avalanche, Suburban & Yukon XL w/ 6.0L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Exc. Classic: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Ext. Cab & Std. Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007	**Silverado & Sierra Classic w/ Ext. Cab & Long Bed: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2007	**Silverado & Sierra Classic w/ Crew Cab: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007-1995	**Tahoe & Yukon: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
2006	**Silverado & Sierra w/ Reg. Cab: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
	Brute Force Greaseable	***UJ232A***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
	Brute Force Greaseable	***UJ232A***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006 Silverado & Sierra Classic w/ Ext. Cab & Std. Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006 Silverado & Sierra w/ Ext. Cab & Long Bed: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006 Silverado & Sierra Crew Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2001 Avalanche, Suburban & Yukon XL: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005 Silverado & Sierra w/ Reg. Cab & Inner Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Rr. Shaft; Frt.) UJ530-10
U-Joint (Rr. Shaft; Rr.)❹ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Rr. Shaft; Rr.) UJ530-10

2005 Silverado & Sierra w/ Reg. Cab & Outer Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ331A
Brute Force Greaseable UJ232A
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❹ UJ331A
Brute Force Greaseable UJ232A
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005 Silverado & Sierra w/ Ext. Cab, Std. Bed & 1.1875" OD Brgs. Exc. SS & Quadrasteer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

2005 Silverado & Sierra w/ Ext. Cab, Std. Bed & 1.0625" OD Brgs. Exc. SS & Quadrasteer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Rr.)❹ UJ355
Brute Force Greaseable UJ290
(For Aluminum Drive Shaft) UJ355C
Clamp Kit (Rr. Shaft; Rr.) UJ530-10

(Continued)



Type 13

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005 Silverado & Sierra w/ Ext. Cab, Long Bed & 1.0625" OD Brgs. Exc. SS & Quadrasteer: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2005 Silverado & Sierra w/ Ext. Cab, Long Bed & 1.1875" OD Brgs. Exc. SS & Quadrasteer: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005 Silverado & Sierra w/ Ext. Cab & Quadrasteer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2005 Silverado & Sierra w/ Crew Cab & 1.0625" OD Brgs. Exc. Quadrasteer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005 Silverado & Sierra w/ Crew Cab & 1.1875" OD Brgs. Exc. Quadrasteer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

2005 Silverado & Sierra w/ Crew Cab & Quadrasteer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Silverado & Sierra w/ Crew Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

2004-2002 Silverado & Sierra w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2002 Silverado & Sierra w/ Ext. Cab & Std. Bed Exc. Quadrasteer & SS: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2004-2002 Silverado & Sierra w/ Ext. Cab, Std. Bed & Quadrasteer Exc. SS: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2002 Silverado & Sierra w/ Ext. Cab & Long Bed Exc. SS: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2003-2002 Silverado & Sierra w/ Crew Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001 Silverado & Sierra w/ Crew Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2001-1999 Silverado & Sierra w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001-1999 Silverado & Sierra w/ Ext. Cab & Std. Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

2001-1999 Silverado & Sierra w/ Ext. Cab & Long Bed: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000	**Suburban & Yukon XL w/ Inner Lock Rings: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
2000	**Suburban & Yukon XL w/ Outer Lock Rings: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997	**Suburban w/ Inner Lock Rings: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
1999-1997	**Suburban w/ Outer Lock Rings: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 K1500 w/ Ext. Cab, Short Bed & Gas Eng. w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1998-1997 K1500 w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998-1997 K1500 w/ Ext. Cab, Short Bed & Diesel Eng: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1998-1997 K1500 w/ Ext. Cab, Short Bed & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998-1997 K1500 w/ Ext. Cab, Long Bed & HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1998-1997 K1500 w/ Ext. Cab & Long Bed w/o HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996 K1500 w/ Reg. Cab & Gas Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1996 K1500 w/ Reg. Cab & Diesel Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996 K1500 w/ Ext. Cab, Short Bed & Gas Eng. w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1996 K1500 w/ Ext. Cab, Short Bed, Gas Eng. & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996 K1500 w/ Ext. Cab, Short Bed, Diesel Eng. & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1996 K1500 w/ Ext. Cab, Short Bed, Diesel Eng. w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996 K1500 w/ Ext. Cab, Long Bed & Diesel Eng.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1996 K1500 w/ Ext. Cab, Long Bed & Gas Eng.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1996-1995 Suburban w/ Diesel Eng. & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1996-1995 Suburban w/ Diesel Eng. & Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 Suburban w/ Gas Eng. & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1996-1994 Suburban w/ Gas Eng. & Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Reg. Cab, Gas Eng. & MW3 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1995 K1500 w/ Reg. Cab & Gas Eng. Exc. MW3 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995	**K1500 w/ Reg. Cab, Diesel Eng. & MW3 Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
1995	**K1500 w/ Reg. Cab & Diesel Eng. Exc. MW3 Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995	**K1500 w/ Ext. Cab, Short Bed, Gas Eng. & HD Chassis: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
1995	**K1500 w/ Ext. Cab, Short Bed, Gas Eng. & MW3 Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Short Bed & Gas Eng. Exc. MW3 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1995 K1500 w/ Ext. Cab, Short Bed & Gas Eng. w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Short Bed, Diesel Eng. & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1995 K1500 w/ Ext. Cab, Short Bed, Diesel Eng. & MW3 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Short Bed & Diesel Eng. Exc. MW3 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1995 K1500 w/ Ext. Cab, Short Bed & Diesel Eng. w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Long Bed & Gas Eng. w/o HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1995 K1500 w/ Ext. Cab, Long Bed & Gas Eng. Exc. MW3 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Long Bed, Gas Eng. & HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1995 K1500 w/ Ext. Cab, Long Bed, Gas Eng. & MW3 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Long Bed & Diesel Eng. w/o HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1995 K1500 w/ Ext. Cab, Long Bed & Diesel Eng. Exc. MW3 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 14

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995 K1500 w/ Ext. Cab, Long Bed, Diesel Eng. & HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ355
Brute Force Greaseable UJ290
(For Aluminum Drive Shaft) UJ355C
U-Joint (Frt. Shaft; Rr.)❷ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Frt.)❸ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Ctr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Ctr.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❺ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

1995 K1500 w/ Ext. Cab, Long Bed, Diesel Eng. & MW3 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ355
Brute Force Greaseable UJ290
(For Aluminum Drive Shaft) UJ355C
U-Joint (Frt. Shaft; Rr.)❷ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Frt.)❸ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Ctr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Ctr.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❺ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 K1500 w/ Reg. Cab & Gas Eng. Exc. MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Rr. Shaft; Frt.) UJ530-10
U-Joint (Rr. Shaft; Rr.)❹ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Rr. Shaft; Rr.) UJ530-10

1994 K1500 w/ Reg. Cab, Gas Eng. & MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994	**K1500 w/ Reg. Cab & Diesel Eng. Exc. MT8 Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
1994	**K1500 w/ Reg. Cab, Diesel Eng. & MT8 Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994	**K1500 w/ Ext. Cab, Short Bed & Gas Eng. Exc. MT8 Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
1994	**K1500 w/ Ext. Cab, Short Bed & Gas Eng. w/o HD Chassis: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 K1500 w/ Ext. Cab, Short Bed, Gas Eng. & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1994 K1500 w/ Ext. Cab, Short Bed, Gas Eng. & MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1994 K1500 w/ Ext. Cab, Short Bed, Diesel Eng. & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1994 K1500 w/ Ext. Cab, Short Bed, Diesel Eng. w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994	**K1500 w/ Ext. Cab, Short Bed, Diesel Eng. & MT8 Man. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
1994	**K1500 w/ Ext. Cab, Short Bed & Diesel Eng. Exc. MT8 Man. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994	**K1500 w/ Ext. Cab, Long Bed & Gas Eng. w/o HD Chassis: [Type 14]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
1994	**K1500 w/ Ext. Cab, Long Bed & Gas Eng. Exc. MT8 Man. Trans.: [Type 14]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ530-10**

(Continued)



Type 13



Type 14

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 K1500 w/ Ext. Cab, Long Bed & Diesel Eng. Exc. MT8 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1994 K1500 w/ Ext. Cab, Long Bed & Diesel Eng. w/o HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 K1500 w/ Ext. Cab, Long Bed, Gas Eng. & HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 14

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 K1500 w/ Ext. Cab, Long Bed, Gas Eng. & MT8 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1994 K1500 w/ Ext. Cab, Long Bed, Diesel Eng. & HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994 K1500 w/ Ext. Cab, Long Bed, Diesel Eng. & MT8 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1994-1992 Blazer: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 Suburban: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1993-1992 K1500 w/ Reg. Cab & MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 K1500 w/ Reg. Cab Exc. MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1993-1992 K1500 w/ Ext. Cab & Short Bed w/o HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

(Continued)



Type 13

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 K1500 w/ Ext. Cab & Short Bed Exc. MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1993-1992 K1500 w/ Ext. Cab, Short Bed & HD Chassis: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1993-1992 K1500 w/ Ext. Cab, Short Bed & MT8 Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1993-1992 K1500 w/ Ext. Cab, Long Bed & MT8 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 K1500 w/ Ext. Cab, Long Bed & HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1993-1992 K1500 w/ Ext. Cab & Long Bed Exc. MT8 Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 K1500 w/ Ext. Cab & Long Bed w/o HD Chassis: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1991-1988 Suburban w/ Auto Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2] **UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
U-Joint (Wheel Joint)❺	[2] **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

(Continued)



Type 14



Type 26

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 Suburban w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1991-1988 K1500 w/ Reg. Cab & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 K1500 w/ Reg. Cab & Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1991-1988 K1500 w/ Ext. Cab & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

(Continued)



Type 13



Type 14



Type 26

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 K1500 w/ Ext. Cab & Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**

1991-1982 Blazer & Jimmy w/ 4 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1982 Blazer & Jimmy Exc. 4 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Frt.)		**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Rr.)		**UJ530-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**

1987 V10 & V1500 w/ Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Frt.)		**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Rr.)		**UJ530-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**

(Continued)



Type 14



Type 26

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987	**V10 & V1500 w/ Outer Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
1986-1982	**K10 & K1500 w/ Inner Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Frt.)		**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Rr.)		**UJ530-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1982	**K10 & K1500 w/ Outer Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1979 Blazer & Jimmy: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ360-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ360-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1979 K10 & K1500: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ360-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ360-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 K10 & K15 w/ Inner Lock Rings & 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 K10 & K15 w/ Inner Lock Rings & 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 K10 & K15 w/ Outer Lock Rings & 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26



Type 27

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978	**K10 & K15 w/ Outer Lock Rings & 3 Joint Shaft: [Type 27]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978-1972	**Blazer & Jimmy w/ Inner Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Chevrolet/GMC Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978-1972 Blazer & Jimmy w/ Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Ball Seat Repair Kit		**UJ606**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1977-1973 K10 & K15: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1972 K10 & K15: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1971-1970 K10 & K15: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26

(Cont.) -- Chevrolet/GMC Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1971-1969 Blazer & Jimmy: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1969-1967 K10 & K15: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

Drive Shaft (AWD)

U-Joint

2013-2009 Yukon Denali: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ331A**
Brute Force Greaseable		***UJ232A***

2008-2001 Yukon Denali: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Frt.)		**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rr. Shaft; Rr.)		**UJ530-10**

2005-2003 Silverado SS: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**



Type 13



Type 26

Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2016-2008 Silverado & Sierra w/ Diesel Eng.: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ351A**
U-Joint (Rear)❸	**UJ351A**

2016-2008 Silverado & Sierra w/ Gas Eng.: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ351A**

2013-2008 Suburban & Yukon XL: [Type 1]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rear)	**UJ492-10**

2007 Suburban & Yukon XL: [Type 1]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rear)	**UJ492-10**

2007 Silverado & Sierra w/ Diesel Eng. Exc. Classic: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ351A**
U-Joint (Rear)❸	**UJ351A**

2007 Silverado & Sierra w/ Gas Eng. Exc. Classic: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❸	**UJ351A**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ 6.0L Eng., Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rear)	**UJ492-10**

2007 Silverado & Sierra Classic w/ 6.0L Eng. Exc. Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Auto. Trans., 6.6L & 8.1L Engs.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Man. Trans., 6.6L & 8.1L Engs.: [Type 2]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Center)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ 6.0L Eng., Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rear)	**UJ492-10**

2006-2005 Silverado & Sierra w/ 6.0L Eng. Exc. Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Auto. Trans., 6.6L & 8.1L Engs.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Man. Trans., 6.6L & 8.1L Engs.: [Type 2]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Center)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2001 Avalanche, Suburban & Yukon XL w/ 8.1L Eng.: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2006-2000 Suburban & Yukon XL w/ 6.0L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2004-2001 Silverado & Sierra Exc. HD: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2004-2001 Silverado & Sierra HD w/ 6.0L Eng. Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-2001 Silverado & Sierra HD w/ 6.0L Eng. Exc. Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2004-2001 Silverado & Sierra HD w/ Auto. Trans., 6.6L & 8.1L Engs.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

2004-2001 Silverado & Sierra HD w/ Man. Trans., 6.6L & 8.1L Engs.: [Type 2]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Center)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2000-1999 C2500, Silverado & Sierra w/ Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

2000-1999 C2500, Silverado & Sierra w/ Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ492-10**

1999-1992 Suburban: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1998-1991 C2500 w/ Ext. Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1998-1988 C2500 w/ Reg. Cab & 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1998-1988 C2500 w/ Reg. Cab & 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1991 Suburban w/ Diesel Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1991 Suburban w/ Gas Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1989 C2500 w/ Ext. Cab & Short Bed: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1990-1989 C2500 w/ Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1990-1988 C2500 w/ Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 2

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1987 Suburban w/ 454 Eng. & Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

1990-1987 Suburban w/o 454 Eng. & Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Center) **UJ530-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

1988 C2500 w/ Ext. Cab: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1982 Suburban w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

1986-1982 Suburban w/ 3 Joint Shaft & 454 Eng.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ492-10**

1986-1982 Suburban w/ 3 Joint Shaft & 4 Spd. Man. Trans. w/o 454 Eng.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ492-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ492-10**
U-Joint (Rear)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

(Continued)



Type 1



Type 2

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1982	**Suburban w/ 3 Joint Shaft & THM400 Auto. Trans. w/o 454 Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
1986-1982	**Suburban w/ 3 Joint Shaft Exc. 454 Eng, 4 Spd. Man. Trans. & THM400 Auto. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
1986-1982	**C20 & C2500 w/ Inner Lock Rings: [Type 2]**	
	U-Joint (Front)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Center)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1982	**C20 & C2500 w/ Outer Lock Rings: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ492-10**
1981	**Suburban w/ Auto Trans. Exc. 454 Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1981	**Suburban w/ Man. Trans. Exc. 454 Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***

(Continued)



Type 2

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981	**Suburban w/ 454 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1981	**C20 & C2500 w/ 2 Doors & 4 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1981	**C20 & C2500 w/ 2 Doors & THM400 Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981	**C20 & C2500 w/ 2 Doors Exc. 4 Spd. Man. Trans. & THM400 Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Rear)		**UJ530-10**
1981	**C20 & C2500 w/ 4 Doors 454 Eng. & 4 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ492-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**
1981	**C20 & C2500 w/ 4 Doors Exc. 454 Eng. & 4 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ492-10**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ492-10**

(Continued)



Type 2

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1980-1978 Suburban w/ THM350 Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1980-1978 Suburban w/ THM400 Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1980-1978 Suburban w/ 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1980-1978 C20 & C2500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1980-1978 C20 & C2500 w/ 3 Joint Shaft & 1.063" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1980-1978 C20 & C2500 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

1977-1976 C20, C25 & Suburban w/ 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 2

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1977-1973 C20, C25 & Suburban w/o 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1972-1967 C20, C25 & Suburban w/ Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1972-1967 C20, C25 & Suburban w/ Std. 3 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1972-1967 C20, C25 & Suburban w/ HD 3 Spd. Man. & 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Front)	**UJ330-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

Drive Shaft (4 W/D)

U-Joint

2016-2007 Silverado & Sierra w/ Gas Eng. Exc. Crew Cab w/ Long Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2016-2007 Silverado & Sierra w/ Diesel Eng. Exc. Crew Cab w/ Long Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351A**
Clamp Kit (Rr. Shaft; Frt.)	**UJ352-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351A**
Clamp Kit (Rr. Shaft; Rr.)	**UJ352-10**

(Continued)



Type 2



Type 13

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2016-2007 Silverado & Sierra w/ Crew Cab, Long Bed & Gas. Eng: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2016-2007 Silverado & Sierra w/ Crew Cab, Long Bed & Diesel Eng.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351A**
Clamp Kit (Rr. Shaft; Frt.)	**UJ352-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351A**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ352-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351A**
Clamp Kit (Rr. Shaft; Rr.)	**UJ352-10**

2013-2008 Suburban & Yukon XL: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Suburban & Yukon XL: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Reg. Cab & 6 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2007 Silverado & Sierra Classic w/ Ext. Cab, Std. Bed & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Ext. Cab, Std. Bed & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Ext. Cab, Std. Bed & 6 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2007 Silverado & Sierra Classic w/ Ext. Cab, Long Bed & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Ext. Cab, Long Bed & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Crew Cab, Std. Bed & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Crew Cab, Long Bed & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Crew Cab & Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***

2006-2005 Silverado & Sierra w/ Reg. Cab, 5 Spd. & 6 Spd. Auto Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2005 Silverado & Sierra w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Reg. Cab & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2005 Silverado & Sierra w/ Ext. Cab, Std. Bed & 4 Spd. Auto Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Ext. Cab, Std. Bed, 5 Spd. & 6 Spd. Auto Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Ext. Cab, Std. Bed & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Ext. Cab, Std. Bed & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2005 Silverado & Sierra w/ Ext. Cab, Long Bed & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Ext. Cab, Long Bed & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Ext. Cab, Long Bed & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2005 Silverado & Sierra w/ Crew Cab, Std. Bed & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ492-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Crew Cab, Long Bed & Auto Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Crew Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Crew Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2001 Avalanche, Suburban & Yukon XL w/ 8.1L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2000 Suburban & Yukon XL w/ 6.0L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004 Silverado & Sierra w/ Reg. Cab Exc. HD: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004 Silverado & Sierra w/ Ext. Cab Exc. HD: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004 Silverado & Sierra w/ Crew Cab Exc. HD: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Silverado & Sierra HD w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330A**
Brute Force Greaseable ***UJ295A***
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330A**
Brute Force Greaseable ***UJ295A***
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

2004 Silverado & Sierra HD w/ Reg. Cab, 5 Spd. Auto. Trans. & 1.188" Dia. Brg. Cap: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

2004 Silverado & Sierra HD w/ Reg. Cab, 5 Spd. Auto. Trans. & 1.375" Dia. Brg. Cap: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Silverado & Sierra HD w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330A**
Brute Force Greaseable ***UJ295A***
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330A**
Brute Force Greaseable ***UJ295A***
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

2004 Silverado & Sierra HD w/ Reg. Cab & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**

2004 Silverado & Sierra HD w/ Ext. Cab, 4 & 5 Spd. Auto. Trans. & 1.188" Dia. Brg. Cap: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004	**Silverado & Sierra HD w/ Ext. Cab, 5 Spd. Auto. Trans. & 1.375" Dia. Brg. Cap: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
2004	**Silverado & Sierra HD w/ Ext. Cab, Std. Bed & 5 Spd. Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004	**Silverado & Sierra HD w/ Ext. Cab, Long Bed & 5 Spd. Man. Trans.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2004	**Silverado & Sierra w/ Ext. Cab, Std. Bed & 6 Spd. Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Silverado & Sierra HD w/ Ext. Cab, Long Bed & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**

2004 Silverado & Sierra HD w/ Crew Cab, Std. Bed & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Silverado & Sierra HD w/ Crew Cab, Long Bed & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

2004 Silverado & Sierra HD w/ Crew Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004	**Silverado & Sierra HD w/ Crew Cab & 6 Spd. Man. Trans.: [Type 14]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
2003-2001	**Silverado & Sierra Exc. HD: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
2003-2001	**Silverado & Sierra HD w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001	**Silverado & Sierra HD w/ Reg. Cab & 5 Spd. Auto. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
2003-2001	**Silverado & Sierra HD w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
2003-2001	**Silverado & Sierra HD w/ Reg. Cab & 6 Spd. Man. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001 Silverado & Sierra HD w/ Ext. Cab & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2003-2001 Silverado & Sierra HD w/ Ext. Cab, Std. Bed & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001 Silverado & Sierra HD w/ Ext. Cab, Long Bed & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2003-2001 Silverado & Sierra HD w/ Ext. Cab, Std. Bed & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001 Silverado & Sierra HD w/ Ext. Cab, Long Bed & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2003-2001 Silverado & Sierra HD w/ Crew Cab, Std. Bed & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001 Silverado & Sierra HD w/ Crew Cab, Long Bed & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2003-2001 Silverado & Sierra HD w/ Crew Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001 Silverado & Sierra HD w/ Crew Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2000-1999 Silverado & Sierra w/ Ext. Cab, Long Bed & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1999 Silverado & Sierra w/ Auto. Trans. Exc. Ext. Cab & Long Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2000-1999 Silverado & Sierra w/ Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1997 K2500 w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2000-1997 K2500 w/ Ext. Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 Suburban: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1996-1994 Suburban w/ Gas Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 Suburban w/ Diesel Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1996-1994 K2500 w/ Reg. Cab & Gas Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 K2500 w/ Reg. Cab & Diesel Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1996-1994 K2500 w/ Ext. Cab & Gas Eng.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 K2500 w/ Ext. Cab & Diesel Eng.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1993-1992 Suburban: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 K2500 w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1993-1992 K2500 w/ Ext. Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 Suburban: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1991-1988 K2500 w/ Reg. Cab & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 K2500 w/ Reg. Cab & Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1991-1988 K2500 w/ Ext. Cab & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Frt. Shaft; Rr.) **UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

(Continued)


Type 13


Type 14


Type 26

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 K2500 w/ Ext. Cab & Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**

1987 V20 & V2500: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1982 K20 & K2500: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1979 K20 & K2500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ360-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ360-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 14



Type 26

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1979 K20 & K2500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978-1977 K20 & K25 w/ 2 Joint Shaft & Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.) **UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.) **UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1978-1977 K20 & K25 w/ 2 Joint Shaft & Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.) **UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.) **UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Yoke **UJ607**
H Yoke **UJ647**

(Continued)



Type 26



Type 27

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978-1977 K20 & K25 w/ 3 Joint Shaft & Inner Lock Rings: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978-1977 K20 & K25 w/ 3 Joint Shaft & Outer Lock Rings: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 27

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 K20 & K25 w/ Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 K20 & K25 w/ Part Time Transfer Case & 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 K20 & K25 w/ Part Time Transfer Case & 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1974-1973 K20 & K25: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26



Type 27

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1972-1967 K20 & K25 w/ 1.063" Dia. Rr. Shaft Brg. Cap: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1972-1967 K20 & K25 w/ 1.188" Dia. Rr. Shaft Brg. Cap: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ330-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ330-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

(Continued)



Type 26

Chevrolet/GMC Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1966-1961 K20 & 2500 Series w/ 3 Spd. Man. Trans. & Inner Lock Rings: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Intmd. Shaft; Frt.)	**UJ329-10**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Intmd. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ330-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ330-10**
U-Joint (Wheel Joint)❼ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1966-1961 K20 & 2500 Series w/ 3 Spd. Man. Trans. & Outer Lock Rings: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Intmd. Shaft; Frt.)	**UJ329-10**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Intmd. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ330-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ330-10**
U-Joint (Wheel Joint)❼ [2]	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 34

(Cont.) -- Chevrolet/GMC Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1966-1961 K20 & 2500 Series w/ 4 Spd. Man. Trans. & Inner Lock Rings: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Intmd. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ330-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ330-10**
U-Joint (Wheel Joint)❼ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1966-1961 K20 & 2500 Series w/ 4 Spd. Man. Trans. & Outer Lock Rings: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Intmd. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ330-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ330-10**
U-Joint (Wheel Joint)❼ [2]	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

Chevrolet/GMC Truck 1 ton

Drive Shaft (2 W/D)

U-Joint

2016-2007 Silverado & Sierra HD: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ351A**
U-Joint (Rear)❸	**UJ351A**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ 6.0L Eng., Ext. Cab & Long Bed: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 2



Type 34

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007	**Silverado & Sierra Classic w/ 6.0L Eng. Exc. Ext. Cab & Long Bed: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ492-10**
2007	**Silverado & Sierra Classic w/ Auto. Trans., 6.6L & 8.1L Engs.: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ492-10**
2007	**Silverado & Sierra Classic w/ Man. Trans., 6.6L & 8.1L Engs.: [Type 2]**	
	U-Joint (Front)❶	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Center)❷	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rear)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
2006-2001	**Silverado & Sierra w/ 6.0L Eng., Ext. Cab & Long Bed: [Type 2]**	
	U-Joint (Front)❶	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Rear)	**UJ492-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2001	**Silverado & Sierra w/ 6.0L Eng. Exc. Ext. Cab & Long Bed: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ492-10**
2006-2001	**Silverado & Sierra w/ Auto. Trans., 6.6L & 8.1L Engs.: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ492-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ492-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ492-10**
2006-2001	**Silverado & Sierra w/ Man. Trans., 6.6L & 8.1L Engs.: [Type 2]**	
	U-Joint (Front)❶	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Center)❷	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rear)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
2002-1997	**Cab & Chassis w/ 135" & 160" Wheel Base: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ331-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 2

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2002-1991 Cab & Chassis w/ 185" Wheel Base: [Type 3]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center; Front)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center; Front)	**UJ331-10**
U-Joint (Center; Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center; Rear)	**UJ331-10**
U-Joint (Rear)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2000-1991 C3500: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1990-1979 All: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1976 Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1978-1976 3 Spd. Man. Trans. & THM350 Auto. Trans. Exc. Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

1978-1976 4 Spd. Man. Trans. & THM400 Auto. Trans. Exc. Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ492-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ492-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ492-10**

(Continued)



Type 2



Type 3

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1975-1973 Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Front)	**UJ330-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

1975-1973 3 Spd. Man. Trans. & THM350 Auto. Trans. Exc. Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

1975-1973 4 Spd. Man. Trans. & THM400 Auto. Trans. Exc. Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Front)	**UJ330-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1972-1968 Auto. Trans. Exc. 396 Eng.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

1972-1960 Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Front)	**UJ330-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

1969-1968 Auto. Trans. w/ 396 Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

(Continued)



Type 2

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1967-1960 Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

Drive Shaft (4 W/D)

U-Joint

2016 Suburban 3500HD: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**

2016-2007 Silverado & Sierra HD w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351A**

2016-2007 Silverado & Sierra HD w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351A**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
Brute Force Greaseable	***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Reg. Cab & 6 Spd. Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 2



Type 13



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Crew Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic w/ Ext. Cab & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic w/ Ext. Cab & Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2007 Silverado & Sierra Classic Cab & Chassis w/ 137" WB & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007	**Silverado & Sierra Classic Cab & Chassis w/ 137" WB & 6 Spd. Auto. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
2007	**Silverado & Sierra Classic Cab & Chassis w/ 137" WB & Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007	**Silverado & Sierra Classic Cab & Chassis w/ 161.5" WB & 4 Spd. Auto. Trans.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2007	**Silverado & Sierra Classic Cab & Chassis w/ 161.5" WB & 6 Spd. Auto. Trans.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 Silverado & Sierra Classic Cab & Chassis w/ 161.5" WB & Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Ctr.)❹ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rr. Shaft; Ctr.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❺ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

2006-2005 Silverado & Sierra w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❹ UJ330A
Brute Force Greaseable UJ295A
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Reg. Cab, 5 Spd. & 6 Spd. Auto Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ351
(For Aluminum Drive Shaft) UJ351C
U-Joint (Rr. Shaft; Rr.)❹ UJ351
(For Aluminum Drive Shaft) UJ351C

2006-2005 Silverado & Sierra w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
Clamp Kit (Rr. Shaft; Frt.) UJ492-10
U-Joint (Rr. Shaft; Rr.)❹ UJ330A
Brute Force Greaseable UJ295A
Clamp Kit (Rr. Shaft; Rr.) UJ492-10

2006-2005 Silverado & Sierra w/ Reg. Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Frt.) UJ530-10
U-Joint (Frt. Shaft; Rr.)❷ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
Clamp Kit (Frt. Shaft; Rr.) UJ530-10
U-Joint (Rr. Shaft; Frt.)❸ UJ351
(For Aluminum Drive Shaft) UJ351C
U-Joint (Rr. Shaft; Ctr.)❹ UJ351
(For Aluminum Drive Shaft) UJ351C
U-Joint (Rr. Shaft; Rr.)❺ UJ351
(For Aluminum Drive Shaft) UJ351C

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Ext. Cab & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Ext. Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Ext. Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2005 Silverado & Sierra w/ Crew Cab & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra w/ Crew Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra w/ Crew Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra Cab & Chassis w/ 137" WB & Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra Cab & Chassis w/ 137" WB & 5 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra Cab & Chassis w/ 137" WB & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2006-2005 Silverado & Sierra Cab & Chassis w/ 161.5" WB & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Silverado & Sierra Cab & Chassis w/ 161.5" WB & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2006-2005 Silverado & Sierra Cab & Chassis w/ 161.5" WB & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004	**Silverado & Sierra w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
2004	**Silverado & Sierra w/ Reg. Cab, 5 Spd. Auto Trans. & 1.188" Dia. Rr. Shaft Brg. Caps: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
2004	**Silverado & Sierra w/ Reg. Cab, 5 Spd. Auto Trans. & 1.375" Dia. Rr. Shaft Brg. Caps: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004	**Silverado & Sierra w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
2004	**Silverado & Sierra w/ Reg. Cab & 6 Spd. Man. Trans.: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
2004	**Silverado & Sierra w/ Ext. Cab, 5 Spd. Auto. Trans. & 1.188" Dia. Rr. Shaft Brg. Caps: [Type 13]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Frt.)		**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**

(Continued)



Type 13

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Silverado & Sierra w/ Ext. Cab, 5 Spd. Auto. Trans. & 1.375" Dia. Rr. Shaft Brg. Caps: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2004-2001 Silverado & Sierra w/ Ext. Cab & 4 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2001 Silverado & Sierra w/ Ext. Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004-2001 Silverado & Sierra w/ Ext. Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2001 Silverado & Sierra w/ Crew Cab & Auto. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004-2001 Silverado & Sierra w/ Crew Cab & 5 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004-2001 Silverado & Sierra w/ Crew Cab & 6 Spd. Man. Trans.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2004-2001 Silverado & Sierra Cab & Chassis w/ 137" WB Exc. 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2004-2001 Silverado & Sierra Cab & Chassis w/ 137" WB & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2001	**Silverado & Sierra Cab & Chassis w/ 161.5" WB Exc. 6 Spd. Man. Trans.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2004-2001	**Silverado & Sierra Cab & Chassis w/ 161.5" WB & 6 Spd. Man. Trans.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001	**Silverado & Sierra w/ Reg. Cab & 4 Spd. Auto. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2003-2001	**Silverado & Sierra w/ Reg. Cab & 5 Spd. Auto. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
2003-2001	**Silverado & Sierra w/ Reg. Cab & 5 Spd. Man. Trans.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ330A**
	Brute Force Greaseable	***UJ295A***
	Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2001 Silverado & Sierra w/ Reg. Cab & 6 Spd. Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2003-2001 Silverado & Sierra w/ Ext. Cab & 5 Spd. Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2000-1997 K3500 w/ Reg. Cab: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1997 K3500 w/ Ext. Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2000-1997 K3500 w/ Crew Cab: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1997 K3500 Cab & Chassis w/ 135.5" & 141.5" Wheelbase: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2000-1997 K3500 Cab & Chassis w/ 159.5", 168.5" & 183.5" Wheelbase: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1992 K3500 w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1996-1992 K3500 w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 13



Type 14

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 K3500 & V3500 w/ 2 Doors, CV Frt. Axles, Auto. Trans., 2 Joint Rr. Shaft & Single Rr. Whls.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1991-1990 K3500 & V3500 w/ 2 Doors, CV Frt. Axles, Auto. Trans., 3 Joint Rr. Shaft & Single Rr. Whls.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 K3500 & V3500 w/ 2 Doors, CV Frt. Axles, Auto. Trans., 2 Joint Rr. Shaft & Dual Rr. Whls.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

1991-1990 K3500 & V3500 w/ 2 Doors, CV Frt. Axles, Auto. Trans., 3 Joint Rr. Shaft & Dual Rr. Whls.: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Frt. Shaft; Frt.) **UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ492-10**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 K3500 & V3500 w/ 2 Doors, CV Frt. Axles, Man. Trans. & 2 Joint Rr. Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1991-1990 K3500 & V3500 w/ 2 Doors, CV Frt. Axles, Man. Trans. & 3 Joint Rr. Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 K3500 & V3500 w/ 4 Doors & Monobeam Frt. Axle: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2] **UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
U-Joint (Wheel Joint)❻	[2] **UJ374**
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

1989-1988 K3500, V30 & V3500 w/ CV Frt. Axles, 2 Joint Rr. Shaft & Inner Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14



Type 27

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 K3500, V30 & V3500 w/ CV Frt. Axles, 2 Joint Rr. Shaft & Outer Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

1989-1988 K3500, V30 & V3500 w/ CV Frt. Axles, 3 Joint Rr. Shaft & Inner Lock Rings: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 K3500, V30 & V3500 w/ CV Frt. Axles, 3 Joint Rr. Shaft & Outer Lock Rings: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1989-1988 K3500, V30 & V3500 w/ Monobeam Frt. Axle & 2 Joint Rr. Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

(Continued)



Type 13



Type 14

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 K3500, V30 & V3500 w/ Monobeam Frt. Axle & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
Clamp Kit (Frt. Shaft; Rr.)		**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1980 K30, V30, K3500 & V3500 w/ 131.5" Wheelbase: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Chevrolet/GMC Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1980 K30, V30, K3500 & V3500 w/ 135.5", 159.5" & 164.5" Wheelbase: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 K30 & K3500 w/ 3.5" Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 27

(Cont.) -- Chevrolet/GMC Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979	**K30 & K3500 w/ 4" Yoke: [Type 27]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978-1977	**K30 & K35: [Type 27]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ492-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ492-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

Chevrolet/GMC Truck 1 1/2 ton, 2 ton, 2 1/2 ton

Drive Shaft (4 X 2)

U-Joint

2016-2009	**Express & Savana 4500: [Type 2]**	
U-Joint (Front)❶		**UJ351A**
U-Joint (Center)❷		**UJ351A**
U-Joint (Rear)❸		**UJ351A**
2009-2003	**2 Joint Shaft w/ 4.5" Yokes: [Type 1]**	
U-Joint (Front)❶		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Front)		**UJ351-10**
U-Joint (Rear)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rear)		**UJ351-10**
2009-2003	**2 Joint Shaft w/ 5.25" Yokes: [Type 1]**	
U-Joint (Front)❶		**UJ358**
Clamp Kit (Front)		**UJ351-10**
U-Joint (Rear)❷		**UJ358**
Clamp Kit (Rear)		**UJ351-10**

Drive Shaft (4 X 2) (Cont.)

U-Joint (Cont.)

2009-2003	**3 Joint Shaft w/ 4.5" Yoke: [Type 2]**	
U-Joint (Front)❶		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Front)		**UJ351-10**
U-Joint (Center)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Center)		**UJ351-10**
U-Joint (Rear)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rear)		**UJ351-10**
2009-2003	**3 Joint Shaft w/ 5.25" Yoke: [Type 2]**	
U-Joint (Front)❶		**UJ358**
Clamp Kit (Front)		**UJ351-10**
U-Joint (Center)❷		**UJ358**
Clamp Kit (Center)		**UJ351-10**
U-Joint (Rear)❸		**UJ358**
Clamp Kit (Rear)		**UJ351-10**

(Continued)



Type 1



Type 2



Type 27

Chevrolet/GMC Truck 1 1/2 ton, 2 ton, 2 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 X 2) (Cont.)

U-Joint (Cont.)

2009-2003 4 Joint Shaft w/ 4.5" Yoke: [Type 3]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Front)	**UJ351-10**
U-Joint (Center; Front)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center; Front)	**UJ351-10**
U-Joint (Center; Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center; Rear)	**UJ351-10**
U-Joint (Rear)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Rear)	**UJ351-10**

2009-2003 4 Joint Shaft w/ 5.25" Yoke: [Type 3]

U-Joint (Front)❶	**UJ358**
Clamp Kit (Front)	**UJ351-10**
U-Joint (Center; Front)❷	**UJ358**
Clamp Kit (Center; Front)	**UJ351-10**
U-Joint (Center; Rear)❸	**UJ358**
Clamp Kit (Center; Rear)	**UJ351-10**
U-Joint (Rear)❹	**UJ358**
Clamp Kit (Rear)	**UJ351-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 X 4)

U-Joint

2009-2005 C4500 & C5500 w/ 2 Joint Rr. Shaft: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Intmd. Shaft; Frt.)		**UJ351-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Intmd. Shaft; Rr.)		**UJ351-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
U-Joint (Wheel Joint)❼	[2]	**UJ424**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

(Continued)



Type 3



Type 34

(Cont.) -- Chevrolet/GMC Truck 1 1/2 ton, 2 ton, 2 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 X 4) (Cont.)

U-Joint (Cont.)

2009-2005 C4500 & C5500 w/ 3 Joint Rr. Shaft: [Type 35]

U-Joint (Frt. Shaft; Frt.)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Frt. Shaft; Frt.) **UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Intmd. Shaft; Frt.)❸ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
Clamp Kit (Intmd. Shaft; Frt.) **UJ351-10**
U-Joint (Intmd. Shaft; Rr.)❹ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
Clamp Kit (Intmd. Shaft; Rr.) **UJ351-10**
U-Joint (Rr. Shaft; Frt.)❺ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
Clamp Kit (Rr. Shaft; Frt.) **UJ351-10**
U-Joint (Rr. Shaft; Ctr.)❻ **UJ351**
(For Aluminum Drive Shaft) **UJ351C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ351-10**
U-Joint (Rr. Shaft; Rr.)❼ **UJ351**
Clamp Kit (Rr. Shaft; Rr.) **UJ351-10**
U-Joint (Wheel Joint)❽ ..... [2] **UJ424**
H Yoke **UJ650**

Chrysler CUV Aspen

Drive Shaft (2 W/D)

U-Joint

2009-2007 All: [Type 1]

U-Joint (Front)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rear)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

Drive Shaft (4 W/D)

U-Joint

2009-2007 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Rr.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***

Dodge Truck D-50 Pickup, Power Ram 50, Raider, Ram 50

Drive Shaft (2 W/D)

U-Joint

1993-1990 Ram 50 w/ 2 Joint Shaft & Auto. Trans.: [Type 1]

U-Joint (Front)❶ **UJ398**
U-Joint (Rear)❷ **UJ398**

1993-1990 Ram 50 w/ 2 Joint Shaft & Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ399**
U-Joint (Rear)❷ **UJ399**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1993-1989 Ram 50 w/ 3 Joint Shaft & Auto. Trans.: [Type 2]

U-Joint (Front)❶ **UJ398**
U-Joint (Center)❷ **UJ398**
U-Joint (Rear)❸ **UJ398**

(Continued)



Dodge Truck D-50 Pickup, Power Ram 50, Raider, Ram 50 -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1993-1989	Ram 50 w/ 3 Joint Shaft & Man. Trans.: [Type 2]	
	U-Joint (Front)❶	UJ399
	U-Joint (Center)❷	UJ399
	U-Joint (Rear)❸	UJ399
1989-1987	Ram 50 w/ 2 Joint Shaft & 2.0L Eng.: [Type 1]	
	U-Joint (Front)❶	UJ398
	U-Joint (Rear)❷	UJ398
1989-1987	Ram 50 w/ 2 Joint Shaft & 2.6L Eng.: [Type 1]	
	U-Joint (Front)❶	UJ399
	U-Joint (Rear)❷	UJ399
1988-1987	Ram 50 w/ 3 Joint Shaft: [Type 2]	
	U-Joint (Front)❶	UJ399
	U-Joint (Center)❷	UJ399
	U-Joint (Rear)❸	UJ399
1986-1983	Ram 50 w/ 2.0L Eng.: [Type 2]	
	U-Joint (Front)❶	UJ398
	U-Joint (Center)❷	UJ398
	U-Joint (Rear)❸	UJ398
1986-1983	Ram 50 w/ 2.3L & 2.6L Engs.: [Type 2]	
	U-Joint (Front)❶	UJ399
	U-Joint (Center)❷	UJ399
	U-Joint (Rear)❸	UJ399
1982-1979	D50 w/ 2.0L Eng.: [Type 1]	
	U-Joint (Front)❶	UJ398
	U-Joint (Rear)❷	UJ398
1982-1979	D50 w/ 2.6L Eng.: [Type 1]	
	U-Joint (Front)❶	UJ399
	U-Joint (Rear)❷	UJ399

Drive Shaft (4 W/D)

U-Joint

1993-1990	Ram 50 w/ Reg. Cab & Std. Bed: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1990	Ram 50 w/ Ext. Cab: [Type 14]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Ctr.)❹	UJ450
	U-Joint (Rr. Shaft; Rr.)❺	UJ450
1993-1990	Ram 50 w/ Long Bed: [Type 14]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Ctr.)❹	UJ450
	U-Joint (Rr. Shaft; Rr.)❺	UJ450
1989	Raider w/ 3.0L Eng.: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450
1989-1987	Raider w/ 2.6L Eng.: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ399
	U-Joint (Rr. Shaft; Rr.)❹	UJ399
1989-1983	Ram 50 & Power Ram 50: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ399
	U-Joint (Rr. Shaft; Rr.)❹	UJ399
1982	D50: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ399
	U-Joint (Rr. Shaft; Rr.)❹	UJ399
1981-1979	D50: [Type 25]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Intmd. Shaft; Frt.)❸	UJ398
	U-Joint (Intmd. Shaft; Rr.)❹	UJ398
	U-Joint (Rr. Shaft; Frt.)❺	UJ398
	U-Joint (Rr. Shaft; Rr.)❻	UJ398



Dodge Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

2003-2000	**R1500 Van & R2500 Van: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
2003-2000	**R3500 Van w/ Chrysler Axle: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
2003-1999	**R3500 Van w/ Dana 60 Axle: [Type 1]**	
U-Joint (Front)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Rear)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rear)		**UJ331-10**
1999	**R1500 Van & R2500 Van: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
1999	**R3500 Van w/ Chrysler Axle: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
1998	**B1500 & B2500 w/ 109" Wheel Base: [Type 1]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1998	**B1500 & B2500 w/ 127" Wheel Base: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
1998	**B3500 w/ Dana 60 Axle: [Type 1]**	
U-Joint (Front)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Rear)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rear)		**UJ331-10**
1998	**B3500 w/ Chrysler Axle & 109" Wheel Base: [Type 1]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**
1998	**B3500 w/ Chrysler Axle & 127" Wheel Base: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
1997-1994	**B150, B250, B1500 & B2500: [Type 1]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**
1997-1994	**B350 & B3500 w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**

(Continued)



Type 1

Dodge Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1997-1994 B350 & B3500 w/ Outer Lock Rings: [Type 1]
U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rear) **UJ331-10**

1993-1992 B150 & B250 w/ 2.125" Yoke: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1993-1992 B150 & B250 w/ 2.625" Yoke: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1993-1992 B350: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1991-1988 B150 & B250: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1991-1988 B350 w/ 2 Joint Shaft: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1991-1988 B350 w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Center)❷ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Center) **UJ318-10**
U-Joint (Rear)❸ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1987-1982 B150 & B250: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**

1987-1982 B350 w/ 2 Joint Shaft: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**

1987-1982 B350 w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**
U-Joint (Center)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**
U-Joint (Rear)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**

1981-1978 B100 & B150 w/ 2.125" Yoke: [Type 1]
U-Joint (Front)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**
U-Joint (Rear)❷ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**

1981-1978 B100 & B150 w/ 2.625" Yoke: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

(Continued)



Type 1



Type 2

(Cont.) -- Dodge Truck Full Size Vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1981-1974 B200 & B250 w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1981-1974 B200 & B250 w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1981-1971 B300 & B350 w/ 2 Joint Shaft & 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1981-1971 B300 & B350 w/ 2 Joint Shaft & 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1981-1971 B300 & B350 w/ 3 Joint Shaft & 2.125" Yoke: [Type 2]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Center)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1981-1971 B300 & B350 w/ 3 Joint Shaft & 2.625" Yoke: [Type 2]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Center)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Center)	**UJ316-10**
U-Joint (Rear)❸	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1977-1971 B100: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1973-1971 B200 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1973-1971 B200 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Center)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1970-1964 A100 Van: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**



Type 1



Type 2

Dodge Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2010-2009 R1500 w/ 2 Joint Shaft & 3.7L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2010-2009 R1500 w/ 3 Joint Shaft & 3.7L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2010-2009 R1500 w/ 4.7L & 5.7L Engs.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2010-2000 Dakota w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2010-2000 Dakota w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2009-2004 Durango: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***

2008-2007 R1500 w/ 2 Joint Shaft Exc. Mega Cab: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2008-2007 R1500 w/ 3 Joint Shaft Exc. Mega Cab: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2008-2006 R1500 w/ Mega Cab: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 R1500 SRT-10 w/ Reg. Cab: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

2006-2005 R1500 SRT-10 w/ Quad Cab: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2006-2004 R1500 w/ 2 Joint Shaft Exc. Mega Cab & SRT-10: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2004 R1500 w/ 3 Joint Shaft Exc. Mega Cab & SRT-10: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004 R1500 SRT-10: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2003-2000 Durango: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2003-2000 R1500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2003-2000 R1500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1999 Dakota w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ458**
(For Aluminum Drive Shaft)	**UJ458C**

(Continued)



Type 1



Type 2

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1999 Dakota w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

1999 Durango: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1999 R1500 w/ Reg. Cab & Short Bed: [Type 1]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

1999 R1500 w/ Reg. Cab & Long Bed: [Type 2]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

1999 R1500 w/ Quad Cab: [Type 2]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1998 R1500 w/ 2 Joint Shaft & Auto. Trans.: [Type 1]
U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

1998 R1500 w/ 2 Joint Shaft & Man. Trans.: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1998-1994 Dakota w/ 2 Joint Shaft: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1998-1994 Dakota w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Center)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Center) **UJ316-10**
U-Joint (Rear)❸ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1998-1994 R1500 w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
U-Joint (Center)❷ **UJ316**
Brute Force Greaseable ***UJ248***
U-Joint (Rear)❸ **UJ316**
Brute Force Greaseable ***UJ248***

1997-1994 R1500 w/ 2 Joint Alum. Driveshaft: [Type 1]
U-Joint (Front)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Rear)❷ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

(Continued)



Type 1



Type 2

(Cont.) -- Dodge Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 R1500 w/ 2 Joint Steel Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1993-1992 D150 w/ 2 Joint Shaft & 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1993-1992 D150 w/ 2 Joint Shaft & 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1993-1992 D150 w/ 3 Joint Shaft & 2.125" Yoke: [Type 2]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Center)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Center)	**UJ318-10**
U-Joint (Rear)❸	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1993-1992 D150 w/ 3 Joint Shaft & 2.625" Yoke: [Type 2]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Center)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Center)	**UJ316-10**
U-Joint (Rear)❸	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1993-1990 Dakota w/ 2 Joint Shaft & 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1993-1990 Dakota w/ 2 Joint Shaft & 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1993-1990 Dakota w/ 3 Joint Shaft & 2.125" Yoke: [Type 2]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Center)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Center)	**UJ318-10**
U-Joint (Rear)❸	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1993-1990 Dakota w/ 3 Joint Shaft & 2.625" Yoke: [Type 2]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Center)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Center)	**UJ316-10**
U-Joint (Rear)❸	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1993-1988 Ramcharger: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1991-1988 D100 & D150 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

(Continued)



Type 1



Type 2

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 D100 & D150 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Center)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Center)	**UJ318-10**
U-Joint (Rear)❸	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1989-1987 Dakota w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1989-1987 Dakota w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Center)❷	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Center)	**UJ318-10**
U-Joint (Rear)❸	**UJ317**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1987-1982 Ramcharger: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1987-1982 D100 & D150 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1987-1982 D100 & D150 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Center)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Center)	**UJ318-10**
U-Joint (Rear)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1981-1975 Ramcharger w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1981-1975 Ramcharger w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1981-1970 D100 & D150 w/ 2 Joint Shaft & 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Front)	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rear)	**UJ318-10**

1981-1970 D100 & D150 w/ 2 Joint Shaft & 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

(Continued)



Type 1



Type 2

(Cont.) -- Dodge Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981-1970	**D100 & D150 w/ 3 Joint Shaft & 2.125" Yoke: [Type 2]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Front)		**UJ318-10**
U-Joint (Center)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Center)		**UJ318-10**
U-Joint (Rear)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rear)		**UJ318-10**
1981-1970	**D100 & D150 w/ 3 Joint Shaft & 2.625" Yoke: [Type 2]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Center)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Center)		**UJ316-10**
U-Joint (Rear)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**
1969-1961	**D100 w/ 2 Joint Shaft: [Type 1]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Front)		**UJ318-10**
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rear)		**UJ318-10**
1969-1961	**D100 w/ 3 Joint Shaft: [Type 2]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Front)		**UJ318-10**
U-Joint (Center)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Center)		**UJ318-10**
U-Joint (Rear)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rear)		**UJ318-10**

Drive Shaft (4 W/D)

U-Joint

2010	**R1500 w/ 2 Joint Shaft: [Type 17]**	
U-Joint (Rr. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2010	**R1500 w/ 3 Joint Shaft: [Type 18]**	
U-Joint (Rr. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
2009	**R1500 w/ 3.7L Eng. Exc. Mega Cab: [Type 15]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
2009	**R1500 w/ 4.7L & 5.7L Engs. Exc. Mega Cab: [Type 15]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**

(Continued)



Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009	**R1500 w/ Mega Cab: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
2009-2004	**Durango: [Type 15]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
2009-2001	**Dakota: [Type 15]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2008-2006	**R1500 w/ Quad Cab & Long Bed: [Type 16]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
2008-2006	**R1500 w/ Reg. Cab: [Type 15]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
2008-2006	**R1500 w/ Mega Cab: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**

(Continued)



Type 15



Type 16



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2005-2002 R1500 w/ 2 Joint Shaft: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2005-2002 R1500 w/ 3 Joint Shaft: [Type 16]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Ctr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2003-2001 Durango: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001-2000 R1500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

(Continued)



Type 15



Type 16



Type 26

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001-2000 R1500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

2000 Dakota: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ380**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Centering Ball Kit **UJ617**
H Yoke **UJ647**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000 Durango: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ380**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Centering Ball Kit **UJ617**
H Yoke **UJ647**

1999 Dakota: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ380**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
Centering Ball Kit **UJ617**
H Yoke **UJ647**

(Continued)



Type 13



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999 Durango: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1999 R1500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999 R1500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1998 Durango: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

(Continued)



Type 13



Type 26



Type 27

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998	**R1500 w/ 2 Joint Rr. Shaft & 1.063" Dia. Brg. Caps in Slip Yoke: [Type 26]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
	Brute Force Greaseable		***UJ248***
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
	Brute Force Greaseable		***UJ248***
	U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
	U-Joint (Wheel Joint)❺	[2]	**UJ371**
	Brute Force Greaseable		***UJ377***
	Brute Force Non Greaseable		***UJ371***
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**
1998	**R1500 w/ 2 Joint Rr. Shaft & 1.125" Dia. Brg. Caps in Slip Yoke: [Type 26]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ458**
	(For Aluminum Drive Shaft)		**UJ458C**
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
	Brute Force Greaseable		***UJ248***
	U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
	U-Joint (Wheel Joint)❺	[2]	**UJ371**
	Brute Force Greaseable		***UJ377***
	Brute Force Non Greaseable		***UJ371***
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998	**R1500 w/ 3 Joint Rr. Shaft & 1.063" Dia. Brg. Caps in Slip Yoke: [Type 27]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
	Brute Force Greaseable		***UJ248***
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
	U-Joint (Rr. Shaft; Ctr.)❹		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Ctr.)		**UJ316-10**
	U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
	U-Joint (Wheel Joint)❻	[2]	**UJ371**
	Brute Force Greaseable		***UJ377***
	Brute Force Non Greaseable		***UJ371***
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**
1998	**R1500 w/ 3 Joint Rr. Shaft & 1.125" Dia. Brg. Caps in Slip Yoke: [Type 27]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ458**
	(For Aluminum Drive Shaft)		**UJ458C**
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
	U-Joint (Rr. Shaft; Ctr.)❹		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Ctr.)		**UJ316-10**
	U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
	Brute Force Greaseable		***UJ248***
	Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
	U-Joint (Wheel Joint)❻	[2]	**UJ371**
	Brute Force Greaseable		***UJ377***
	Brute Force Non Greaseable		***UJ371***
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998-1997 Dakota: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1997-1994 R1500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 R1500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 Dakota: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

(Continued)



Type 13



Type 26



Type 27

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W100 w/ 2 Joint Rr. Shaft & 2.125" Yokes: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W100 w/ 2 Joint Rr. Shaft & 2.625" Yokes: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W100 w/ 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1991 Dakota w/ Ext. Cab & 2.625" Rr. Shaft Yokes Exc. Alum.-Graphite Rr. Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

(Continued)


Type 13


Type 26


Type 27

(Cont.) -- Dodge Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1991 Dakota w/ Reg. Cab & 2.125" Rr. Shaft Yokes: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1993-1991 Dakota w/ Reg. Cab & 2.625" Rr. Shaft Yokes: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1993-1991 Dakota w/ Ext. Cab & 2.125" Rr. Shaft Yokes Exc. Alum.-Graphite Rr. Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1991 Dakota w/ Ext. Cab, Alum.-Graphite Rr. Shaft & 2.125" Rr. Shaft Yokes: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ457**
(For Aluminum Drive Shaft)		**UJ457C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ457**
(For Aluminum Drive Shaft)		**UJ457C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1993-1991 Dakota w/ Ext. Cab, Alum.-Graphite Rr. Shaft & 2.625" Rr. Shaft Yokes: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ319**
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1993-1988 Ramcharger w/ 2.125" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 13



Type 26

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1988 Ramcharger w/ 2.625" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Frt.) **UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1991-1988 W100 & W150 w/ 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1988 W100 & W150 w/ 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Ctr.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1990-1987 Dakota: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ319**
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
Centering Ball Kit **UJ617**
H Yoke **UJ647**

(Continued)


Type 13


Type 26


Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1982 W100 & W150 w/ 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1987-1982 W100 & W150 w/ 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1977 Ramcharger w/ 2.125" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1987-1977 Ramcharger w/ 2.625" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 W100 & W150 w/ 2 Joint Rr. Shaft & 2.125" Yokes: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1977 W100 & W150 w/ 2 Joint Rr. Shaft & 2.625" Yokes: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 W100 & W150 w/ 3 Joint Rr. Shaft & 2.125" Yokes: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1977 W100 & W150 w/ 3 Joint Rr. Shaft & 2.625" Yokes: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (4 W/D) (Cont.)		
U-Joint (Cont.)		
1976	**Ramcharger w/ 2.125" Yoke & Inner Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**
1976	**Ramcharger w/ 2.125" Yoke & Outer Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**
Drive Shaft (4 W/D) (Cont.)		
U-Joint (Cont.)		
1976	**Ramcharger w/ 2.625" Yoke & Inner Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**
1976	**Ramcharger w/ 2.625" Yoke & Outer Lock Rings: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W100 w/ Frt. Outer Lock Rings, 2 Joint Rr. Shaft & 2.125" Rr. Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 W100 w/ Frt. Inner Lock Rings, 2 Joint Rr. Shaft & 2.625" Rr. Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W100 w/ Frt. Inner Lock Rings, 2 Joint Rr. Shaft & 2.125" Rr. Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1976-1975 W100 w/ Frt. Outer Lock Rings, 2 Joint Rr. Shaft & 2.625" Rr. Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W100 w/ Frt. Inner Lock Rings, 3 Joint Rr. Shaft & 2.125" Rr. Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

1976-1975 W100 w/ Frt. Inner Lock Rings, 3 Joint Rr. Shaft & 2.625" Rr. Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W100 w/ Frt. Outer Lock Rings, 3 Joint Rr. Shaft & 2.125" Rr. Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 W100 w/ Frt. Outer Lock Rings, 3 Joint Rr. Shaft & 2.625" Rr. Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 27

Dodge Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1975-1974 Ramcharger w/ 2.125" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1975-1974 Ramcharger w/ 2.625" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1974-1973 W100: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft, Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft, Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft, Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft, Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1972 W100 w/ 1.188" Dia. Wheel Joint Brg. Caps: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft, Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft, Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 26



Type 34

(Cont.) -- Dodge Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1972 W100 w/ 1.063" Dia. Wheel Joint Brg. Caps: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Frt. Shaft; Frt.)	**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Frt. Shaft; Rr.)	**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)	**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)	**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Frt.)	**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**
U-Joint (Wheel Joint)❼ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1971-1961 W100: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Frt. Shaft; Frt.)	**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Frt. Shaft; Rr.)	**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)	**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)	**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Frt.)	**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**
U-Joint (Wheel Joint)❼ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

Dodge Truck 3/4 ton

Drive Shaft (2 W/D)

U-Joint

2010-2008 R2500 w/ 2 Joint Shaft & Gas Eng.: [Type 1]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***

2010-2008 R2500 w/ 2 Joint Shaft & Diesel Eng.: [Type 1]

U-Joint (Front)❶	**UJ351A**
U-Joint (Rear)❷	**UJ351A**

2010-2008 R2500 w/ 3 Joint Shaft & Gas Eng.: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***

2010-2008 R2500 w/ 3 Joint Shaft & Diesel Eng.: [Type 2]

U-Joint (Front)❶	**UJ351A**
U-Joint (Center)❷	**UJ351A**
U-Joint (Rear)❸	**UJ351A**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2007-2003 R2500 w/ 2 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***

2007-2003 R2500 w/ 2 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶	**UJ351A**
U-Joint (Rear)❷	**UJ351A**

2007-2003 R2500 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***

2007-2003 R2500 w/ 3 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ351A**
U-Joint (Center)❷	**UJ351A**
U-Joint (Rear)❸	**UJ351A**

(Continued)



Type 1



Type 2



Type 34

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2002-1999 R2500 w/ 2 Joint Shaft: [Type 1]
U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rear) **UJ331-10**

2002-1997 R2500 w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Center) **UJ331-10**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rear) **UJ331-10**

1998-1997 R2500 w/ 2 Joint Shaft, 8 Cyl. Eng. & Auto. Trans.: [Type 1]
U-Joint (Front)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Rear)❷ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**

1998-1997 R2500 w/ 2 Joint Shaft Exc. 8 Cyl. Eng. & Auto. Trans.: [Type 1]
U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rear) **UJ331-10**

1996-1994 R2500 w/ 2 Joint Shaft, Diesel & 10 Cyl. Engs.: [Type 1]
U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rear) **UJ331-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R2500 w/ 3 Joint Shaft, Diesel & 10 Cyl. Engs.: [Type 2]
U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Center) **UJ331-10**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rear) **UJ331-10**

1996-1994 R2500 w/ 2 Joint Shaft & 8 Cyl. Gas Eng.: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1996-1994 R2500 w/ 3 Joint Shaft & 8 Cyl. Gas Eng.: [Type 2]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Center)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Center) **UJ316-10**
U-Joint (Rear)❸ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

1993-1989 D250 w/ 2 Joint Shaft, 2.125" Yoke & Gas Eng.: [Type 1]
U-Joint (Front)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Front) **UJ318-10**
U-Joint (Rear)❷ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rear) **UJ318-10**

1993-1989 D250 w/ 2 Joint Shaft, 2.625" Yoke & Gas Eng.: [Type 1]
U-Joint (Front)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Front) **UJ316-10**
U-Joint (Rear)❷ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rear) **UJ316-10**

(Continued)



Type 1



Type 2

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1993-1989	**D250 w/ 3 Joint Shaft, 2.125" Yoke & Gas Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Front)		**UJ318-10**
U-Joint (Center)❷		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Center)		**UJ318-10**
U-Joint (Rear)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rear)		**UJ318-10**
1993-1989	**D250 w/ 3 Joint Shaft, 2.625" Yoke & Gas Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Center)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Center)		**UJ316-10**
U-Joint (Rear)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**
1993-1989	**D250 w/ 2 Joint Shaft & Diesel Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Rear)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rear)		**UJ331-10**
1993-1989	**D250 w/ 3 Joint Shaft & Diesel Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rear)		**UJ331-10**
1988-1982	**D250 w/ 2 Joint Shaft: [Type 1]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988-1982	**D250 w/ 3 Joint Shaft: [Type 2]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Center)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
1981-1970	**D200 & D250 w/ 2 Joint Shaft & 2.125" Yoke: [Type 1]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
1981-1970	**D200 & D250 w/ 2 Joint Shaft & 2.625" Yoke: [Type 1]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**
1981-1970	**D200 & D250 w/ 3 Joint Shaft & 2.125" Yoke: [Type 2]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Center)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
1981-1970	**D200 & D250 w/ 3 Joint Shaft & 2.625" Yoke: [Type 2]**	
U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Center)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Center)		**UJ316-10**
U-Joint (Rear)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**

(Continued)



Type 1



Type 2

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1969-1961 D200 w/ 2 Joint Shaft: [Type 1]		
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
1969-1961 D200 w/ 3 Joint Shaft: [Type 2]		
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Center)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**

Drive Shaft (4 W/D)

U-Joint

2010 R2500 w/ Gas Eng. & 2 Joint Shaft: [Type 26]		
U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2010 R2500 w/ Gas Eng. & 3 Joint Shaft: [Type 27]		
U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**
2010 R2500 w/ Diesel Eng. & 2 Joint Shaft: [Type 26]		
U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**
2010 R2500 w/ Diesel Eng. & 3 Joint Shaft: [Type 27]		
U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

(Continued)



Type 1



Type 2



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)
U-Joint (Cont.)

2009-2008 R2500 w/ Gas Eng., Frt. Shaft Outer Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2009-2008 R2500 w/ Gas Eng., Frt. Shaft Inner Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R2500 w/ Gas Eng., Frt. Shaft Inner Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R2500 w/ Gas Eng., Frt. Shaft Outer Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2009-2008 R2500 w/ Diesel Eng., Frt. Shaft Outer Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009-2008 R2500 w/ Diesel Eng., Frt. Shaft Inner Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Rr. Shaft; Frt.)❸ UJ351A
U-Joint (Rr. Shaft; Rr.)❹ UJ351A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Ball Seat Repair Kit UJ606
H Yoke UJ646

2009-2008 R2500 w/ Diesel Eng., Frt. Shaft Inner Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Rr. Shaft; Frt.)❸ UJ351A
U-Joint (Rr. Shaft; Ctr.)❹ UJ351A
U-Joint (Rr. Shaft; Rr.)❺ UJ351A
U-Joint (Wheel Joint)❻ ..... [2] UJ464
Ball Seat Repair Kit UJ606
H Yoke UJ646

2009-2008 R2500 w/ Diesel Eng., Frt. Shaft Outer Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Frt.)❸ UJ351A
U-Joint (Rr. Shaft; Rr.)❹ UJ351A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617
H Yoke UJ650

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 R2500 w/ Diesel Eng., 4 Spd. Auto. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Rr.)❹ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617
H Yoke UJ650

2007 R2500 w/ Diesel Eng., 2 Joint Rr. Shaft Exc. 4 Spd. Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Frt.)❸ UJ351A
U-Joint (Rr. Shaft; Rr.)❹ UJ351A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617
H Yoke UJ650

2007 R2500 w/ Diesel Eng., 4 Spd. Auto. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Ctr.)❹ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Rr.)❺ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Wheel Joint)❻ ..... [2] UJ464
Centering Ball Kit UJ617
H Yoke UJ650

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 R2500 w/ Diesel Eng., 3 Joint Rr. Shaft Exc. 4 Spd. Auto. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ351A**
U-Joint (Rr. Shaft; Rr.)❺ **UJ351A**
U-Joint (Wheel Joint)❻ ..... [2] **UJ464**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

2007-2005 R2500 w/ Gas Eng. & 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Wheel Joint)❺ ..... [2] **UJ464**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

2007-2005 R2500 w/ Gas Eng. & 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Wheel Joint)❻ ..... [2] **UJ464**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 R2500 w/ Diesel Eng., Auto. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331A**
Brute Force Greaseable ***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Wheel Joint)❻ ..... [2] **UJ464**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

2006-2005 R2500 w/ Diesel Eng., Auto. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331A**
Brute Force Greaseable ***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹ **UJ330A**
Brute Force Greaseable ***UJ295A***
U-Joint (Wheel Joint)❺ ..... [2] **UJ464**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

2006-2005 R2500 w/ Diesel Eng., Man. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331A**
Brute Force Greaseable ***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸ **UJ351A**
U-Joint (Rr. Shaft; Rr.)❹ **UJ351A**
U-Joint (Wheel Joint)❺ ..... [2] **UJ464**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 R2500 w/ Diesel Eng., Man. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2004 R2500 w/ 2 Joint Rr. Shaft. Exc. 6 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

2004 R2500 w/ 3 Joint Rr. Shaft. Exc. 6 Spd. Man. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 R2500 w/ 6 Spd. Man. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

2004 R2500 w/ 6 Spd. Man. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

2003 R2500 w/ 6 Spd. Man. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003	**R2500 w/ 2 Joint Rr. Shaft. Exc. 6 Spd. Man. Trans.: [Type 26]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
	Brute Force Greaseable		***UJ235***
	Brute Force Non Greaseable		***UJ234***
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
	Brute Force Greaseable		***UJ295A***
	U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
	Brute Force Greaseable		***UJ295A***
	U-Joint (Wheel Joint)❺	[2]	**UJ464**
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**
2003	**R2500 w/ 3 Joint Rr. Shaft. Exc. 6 Spd. Man. Trans.: [Type 27]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
	Brute Force Greaseable		***UJ235***
	Brute Force Non Greaseable		***UJ234***
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
	Brute Force Greaseable		***UJ295A***
	U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
	Brute Force Greaseable		***UJ295A***
	U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
	Brute Force Greaseable		***UJ295A***
	U-Joint (Wheel Joint)❻	[2]	**UJ464**
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2002-2000	**R2500 w/ 2 Joint Shaft: [Type 26]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
	Brute Force Greaseable		***UJ295***
	(For Aluminum Drive Shaft)		**UJ330C**
	U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
	Brute Force Greaseable		***UJ295***
	(For Aluminum Drive Shaft)		**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
	U-Joint (Wheel Joint)❺	[2]	**UJ374**
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**
2002-2000	**R2500 w/ 3 Joint Shaft: [Type 27]**		
	U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
	Brute Force Greaseable		***UJ270***
	Brute Force Non Greaseable		***UJ254***
	(For Aluminum Drive Shaft)		**UJ354C**
	U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
	Brute Force Greaseable		***UJ295***
	(For Aluminum Drive Shaft)		**UJ330C**
	U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
	Brute Force Greaseable		***UJ295***
	(For Aluminum Drive Shaft)		**UJ330C**
	U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
	Brute Force Greaseable		***UJ295***
	(For Aluminum Drive Shaft)		**UJ330C**
	Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
	U-Joint (Wheel Joint)❻	[2]	**UJ374**
	Centering Ball Kit		**UJ617**
	Flange Yoke		**UJ628C**
	H Yoke		**UJ648**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R2500 w/ Frt. Shaft Outer Lock Rings, 1.375" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ458
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ354
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❺ ..... [2] UJ374
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

1999-1997 R2500 w/ Frt. Shaft Inner Lock Rings, 1.188" Dia. Whl. Joint Brg. Caps & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ UJ316
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ354
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❻ ..... [2] UJ371
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R2500 w/ Frt. Shaft Inner Lock Rings, 1.188" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ316
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ354
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ UJ316
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Frt.) **UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹ UJ316
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] UJ371
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

1999-1997 R2500 w/ Frt. Shaft Inner Lock Rings, 1.188" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ316
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ354
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ UJ330
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❺ ..... [2] UJ371
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R2500 w/ Frt. Shaft Inner Lock Rings, 1.375" Dia. Whl. Joint Brg. Caps & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1999-1997 R2500 w/ Frt. Shaft Inner Lock Rings, 1.375" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R2500 w/ Frt. Shaft Inner Lock Rings, 1.375" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1999-1997 R2500 w/ Frt. Shaft Outer Lock Rings, 1.188" Dia. Whl. Joint Brg. Caps & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R2500 w/ Frt. Shaft Outer Lock Rings, 1.188" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Frt.) **UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

1999-1997 R2500 w/ Frt. Shaft Outer Lock Rings, 1.188" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R2500 w/ Frt. Shaft Outer Lock Rings, 1.375" Dia. Whl. Joint Brg. Caps & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

1999-1997 R2500 w/ Frt. Shaft Outer Lock Rings, 1.375" Dia. Whl. Joint Brg. Caps, 2 Joint Rr. Shaft & Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Frt.) **UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R2500 w/ 5.2L, 5.9L Gas Engs. & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 R2500 w/ 5.9L Diesel Eng., 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R2500 w/ 5.2L, 5.9L Gas Engs. & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 R2500 w/ 5.9L Diesel Eng., 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

(Continued)



Type 26

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R2500 w/ 5.9L Diesel Eng., 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 R2500 w/ 5.9L Diesel Eng., 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R2500 w/ 8.0L Eng., 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 R2500 w/ 8.0L Eng., 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R2500 w/ 8.0L Eng., 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 R2500 w/ 8.0L Eng., 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1993-1992 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1993-1992 W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992	**W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ316**
Brute Force Greaseable			***UJ248***
Clamp Kit (Frt. Shaft; Frt.)			**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ534G**
Brute Force Greaseable			***UJ235***
Brute Force Non Greaseable			***UJ234***
U-Joint (Rr. Shaft; Frt.)❸			**UJ316**
Brute Force Greaseable			***UJ248***
U-Joint (Rr. Shaft; Ctr.)❹			**UJ316**
Brute Force Greaseable			***UJ248***
U-Joint (Rr. Shaft; Rr.)❺			**UJ316**
Brute Force Greaseable			***UJ248***
U-Joint (Wheel Joint)❻		[2]	**UJ371**
Brute Force Greaseable			***UJ377***
Brute Force Non Greaseable			***UJ371***
Ball Seat Repair Kit			**UJ606**
Flange Yoke			**UJ626**
H Yoke			**UJ646**
1993-1992	**W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ316**
Brute Force Greaseable			***UJ248***
Clamp Kit (Frt. Shaft; Frt.)			**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ534G**
Brute Force Greaseable			***UJ235***
Brute Force Non Greaseable			***UJ234***
U-Joint (Rr. Shaft; Frt.)❸			**UJ316**
Brute Force Greaseable			***UJ248***
U-Joint (Rr. Shaft; Rr.)❹			**UJ316**
Brute Force Greaseable			***UJ248***
U-Joint (Wheel Joint)❺		[2]	**UJ374**
Ball Seat Repair Kit			**UJ606**
Flange Yoke			**UJ626**
H Yoke			**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989	**W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ316**
Brute Force Greaseable			***UJ248***
Clamp Kit (Frt. Shaft; Frt.)			**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ534G**
Brute Force Greaseable			***UJ235***
Brute Force Non Greaseable			***UJ234***
U-Joint (Rr. Shaft; Frt.)❸			**UJ317**
Brute Force Greaseable			***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹			**UJ317**
Brute Force Greaseable			***UJ246***
U-Joint (Rr. Shaft; Rr.)❺			**UJ317**
Brute Force Greaseable			***UJ246***
U-Joint (Wheel Joint)❻		[2]	**UJ374**
Ball Seat Repair Kit			**UJ606**
Flange Yoke			**UJ626**
H Yoke			**UJ646**
1991-1989	**W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ317**
Brute Force Greaseable			***UJ246***
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ534G**
Brute Force Greaseable			***UJ235***
Brute Force Non Greaseable			***UJ234***
U-Joint (Rr. Shaft; Frt.)❸			**UJ330**
Brute Force Greaseable			***UJ295***
(For Aluminum Drive Shaft)			**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹			**UJ330**
Brute Force Greaseable			***UJ295***
(For Aluminum Drive Shaft)			**UJ330C**
U-Joint (Wheel Joint)❺		[2]	**UJ371**
Brute Force Greaseable			***UJ377***
Brute Force Non Greaseable			***UJ371***
Ball Seat Repair Kit			**UJ606**
Flange Yoke			**UJ626**
H Yoke			**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1991-1989 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989 W250 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1991-1989 W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989	**W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**
1991-1989	**W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989	**W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**
1991-1989	**W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Rr. Shaft; Rr.)❺ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1991-1989 W250 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Rr. Shaft; Rr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1991-1989 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Rr. Shaft; Rr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1989 W250 w/ Gas Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❺		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1991-1989 W250 w/ Gas Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988-1977 W200 & W250 w/ 3 Joint Rr Shaft, 2.625" Rr. Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1988-1977 W200 & W250 w/ 2 Joint Rr Shaft, 2.125" Rr. Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988-1977 W200 & W250 w/ 2 Joint Rr Shaft, 2.125" Rr. Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1988-1977 W200 & W250 w/ 2 Joint Rr Shaft, 2.625" Rr. Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988-1977 W200 & W250 w/ 2 Joint Rr Shaft, 2.625" Rr. Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1988-1977 W200 & W250 w/ 3 Joint Rr Shaft, 2.125" Rr. Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988-1977 W200 & W250 w/ 3 Joint Rr Shaft, 2.125" Rr. Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1988-1977 W200 & W250 w/ 3 Joint Rr Shaft, 2.625" Rr. Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W200 w/ Frt. Shaft Outer Lock Rings, 3 Joint Rr. Shaft & 2.625" Rr. Shaft Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 W200 w/ Frt. Shaft Inner Lock Rings, 2 Joint Rr. Shaft & 2.125" Rr. Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W200 w/ Frt. Shaft Inner Lock Rings, 2 Joint Rr. Shaft & 2.625" Rr. Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1976-1975 W200 w/ Frt. Shaft Inner Lock Rings, 3 Joint Rr. Shaft & 2.125" Rr. Shaft Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Ctr.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W200 w/ Frt. Shaft Inner Lock Rings, 3 Joint Rr. Shaft & 2.625" Rr. Shaft Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Ctr.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1976-1975 W200 w/ Frt. Shaft Outer Lock Rings, 2 Joint Rr. Shaft & 2.125" Rr. Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Yoke **UJ607**
H Yoke **UJ647**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W200 w/ Frt. Shaft Outer Lock Rings, 2 Joint Rr. Shaft & 2.625" Rr. Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 W200 w/ Frt. Shaft Outer Lock Rings, 3 Joint Rr. Shaft & 2.125" Rr. Shaft Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1974-1972 W200: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (PTO)		**UJ338**

1971-1968 W200 w/ Inner Lock Ring Whl. Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
U-Joint (PTO)		**UJ338**

(Continued)



Type 26



Type 27



Type 34

Dodge Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1971-1968 W200 w/ Outer Lock Ring Whl. Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (PTO)		**UJ338**

1967-1961 W200 w/ 2.125" Yokes & Outer Lock Ring Whl. Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (PTO)		**UJ338**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1967-1961 W200 w/ 2.125" Yokes & Inner Lock Ring Whl. Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Rr.)		**UJ318-10**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Frt.)		**UJ318-10**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Intmd. Shaft; Rr.)		**UJ318-10**
U-Joint (Rr. Shaft; Frt.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❼	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
U-Joint (PTO)		**UJ338**

1967-1961 W200 w/ 3" Yokes & Outer Lock Ring Whl. Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ304**
U-Joint (Frt. Shaft; Rr.)❷		**UJ304**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ304**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ304**
U-Joint (Rr. Shaft; Frt.)❺		**UJ304**
U-Joint (Rr. Shaft; Rr.)❻		**UJ304**
U-Joint (Wheel Joint)❼	[2]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (PTO)		**UJ338**

1967-1961 W200 w/ 3" Yokes & Inner Lock Ring Whl. Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ304**
U-Joint (Frt. Shaft; Rr.)❷		**UJ304**
U-Joint (Intmd. Shaft; Frt.)❸		**UJ304**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ304**
U-Joint (Rr. Shaft; Frt.)❺		**UJ304**
U-Joint (Rr. Shaft; Rr.)❻		**UJ304**
U-Joint (Wheel Joint)❼	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
U-Joint (PTO)		**UJ338**



Type 34

Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2010 R3500 Cab & Chassis: [Type 2]

U-Joint (Front)❶	UJ358A
U-Joint (Center)❷	UJ358A
U-Joint (Rear)❸	UJ358A

2010-2009 R3500 w/ 2 Joint Shaft & 1.188" Dia. Brg. Cap Exc. Cab & Chassis: [Type 1]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	UJ330A
Brute Force Greaseable	***UJ295A***

2010-2009 R3500 w/ 2 Joint Shaft & 1.375" Dia. Brg. Cap Exc. Cab & Chassis: [Type 1]

U-Joint (Front)❶	UJ351A
U-Joint (Rear)❷	UJ351A

2010-2009 R3500 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap Exc. Cab & Chassis: [Type 2]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	UJ330A
Brute Force Greaseable	***UJ295A***

2010-2009 R3500 w/ 3 Joint Shaft & 1.375" Dia. Brg. Cap Exc. Cab & Chassis: [Type 2]

U-Joint (Front)❶	UJ351A
U-Joint (Center)❷	UJ351A
U-Joint (Rear)❸	UJ351A

2009 R3500 Cab & Chassis w/ Gas Eng.: [Type 2]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	UJ330A
Brute Force Greaseable	***UJ295A***

2009 R3500 Cab & Chassis w/ Diesel Eng.: [Type 2]

U-Joint (Front)❶	UJ358A
U-Joint (Center)❷	UJ358A
U-Joint (Rear)❸	UJ358A

2008-2007 R3500 w/ 2 Joint Shaft & Gas Eng. Exc. Cab & Chassis: [Type 1]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	UJ330A
Brute Force Greaseable	***UJ295A***

2008-2007 R3500 w/ 2 Joint Shaft & Diesel Eng. Exc. Cab & Chassis: [Type 1]

U-Joint (Front)❶	UJ351A
U-Joint (Rear)❷	UJ351A

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2008-2007 R3500 w/ 3 Joint Shaft & Gas Eng. Exc. Cab & Chassis: [Type 2]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	UJ330A
Brute Force Greaseable	***UJ295A***

2008-2007 R3500 w/ 3 Joint Shaft & Diesel Eng. Exc. Cab & Chassis: [Type 2]

U-Joint (Front)❶	UJ351A
U-Joint (Center)❷	UJ351A
U-Joint (Rear)❸	UJ351A

2008-2007 R3500 Cab & Chassis w/ Gas Eng. & Auto. Trans.: [Type 2]

U-Joint (Front)❶	UJ351A
U-Joint (Center)❷	UJ351A
U-Joint (Rear)❸	UJ351A

2008-2007 R3500 Cab & Chassis w/ Gas Eng. & Man. Trans.: [Type 2]

U-Joint (Front)❶	UJ358A
U-Joint (Center)❷	UJ358A
U-Joint (Rear)❸	UJ358A

2008-2007 R3500 Cab & Chassis w/ Diesel Eng.: [Type 2]

U-Joint (Front)❶	UJ358A
U-Joint (Center)❷	UJ358A
U-Joint (Rear)❸	UJ358A

2006-2004 R3500 w/ 2 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	UJ330A
Brute Force Greaseable	***UJ295A***

2006-2004 R3500 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	UJ330A
Brute Force Greaseable	***UJ295A***

2006-2004 R3500 w/ 3 Joint Shaft & 1.375" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	UJ351A
U-Joint (Center)❷	UJ351A
U-Joint (Rear)❸	UJ351A

2003 R3500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	UJ330A
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	UJ330A
Brute Force Greaseable	***UJ295A***

(Continued)



Type 1



Type 2

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2003 R3500 w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Center)❷ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rear)❸ UJ330A
Brute Force Greaseable UJ295A

2002-1997 R3500 w/ 2 Joint Shaft: [Type 1]
U-Joint (Front)❶ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Front) UJ331-10
U-Joint (Rear)❷ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rear) UJ331-10

2002-1997 R3500 w/ 3 Joint Shaft: [Type 2]
U-Joint (Front)❶ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Front) UJ331-10
U-Joint (Center)❷ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Center) UJ331-10
U-Joint (Rear)❸ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rear) UJ331-10

1996-1990 D350 & R3500 w/ 2 Joint Shaft & 8 Cyl. Eng.: [Type 1]
U-Joint (Front)❶ UJ316
Brute Force Greaseable UJ248
Clamp Kit (Front) UJ316-10
U-Joint (Rear)❷ UJ316
Brute Force Greaseable UJ248
Clamp Kit (Rear) UJ316-10

1996-1990 D350 & R3500 w/ 3 Joint Shaft & 8 Cyl. Eng.: [Type 2]
U-Joint (Front)❶ UJ316
Brute Force Greaseable UJ248
Clamp Kit (Front) UJ316-10
U-Joint (Center)❷ UJ316
Brute Force Greaseable UJ248
Clamp Kit (Center) UJ316-10
U-Joint (Rear)❸ UJ316
Brute Force Greaseable UJ248
Clamp Kit (Rear) UJ316-10

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1989 D350 & R3500 w/ 2 Joint Shaft, Diesel & 10 Cyl. Engs.: [Type 1]
U-Joint (Front)❶ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Front) UJ331-10
U-Joint (Rear)❷ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rear) UJ331-10

1996-1989 D350 & R3500 w/ 3 Joint Shaft, Diesel & 10 Cyl. Engs.: [Type 2]
U-Joint (Front)❶ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Front) UJ331-10
U-Joint (Center)❷ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Center) UJ331-10
U-Joint (Rear)❸ UJ330
Brute Force Greaseable UJ295
(For Aluminum Drive Shaft) UJ330C
Clamp Kit (Rear) UJ331-10

1989 D350 w/ 2 Joint Shaft & Gas Eng.: [Type 1]
U-Joint (Front)❶ UJ317
Brute Force Greaseable UJ246
Clamp Kit (Front) UJ318-10
U-Joint (Rear)❷ UJ317
Brute Force Greaseable UJ246
Clamp Kit (Rear) UJ318-10

1989 D350 w/ 3 Joint Shaft & Gas Eng.: [Type 2]
U-Joint (Front)❶ UJ317
Brute Force Greaseable UJ246
Clamp Kit (Front) UJ318-10
U-Joint (Center)❷ UJ317
Brute Force Greaseable UJ246
Clamp Kit (Center) UJ318-10
U-Joint (Rear)❸ UJ317
Brute Force Greaseable UJ246
Clamp Kit (Rear) UJ318-10

1988-1982 D350 w/ 2 Joint Shaft: [Type 1]
U-Joint (Front)❶ UJ315G
Brute Force Greaseable UJ246
Clamp Kit UJ318-10
U-Joint (Rear)❷ UJ315G
Brute Force Greaseable UJ246
Clamp Kit UJ318-10

(Continued)



Type 1



Type 2

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988-1982 D350 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Center)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1981-1972 D300 & D350 w/ 2 Joint Shaft & 2.125" Yoke: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1981-1972 D300 & D350 w/ 3 Joint Shaft & 2.125" Yoke: [Type 2]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Center)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1981-1972 D300 & D350 w/ 2 Joint Shaft & 2.625" Yoke: [Type 1]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Rear)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

1981-1972 D300 & D350 w/ 3 Joint Shaft & 2.625" Yoke: [Type 2]

U-Joint (Front)❶	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Front)	**UJ316-10**
U-Joint (Center)❷	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Center)	**UJ316-10**
U-Joint (Rear)❸	**UJ316**
Brute Force Greaseable	***UJ248***
Clamp Kit (Rear)	**UJ316-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1971-1961 D300 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

1971-1961 D300 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Center)❷	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**
U-Joint (Rear)❸	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit	**UJ318-10**

Drive Shaft (4 W/D)

U-Joint

2010 R3500 w/ 2 Joint Rr. Shaft & Dual Rr. Whls.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358A**
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2010 R3500 w/ 2 Joint Rr. Shaft & Single Rr. Whls.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

(Continued)



Type 1



Type 2



Type 26

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2010	**R3500 w/ 3 Joint Rr. Shaft & Single Rr. Whls.: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸			**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹			**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺			**UJ351A**
U-Joint (Wheel Joint)❻		[2]	**UJ479**
Centering Ball Kit			**UJ617**
H Yoke			**UJ650**
2010	**R3500 w/ 3 Joint Rr. Shaft & Dual Rr. Whls.: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸			**UJ358A**
U-Joint (Rr. Shaft; Ctr.)❹			**UJ358A**
U-Joint (Rr. Shaft; Rr.)❺			**UJ358A**
U-Joint (Wheel Joint)❻		[2]	**UJ479**
Centering Ball Kit			**UJ617**
H Yoke			**UJ650**
2010	**R3500 Cab & Chassis w/ 2 Joint Rr. Shaft: [Type 26]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸			**UJ358A**
U-Joint (Rr. Shaft; Rr.)❹			**UJ358A**
U-Joint (Wheel Joint)❺		[2]	**UJ479**
Centering Ball Kit			**UJ617**
H Yoke			**UJ650**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2010	**R3500 Cab & Chassis w/ 3 Joint Rr. Shaft & Dual Rr. Whls.: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸			**UJ358A**
U-Joint (Rr. Shaft; Ctr.)❹			**UJ358A**
U-Joint (Rr. Shaft; Rr.)❺			**UJ358A**
U-Joint (Wheel Joint)❻		[2]	**UJ479**
Centering Ball Kit			**UJ617**
H Yoke			**UJ650**
2010	**R3500 Cab & Chassis w/ 3 Joint Rr. Shaft & Single Rr. Whls.: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸			**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹			**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺			**UJ351A**
U-Joint (Wheel Joint)❻		[2]	**UJ479**
Centering Ball Kit			**UJ617**
H Yoke			**UJ650**
2009-2008	**R3500 Pickup w/ Diesel Eng., Frt. Shaft CV w/ Outer Lock Rings & 3 Joint Rr. Shaft: [Type 27]**		
U-Joint (Frt. Shaft; Frt.)❶			**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		[2]	**UJ331**
Brute Force Greaseable			***UJ232***
Brute Force Non Greaseable			***UJ231***
(For Aluminum Drive Shaft)			**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸			**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹			**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺			**UJ351A**
U-Joint (Wheel Joint)❻		[2]	**UJ464**
Centering Ball Kit			**UJ617**
H Yoke			**UJ650**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009-2008 R3500 Pickup w/ Diesel Eng., Frt. Shaft CV w/ Inner Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R3500 Pickup w/ Diesel Eng., Frt. Shaft CV w/ Inner Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R3500 Pickup w/ Diesel Eng., Frt. Shaft CV w/ Outer Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009-2008 R3500 Pickup w/ Gas Eng., Frt. Shaft CV w/ Outer Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2009-2008 R3500 Pickup w/ Gas Eng., Frt. Shaft CV w/ Inner Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

(Continued)





Dodge Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009-2008 R3500 Pickup w/ Gas Eng., Frt. Shaft CV w/ Inner Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R3500 Pickup w/ Gas Eng., Frt. Shaft CV w/ Outer Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2009-2008 R3500 Cab & Chassis w/ Frt. Shaft Outer Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009-2008 R3500 Cab & Chassis w/ Frt. Shaft Inner Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R3500 Cab & Chassis w/ Frt. Shaft Inner Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Ball Seat Repair Kit		**UJ606**
H Yoke		**UJ646**

2009-2008 R3500 Cab & Chassis w/ Frt. Shaft Outer Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 R3500 Pickup w/ Gas Eng. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**

2007 R3500 Pickup w/ Gas Eng. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**

2007 R3500 Cab & Chassis w/ 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**

2007 R3500 Cab & Chassis w/ 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 R3500 Pickup w/ Diesel Eng., 4 Spd. Auto. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**

2007 R3500 Pickup w/ Diesel Eng., 2 Joint Rr. Shaft Exc. 4 Spd. Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**

2007 R3500 Pickup w/ Diesel Eng., 3 Joint Rr. Shaft Exc. 4 Spd. Auto. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331A**
Brute Force Greaseable		***UJ232A***
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**

(Continued)





Dodge Truck 1 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007 R3500 Pickup w/ Diesel Eng., 4 Spd. Auto. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Rr.)❹ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617

2006-2005 R3500 w/ Gas Eng. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ358A
U-Joint (Rr. Shaft; Rr.)❹ UJ358A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617

2006-2005 R3500 w/ Gas Eng. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ358A
U-Joint (Rr. Shaft; Ctr.)❹ UJ358A
U-Joint (Rr. Shaft; Rr.)❺ UJ358A
U-Joint (Wheel Joint)❻ ..... [2] UJ464
Centering Ball Kit UJ617

2006-2005 R3500 w/ Diesel Eng., Man. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ351A
U-Joint (Rr. Shaft; Ctr.)❹ UJ351A
U-Joint (Rr. Shaft; Rr.)❺ UJ351A
U-Joint (Wheel Joint)❻ ..... [2] UJ464
Centering Ball Kit UJ617

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 R3500 w/ Diesel Eng., Auto. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Ctr.)❹ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Rr.)❺ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Wheel Joint)❻ ..... [2] UJ464
Centering Ball Kit UJ617

2006-2005 R3500 w/ Diesel Eng., Auto. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Rr. Shaft; Rr.)❹ UJ330A
Brute Force Greaseable UJ295A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617

2006-2005 R3500 w/ Diesel Eng., Man. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ UJ534G
Brute Force Greaseable UJ235
Brute Force Non Greaseable UJ234
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ331A
Brute Force Greaseable UJ232A
U-Joint (Rr. Shaft; Frt.)❸ UJ351A
U-Joint (Rr. Shaft; Rr.)❹ UJ351A
U-Joint (Wheel Joint)❺ ..... [2] UJ464
Centering Ball Kit UJ617

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2003 R3500 w/ 3 Joint Rr. Shaft. Exc. 6 Spd. Man. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

2004-2003 R3500 w/ 6 Spd. Man. Trans. & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

2004-2003 R3500 w/ 6 Spd. Man. Trans. & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2003 R3500 w/ 2 Joint Rr. Shaft. Exc. 6 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ464**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

2002-2000 R3500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2002-2000 R3500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
Clamp Kit (Frt. Shaft; Rr.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

1999-1997 R3500 w/ Frt. Shaft Inner Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R3500 w/ Frt. Shaft Inner Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Frt. Shaft; Frt.) **UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

1999-1997 R3500 w/ Frt. Shaft Outer Lock Rings & 3 Joint Rr. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ458**
(For Aluminum Drive Shaft) **UJ458C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ628C**
H Yoke **UJ648**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1997 R3500 w/ Frt. Shaft Outer Lock Rings & 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ458**
(For Aluminum Drive Shaft)		**UJ458C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1996-1994 R3500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1994 R3500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ628C**
H Yoke		**UJ648**

1993-1992 W350 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W350 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W350 w/ Diesel Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W350 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Diesel Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W350 w/ Gas Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Gas Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Frt.) **UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1993-1992 W350 w/ Gas Eng., 2.125" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ316**
Brute Force Greaseable ***UJ248***
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Gas Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1993-1992 W350 w/ Gas Eng., 2.125" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Gas Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1993-1992 W350 w/ Gas Eng., 2.625" Frt. Axle Yoke, 2 Joint Rr. Shaft & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Frt.)		**UJ316-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1992 W350 w/ Gas Eng., 2.625" Frt. Axle Yoke, 3 Joint Rr. Shaft & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Frt. Shaft; Frt.)		**UJ316-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1991-1990 W350 w/ Rr. Shaft Outer Lock Rings & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 W350 w/ Rr. Shaft Inner Lock Rings & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1991-1990 W350 w/ Rr. Shaft Inner Lock Rings & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 W350 w/ Rr. Shaft Outer Lock Rings & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit **UJ331-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1989-1988 W350 w/ Rr. Shaft Outer Lock Rings & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit **UJ331-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

(Continued)



Type 26

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 W350 w/ Rr. Shaft Inner Lock Rings, 2.125" Rr. Yokes & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1989-1988 W350 w/ Rr. Shaft Inner Lock Rings, 2.125" Rr. Yokes & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 W350 w/ Rr. Shaft Inner Lock Rings, 3" Rr. Yokes & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ304**
U-Joint (Rr. Shaft; Rr.)❹		**UJ304**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1989-1988 W350 w/ Rr. Shaft Inner Lock Rings, 3" Rr. Yokes & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ317**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ304**
U-Joint (Rr. Shaft; Rr.)❹		**UJ304**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 W350 w/ Rr. Shaft Outer Lock Rings & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ317**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
Clamp Kit **UJ331-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1987-1982 W350 w/ 3 Joint Rr. Shaft, 3" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Ctr.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ304**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1982 W350 w/ 2 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1987-1982 W350 w/ 2 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1982 W350 w/ 2 Joint Rr. Shaft, 3" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ304**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1987-1982 W350 w/ 2 Joint Rr. Shaft, 3" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ304**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1987-1982 W350 w/ 3 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)

1987-1982 W350 w/ 3 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1982 W350 w/ 3 Joint Rr. Shaft, 3" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ304**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1977 W300 & W350 w/ 3 Joint Rr. Shaft, 2.625" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 W300 & W350 w/ 2 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1977 W300 & W350 w/ 2 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 W300 & W350 w/ 2 Joint Rr. Shaft, 2.625" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1977 W300 & W350 w/ 2 Joint Rr. Shaft, 2.625" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 W300 & W350 w/ 3 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1981-1977 W300 & W350 w/ 3 Joint Rr. Shaft, 2.125" Rr. Axle Yoke & 1.375" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 W300 & W350 w/ 3 Joint Rr. Shaft, 2.625" Rr. Axle Yoke & 1.188" Dia. Whl. Joint Brg. Caps: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1976-1975 W300 w/ Frt. Shaft Outer Lock Rings, 3 Joint Rr. Shaft & 3" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ304**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W300 w/ Frt. Shaft Inner Lock Rings, 2 Joint Rr. Shaft & 2.125" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1976-1975 W300 w/ Frt. Shaft Inner Lock Rings, 2 Joint Rr. Shaft & 3" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ304**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W300 w/ Frt. Shaft Outer Lock Rings, 3 Joint Rr. Shaft & 2.625" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1976-1975 W300 w/ Frt. Shaft Inner Lock Rings, 2 Joint Rr. Shaft & 2.625" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W300 w/ Frt. Shaft Outer Lock Rings, 3 Joint Rr. Shaft & 2.125" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**

1976-1975 W300 w/ Frt. Shaft Outer Lock Rings, 2 Joint Rr. Shaft & 3" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ304**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**

(Continued)



Type 26



Type 27

Dodge Truck 1 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W300 w/ Frt. Shaft Outer Lock Rings, 2 Joint Rr. Shaft & 2.625" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Yoke **UJ607**
H Yoke **UJ647**

1976-1975 W300 w/ Frt. Shaft Outer Lock Rings, 2 Joint Rr. Shaft & 2.125" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Yoke **UJ607**
H Yoke **UJ647**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W300 w/ Frt. Shaft Inner Lock Rings, 3 Joint Rr. Shaft & 3" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Ctr.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ304**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1976-1975 W300 w/ Frt. Shaft Inner Lock Rings, 3 Joint Rr. Shaft & 2.125" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Ctr.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

(Continued)



Type 26



Type 27

(Cont.) -- Dodge Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 W300 w/ Frt. Shaft Inner Lock Rings, 3 Joint Rr. Shaft & 2.625" Rr. Axle Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Ctr.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1974-1960 W300 w/ 3" Yokes: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ304**
U-Joint (Frt. Shaft; Rr.)❷	**UJ304**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ304**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ304**
U-Joint (Rr. Shaft; Frt.)❺	**UJ304**
U-Joint (Rr. Shaft; Rr.)❻	**UJ304**

1974-1960 W300 w/ 2" Yokes: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ305**
U-Joint (Frt. Shaft; Rr.)❷	**UJ305**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ305**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ305**
U-Joint (Rr. Shaft; Frt.)❺	**UJ305**
U-Joint (Rr. Shaft; Rr.)❻	**UJ305**



Type 27



Type 34

Dodge Truck 1 1/2 ton, 2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 X 2)

U-Joint

2010-2008 R4500 & R5500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ358**
U-Joint (Rear)❷ **UJ358**

2010-2008 R4500 & R5500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ358**
U-Joint (Center)❷ **UJ358**
U-Joint (Rear)❸ **UJ358**

2010-2008 R4500 & R5500 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶ **UJ358**
U-Joint (Center; Front)❷ **UJ358**
U-Joint (Center; Rear)❸ **UJ358**
U-Joint (Rear)❹ **UJ358**

Drive Shaft (4 X 4)

U-Joint

2010-2008 R4500 & R5500 w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358**
U-Joint (Rr. Shaft; Rr.)❹ **UJ358**
H Yoke **UJ650**

2010-2008 R4500 & R5500 w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ358**
U-Joint (Rr. Shaft; Rr.)❺ **UJ358**
H Yoke **UJ650**



Ford CUV Escape

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2012-2001 Escape: [Type 43]

U-Joint (Center)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

Drive Shaft (2 W/D)

U-Joint

2014-2007 Expedition: [Type 6]

U-Joint (Center)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2011-1998 Ranger: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

(Continued)



Type 1



Type 6



Type 43

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2010-2007 Explorer Exc. Sport Trac: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2003 Expedition: [Type 7]

U-Joint (Rear)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2006-1997 Explorer & Explorer Sport Trac: [Type1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2005-2004 Excursion: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2003-2000 Excursion w/ 4" Yoke: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2003-2000 Excursion w/ 4.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2002 Expedition: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2001-1997 Expedition w/ 4.6L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2001-1997 Expedition w/ 5.4L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1997 Aerostar w/ Auto. Trans. & 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1997 Aerostar w/ Auto. Trans. & 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 7

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997-1996 Aerostar w/ Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1997-1990 Ranger w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

1997-1990 Ranger w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

1996 Aerostar w/ Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1995 Explorer w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1996-1995 Explorer w/ 3.875" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1995-1990 Aerostar: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1994-1991 Explorer: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1989-1986 Aerostar: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1989-1986 Ranger w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Front) **UJ437-10**
U-Joint (Center)❷ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Center) **UJ437-10**
U-Joint (Rear)❸ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Rear) **UJ437-10**

1989-1986 Ranger w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1985-1983 Ranger: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

Drive Shaft (4 W/D)

U-Joint

2014-2007 Expedition: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2011-2000 Ranger: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2010-2007 Explorer Sport Trac: [Type 23]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**

2010-2006 Explorer Exc. Sport Trac: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

(Continued)



Type 1



Type 2



Type 15



Type 17



Type 23

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2002 Expedition: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2005-2004 Excursion: [Type 30]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ630F**
H Yoke **UJ650**

2005-1997 Explorer & Explorer Sport Trac: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2002 Excursion w/ 4.5" Yoke & 6.8L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Ball Seat Repair Kit **UJ606**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

2003-2000 Excursion w/ 5.4L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ374**
Centering Ball Kit **UJ617**
Flange Yoke **UJ630F**
H Yoke **UJ650**

(Continued)


Type 13


Type 15


Type 26


Type 30

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2000 Excursion w/ 4" Yoke & 6.8L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

2003-2000 Excursion w/ Diesel Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

2001-2000 Excursion w/ 4.5" Yoke & 6.8L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Ball Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

2001-1997 Expedition w/ 4.6L Eng. & Std. Suspension: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**

(Continued)



Type 13



Type 26

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001-1997 Expedition w/ 4.6L Eng. & Adjustable Suspension: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2001-1997 Expedition w/ 5.4L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1999-1998 Ranger w/ Reg. Cab & Short Bed: [Type 22]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999-1998 Ranger w/ Reg. Cab & Long Bed: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1999-1998 Ranger w/ Ext. Cab: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 13



Type 15



Type 22

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1995 Ranger w/ 114" Wheel Base & 2 Joint Front Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1995 Ranger w/ 114" Wheel Base & 3 Joint Front Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
H Yoke	**UJ647**

(Continued)



Type 36

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1993 Ranger w/ 108" Wheel Base & 2 Joint Front Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1993 Ranger w/ 108" Wheel Base & 3 Joint Front Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

(Continued)



Type 36

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1993 Ranger w/ 125" Wheel Base & 2 Joint Front Shaft: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Rr.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
U-Joint (Front Axle Left Outer)❻ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Inner)❼ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Outer)❽ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1993 Ranger w/ 125" Wheel Base & 3 Joint Front Shaft: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
U-Joint (Front Axle Left Outer)❻ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Inner)❼ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Outer)❽ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
H Yoke **UJ647**

(Continued)



Type 37

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1990 Aerostar: [Type 40]

U-Joint (Frt. Shaft; Frt.)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Inner)❺	**UJ237**
U-Joint (Front Axle Right Inner)❻	**UJ237**

1996-1995 Explorer w/ 2 Doors & 2 Joint Front Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	[2] **UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1995 Explorer w/ 2 Doors & 3 Joint Front Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2] **UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2] **UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
H Yoke	**UJ647**

1996-1995 Explorer w/ 4 Doors & 2 Joint Front Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 13



Type 40

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1995 Explorer w/ 4 Doors & 3 Joint Front Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
H Yoke		**UJ647**

1994-1993 Ranger w/ 114" Wheel Base & 2 Joint Front Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

(Continued)



Type 13



Type 36

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994-1993 Explorer w/ 1.063" Dia. Brg. Cap Axle Joints Exc. 4 Doors w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
H Yoke		**UJ647**

1994-1993 Explorer w/ 1.188" Dia. Brg. Cap Axle Joints Exc. 4 Doors w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994-1993 Explorer w/ 4 Doors, Man. Trans. & 1.063" Dia. Brg. Cap Axle Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
H Yoke		**UJ647**

1994-1993 Explorer w/ 4 Doors, Man. Trans. & 1.188" Dia. Brg. Cap Axle Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

(Continued)



Type 26

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1991 Explorer w/ 1.063" Dia. Brg. Cap Axle Joints Exc. 4 Doors w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1991 Explorer w/ 1.188" Dia. Brg. Cap Axle Joints Exc. 4 Doors w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1991 Explorer w/ 4 Doors, Man. Trans. & 1.063" Dia. Brg. Cap Axle Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1992-1991 Explorer w/ 4 Doors, Man. Trans. & 1.188" Dia. Brg. Cap Axle Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 Ranger w/ 108" Wheel Base & 1.063" Dia. Brg. Cap Axle Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
H Yoke		**UJ647**

(Continued)



Type 26



Type 36

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 Ranger w/ 108" Wheel Base & 1.188" Dia. Brg. Cap Axle Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 Ranger w/ 114" Wheel Base & 1.063" Dia. Brg. Cap Axle Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
H Yoke		**UJ647**

(Continued)



Type 36

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 Ranger w/ 114" Wheel Base & 1.188" Dia. Brg. Cap Axle Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 Ranger w/ 125" Wheel Base & 1.063" Dia. Brg. Cap Axle Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❽		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
H Yoke		**UJ647**

(Continued)



Type 36



Type 37

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 Ranger w/ 125" Wheel Base & 1.188" Dia. Brg. Cap Axle Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❽		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1990 Bronco II w/ 1.063" Dia. Brg. Cap Axle Joints: [Type 38]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Front Axle Left Outer)❸		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❹		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
H Yoke		**UJ647**

1990 Bronco II w/ 1.188" Dia. Brg. Cap Axle Joints: [Type 38]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Front Axle Left Outer)❸		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❹		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

(Continued)



Type 37



Type 38

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 Ranger w/ 108" Wheel Base & 2.75" Front Shaft Yoke: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
H Yoke	**UJ647**

1989 Ranger w/ 108" Wheel Base & 3.5" Front Shaft Yoke: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
H Yoke	**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 Ranger w/ 114" Wheel Base & 2.75" Front Shaft Yoke: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***

1989-1988 Ranger w/ 114" Wheel Base & 3.5" Front Shaft Yoke: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***



Type 36

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 Ranger w/ 125" Wheel Base & 2.75"
Front Shaft Yoke: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Frt. Shaft; Frt.) UJ437-10
U-Joint (Frt. Shaft; Rr.)❷ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Frt. Shaft; Rr.) UJ437-10
U-Joint (Rr. Shaft; Frt.)❸ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Rr. Shaft; Frt.) UJ437-10
U-Joint (Rr. Shaft; Ctr.)❹ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Rr. Shaft; Ctr.) UJ437-10
U-Joint (Rr. Shaft; Rr.)❺ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Rr. Shaft; Rr.) UJ437-10
U-Joint (Front Axle Left Outer)❻ UJ436
Brute Force Greaseable UJ466
Brute Force Non Greaseable UJ436
U-Joint (Front Axle Right Inner)❼ UJ436
Brute Force Greaseable UJ466
Brute Force Non Greaseable UJ436
U-Joint (Front Axle Right Outer)❽ UJ436
Brute Force Greaseable UJ466
Brute Force Non Greaseable UJ436

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 Ranger w/ 125" Wheel Base & 3.5"
Front Shaft Yoke: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶ UJ369
Brute Force Greaseable UJ280
Brute Force Non Greaseable UJ269
(For Aluminum Drive Shaft) UJ369C
U-Joint (Frt. Shaft; Rr.)❷ UJ369
Brute Force Greaseable UJ280
Brute Force Non Greaseable UJ269
(For Aluminum Drive Shaft) UJ369C
U-Joint (Rr. Shaft; Frt.)❸ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Rr. Shaft; Frt.) UJ437-10
U-Joint (Rr. Shaft; Ctr.)❹ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Rr. Shaft; Ctr.) UJ437-10
U-Joint (Rr. Shaft; Rr.)❺ UJ437G
Brute Force Greaseable UJ240
Brute Force Non Greaseable UJ237
Clamp Kit (Rr. Shaft; Rr.) UJ437-10
U-Joint (Front Axle Left Outer)❻ UJ436
Brute Force Greaseable UJ466
Brute Force Non Greaseable UJ436
U-Joint (Front Axle Right Inner)❼ UJ436
Brute Force Greaseable UJ466
Brute Force Non Greaseable UJ436
U-Joint (Front Axle Right Outer)❽ UJ436
Brute Force Greaseable UJ466
Brute Force Non Greaseable UJ436

(Continued)



Type 37

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1986 Bronco II w/ 2 Joint Front Shaft: [Type 38]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Front Axle Left Outer)❸ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
U-Joint (Front Axle Right Inner)❹ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
U-Joint (Front Axle Right Outer)❺ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***

1989-1986 Bronco II w/ 3 Joint Front Shaft: [Type 38]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Front Axle Left Outer)❸ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
U-Joint (Front Axle Right Inner)❹ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
U-Joint (Front Axle Right Outer)❺ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
H Yoke **UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 Ranger w/ 108" Wheel Base & 2.75" Front Shaft Yoke: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Frt. Shaft; Rr.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸ ..... [2] **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ437G**
Brute Force Greaseable ***UJ240***
Brute Force Non Greaseable ***UJ237***
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
U-Joint (Front Axle Left Outer)❺ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
U-Joint (Front Axle Right Inner)❻ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
U-Joint (Front Axle Right Outer)❼ **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
Centering Yoke **UJ609**

(Continued)



Type 36



Type 38

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 Ranger w/ 108" Wheel Base & 3.5" Front Shaft Yoke: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 Ranger STX w/ 114" & 125" Wheel Base: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***

(Continued)



Type 36

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 Ranger STX w/ 108" Wheel Base: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 Ranger w/ 114" & 125" Wheel Base Exc. STX: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***

(Continued)



Type 36

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 Ranger w/ 108" Wheel Base Exc. STX: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

1986 Ranger w/ 125" Wheel Base & 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986 Ranger w/ 125" Wheel Base & Exc. 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***

1986-1985 Ranger w/ 108" Wheel Base: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

(Continued)



Type 36

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1985 Ranger w/ 114" Wheel Base: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***

1985-1984 Bronco II w/ Auto. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ [2]	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
Centering Yoke	**UJ609**

Drive Shaft (4 W/D) (Cont.)

1985-1984 Bronco II w/ 4 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ [2]	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
Centering Yoke	**UJ609**

1985-1984 Bronco II w/ 5 Spd. Man. Trans. From 9/83: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ [2]	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
Centering Yoke	**UJ609**



Type 36

Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984 Bronco II w/ 5 Spd. Man. Trans. Thru 8/83: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

1984-1983 Ranger w/ 108" Wheel Base & Auto. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984-1983 Ranger w/ 108" Wheel Base & 4 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**

1984-1983 Ranger w/ 108" Wheel Base & 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ437G**
Brute Force Greaseable		***UJ240***
Brute Force Non Greaseable		***UJ237***
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Front Axle Left Outer)❺		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Inner)❻		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
U-Joint (Front Axle Right Outer)❼		**UJ436**
Brute Force Greaseable		***UJ466***
Brute Force Non Greaseable		***UJ436***
Centering Yoke		**UJ609**



Type 36

(Cont.) -- Ford Truck Aerostar, Bronco II, Excursion, Expedition, Explorer (thru 2010), Explorer Sport Trac, Ranger

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984-1983 Ranger w/ 114" Wheel Base & Auto. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***

1984-1983 Ranger w/ 114" Wheel Base & 4 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984-1983 Ranger w/ 114" Wheel Base & 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***

1984-1983 Ranger w/ 114" Wheel Base & 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Front Axle Left Outer)❺	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Inner)❻	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***
U-Joint (Front Axle Right Outer)❼	**UJ436**
Brute Force Greaseable	***UJ466***
Brute Force Non Greaseable	***UJ436***



Type 36

Ford Truck Bronco

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

1996-1992 All: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Flange Yoke		**UJ628F**
H Yoke		**UJ648**

1991 5.0L w/ 4 Spd. Auto. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991 Exc. 5.0L Eng. w/ 4 Spd. Auto. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Flange Yoke		**UJ628F**
H Yoke		**UJ648**

1990 All: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ612**
H Yoke		**UJ648**



Type 36

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 5 Spd. Man. Trans. Thru 1/89: [Type 46]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 Exc. 5 Spd. Man. Trans. Thru 1/89: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***



Type 36



Type 46

Ford Truck Bronco -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 5 Spd. Man. Trans. From 2/89: [Type 46]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❺	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
Centering Ball Kit	**UJ612**
H Yoke	**UJ648**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 Exc. 5 Spd. Man. Trans. From 2/89: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
Centering Ball Kit	**UJ612**
H Yoke	**UJ648**

(Continued)



Type 37



Type 46

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 w/ Auto. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

1988 w/ 4 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 w/ 5 Spd. Man. Trans.: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***



Type 36



Type 37

Ford Truck Bronco -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 w/ Inner Lock Rings: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 w/ Outer Lock Rings: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ [2]	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
Centering Yoke	**UJ608**
Weld Yoke	**UJ638**
H Yoke	**UJ648**



Type 36



Type 37

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986 All: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985-1982 All: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**



Type 36

Ford Truck Bronco -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 From Ser. GJ0,001: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 Thru Ser. GJ0,000: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1979 All: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Frt.)❶	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 26



Type 36

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 400 Eng. w/ Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

1978 Exc. 400 Eng. w/ Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1970 All: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

1969-1966 All: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶		**UJ497**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ513**
U-Joint (Frt. Shaft; Rr.)❸		**UJ497**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❹		**UJ497**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Ctr.)❺		**UJ513**
U-Joint (Rr. Shaft; Rr.)❻		**UJ497**
U-Joint (Wheel Joint)❼	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

Ford Truck Courier

Drive Shaft (2 W/D)

U-Joint

1982-1972 2 Joint Shaft: [Type 1]

U-Joint (Front)❶		**UJ384**
U-Joint (Rear)❷		**UJ384**

1982-1972 3 Joint Shaft: [Type 2]

U-Joint (Front)❶		**UJ384**
U-Joint (Center)❷		**UJ384**
U-Joint (Rear)❸		**UJ384**



Type 1



Type 2



Type 26



Type 32

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

2017-2015 Transit w/ 3.622" Yoke: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2017-2015 Transit w/ 4.187" Yoke: [Type 2]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2017-2015 E-350 Super Duty w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2017-2015 E-350 Super Duty w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2017-2014 E-450 Super Duty w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (Cont.)

U-Joint (Cont.)

2017-2014 E-450 Super Duty w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2014-2011 E-350 Super Duty w/ 2 Joint Shaft, 8 Cyl. Eng. & 4 Spd. Trans.: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2014-2011 E-350 Super Duty w/ 2 Joint Shaft, 8 Cyl. Eng. & 5 Spd. Trans.: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

2014-2011 E-350 Super Duty w/ 2 Joint Shaft & 10 Cyl. Eng.: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

2014-2011 E-350 Super Duty w/ 3 Joint Shaft, 8 Cyl. Eng. & 4 Spd. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2014-2011 E-350 Super Duty w/ 3 Joint Shaft, 8 Cyl. Eng. & 5 Spd. Trans.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2014-2011 E-350 Super Duty w/ 3 Joint Shaft & 10 Cyl. Eng.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2013-2005 E-450: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

2013-1997 E-150 & E-150 Club Wagon: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2013-1997 E-250 & E-250 Super Duty: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2010-2005 E-350 Super Duty w/ 2 Joint Shaft & Diesel Eng.: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2010-2005 E-350 Super Duty w/ 2 Joint Shaft & Gas Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2010-2005 E-350 Super Duty w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

2004	**E-350 Super Duty w/ 2 Joint Shaft & 4 Spd. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Rear)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
2004	**E-350 Super Duty w/ 2 Joint Shaft & 5 Spd. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Rear)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ331-10**
2004	**E-350 Super Duty w/ 3 Joint Shaft: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
2004-2002	**E-450 w/ 4.125" Yoke: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ331-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

2004-2002	**E-450 w/ 4.875" Yoke: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ331-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ331-10**
2003-2002	**E-550 w/ 3 Joint Shaft: [Type 2]**	
	U-Joint (Front)❶	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Front)	**UJ351-10**
	U-Joint (Center)❷	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Center)	**UJ351-10**
	U-Joint (Rear)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Rear)	**UJ351-10**
2003-2002	**E-550 w/ 4 Joint Shaft: [Type 3]**	
	U-Joint (Front)❶	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Front)	**UJ351-10**
	U-Joint (Center; Front)❷	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Center; Front)	**UJ351-10**
	U-Joint (Center; Rear)❸	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Center; Rear)	**UJ351-10**
	U-Joint (Rear)❹	**UJ351**
	(For Aluminum Drive Shaft)	**UJ351C**
	Clamp Kit (Rear)	**UJ351-10**
2003-1997	**E-350 & E-350 Club Wagon w/ 2 Joint Shaft: [Type 1]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	U-Joint (Rear)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 2



Type 3

(Cont.) -- Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

2003-1997 E-350 & E-350 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1999-1996 E (Super Duty) w/ 2 Joint Shaft: [Type1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

1999-1996 E (Super Duty) w/ 3 Joint Shaft: [Type2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

1996-1995 E-350 & E-350 Club Wagon w/ 2 Joint Shaft, 1.063" Dia. Brg. Cap & 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1996-1995 E-350 & E-350 Club Wagon w/ 2 Joint Shaft, 1.188" Dia. Brg. Cap & 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1996-1995 E-350 & E-350 Club Wagon w/ 3 Joint Shaft, 1.063" Dia. Brg. Cap & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1996-1995 E-350 & E-350 Club Wagon w/ 3 Joint Shaft, 1.188" Dia. Brg. Cap & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1996-1993 E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 4.9L Eng.: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1996-1993 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & 4.9L Eng.: [Type 2]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1996-1993 E-350 & E-350 Club Wagon w/ 2 Joint Shaft, 7.3L & 7.5L Engs.: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ331-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1996-1993 E-350 & E-350 Club Wagon w/ 3 Joint Shaft, 7.3L & 7.5L Engs.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Front) **UJ331-10**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Center) **UJ331-10**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rear) **UJ331-10**

1996-1992 E-250: [Type 2]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ ..... • **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**
U-Joint (Rear)❸ ..... ■ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1996-1991 E-150 & E-150 Club Wagon: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1994-1993 E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 5.8L Eng.: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 1



Type 2

(Cont.) -- Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1994-1993 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1992 E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 3 Spd. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1992 E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 4 Spd. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1992-1991 E-350 & E-350 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1991 E-250 & E-250 Club Wagon w/ 4.9L & 5.0L Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991 E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 6 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1991 E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 8 Cyl. Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991-1990 E-250 & E-250 Club Wagon w/ 5.8L Eng., 3 & 4 Spd. Auto. Trans & 3.54 Rear Axle Ratio: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991-1990 E-250 & E-250 Club Wagon w/ 5.8L Eng., 3 Spd. Auto. Trans & 4.10 Rear Axle Ratio: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 2

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1991-1990	**E-250 & E-250 Club Wagon w/ 5.8L Eng., 4 Spd. Auto. Trans & 4.10 Rear Axle Ratio: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1991-1990	**E-250 Club Wagon w/ 7.3L & 7.5L Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1990	**E-250 w/ 5.0L Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1990	**E-250 & E-250 Club Wagon w/ 4.9L Eng., 3 Spd. Auto. Trans. & 3.73 Rear Axle Ratio: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1990	**E-250 & E-250 Club Wagon w/ 4.9L Eng., 3 Spd. Auto. Trans. & 4.10 Rear Axle Ratio: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
1990	**E-250 & E-250 Club Wagon w/ 4.9L Eng., 4 Spd. Auto. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1990	**E-350 & E-350 Club Wagon w/ 2 Joint Shaft & 4.9L Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
1990	**E-350 & E-350 Club Wagon w/ 3 Joint Shaft, 138" Wheel Base & 4.9L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1990 E-350 & E-350 Club Wagon w/ 3 Joint Shaft, 158" Wheel Base & 4.9L Eng.: [Type 2]

U-Joint (Front)❶	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Front)	**UJ437-10**
U-Joint (Center)❷	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Rear)	**UJ437-10**

1990 E-350 & E-350 Club Wagon w/ 2 Joint Shaft. 3.54 Rear Axle Ratio & 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1990 E-350 & E-350 Club Wagon w/ 2 Joint Shaft. 4.10 Rear Axle Ratio & 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1990 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1990 E-350 & E-350 Club Wagon w/ 2 Joint Shaft, 7.3L & 7.5L Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1990 E-350 & E-350 Club Wagon w/ 3 Joint Shaft, 7.3L & 7.5L Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1990-1989 E-150 & E-150 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1990-1987 E-150 & E-150 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 2

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1989 E-250 & E-250 Club Wagon: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ ..... • **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**
U-Joint (Rear)❷ ..... ■ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1989 E-350 & E-350 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ ..... • **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**
U-Joint (Rear)❷ ..... ■ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1989 E-350 & E-350 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1988-1987 E-150 & E-150 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1988-1987 E-250 & E-250 Club Wagon: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1988-1987 E-350 & E-350 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Front) **UJ534-10**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

1988-1979 E-350 & E-350 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rear) **UJ534-10**

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 1



Type 2

(Cont.) -- Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1986-1984 E-250 & E-250 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1984 E-250 & E-250 Club Wagon w/ 3 Joint Shaft & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1984 E-250 & E-250 Club Wagon w/ 3 Joint Shaft & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1984 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1986-1984 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1979 E-100, E-100 Club Wagon, E-150 & E-150 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1979 E-100, E-100 Club Wagon, E-150 & E-150 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1983-1980 E-250 & E-250 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1983-1980 E-350 & E-350 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1983-1979 E-250 & E-250 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1979 E-250 & E-250 Club Wagon w/ 3 Joint Shaft & 1.063" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1979 E-250 & E-250 Club Wagon w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1979 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & 1.063" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1979 E-350 & E-350 Club Wagon w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1978-1975 E-100, E-100 Club Wagon, E-150 & E-150 Club Wagon w/ 2 Joint Shaft & 124" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ430**
Brute Force Greaseable	***UJ255***
U-Bolt Kit (Rear)	**UJ534-10**

1978-1975 E-100, E-100 Club Wagon, E-150 & E-150 Club Wagon w/ 2 Joint Shaft Exc. 124" Wheel Base: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1978-1975 E-100, E-100 Club Wagon, E-150 & E-150 Club Wagon w/ 3 Joint Shaft, 351 Eng. & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1978-1975 E-350 & E-350 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

U-Joint (Cont.)

1978-1975 E-100, E-100 Club Wagon, E-150 & E-150 Club Wagon w/ 3 Joint Shaft Exc. 351 Eng. & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1978-1975 E-250 & E-250 Club Wagon w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1978-1975 E-250 & E-250 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1978-1975 E-350 & E-350 Club Wagon w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**



Type 1



Type 2

Ford Truck Full size vans, 1/2 ton van, 3/4 ton van, 1 ton van -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1974-1968 E-100 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1974-1968 E-100 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1974-1968 E-200 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1974-1968 E-200 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1974-1968 E-300 w/ 2 Joint Shaft & 1.063" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1974-1968 E-300 w/ 2 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1974-1968 E-300 w/ 3 Joint Shaft & 1.063" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1974-1968 E-300 w/ 3 Joint Shaft & 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**



Type 1



Type 2

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (2 W/D)

U-Joint

2017-2005 F-150 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2014-2005 F-150 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2007-2004 F-150 w/ Staked U-Joints: [Type 1]

U-Joint (Front)❶ **UJ30488**
U-Joint (Rear)❷ **UJ30488**

2004 F-150 w/ 2 Joint Shaft Exc. Heritage: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2004 F-150 w/ 3 Joint Shaft Exc. Heritage: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004 F-150 Heritage w/ 2 Joint Shaft, 4.2L & 4.6L Engs.: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2004 F-150 Heritage w/ 3 Joint Shaft, 4.2L & 4.6L Engs.: [Type 2]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Center)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2004 F-150 Heritage w/ 2 Joint Shaft & 5.4L Eng.: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2004 F-150 Heritage w/ 3 Joint Shaft & 5.4L Eng.: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

(Continued)



Type 1



Type 2

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2003-1997 F-150 w/ 2 Joint Shaft, 4.2L & 4.6L Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2003-1997 F-150 w/ 3 Joint Shaft, 4.2L & 4.6L Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2003-1997 F-150 w/ 2 Joint Shaft, 1.063" Dia. Brg. Cap & 5.4L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2003-1997 F-150 w/ 3 Joint Shaft, 1.063" Dia. Brg. Cap & 5.4L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2003-1997 F-150 w/ 2 Joint Shaft, 1.188" Dia. Brg. Cap & 5.4L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2003-1997 F-150 w/ 3 Joint Shaft, 1.188" Dia. Brg. Cap & 5.4L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1996-1991 F-150 w/ Standard Cab & Short Bed: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1996-1991 F-150 w/ Standard Cab, Long Bed & 2 Joint Shaft Exc. HD 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1991	**F-150 w/ Standard Cab, Long Bed & 3 Joint Shaft Exc. HD 5 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
1996-1991	**F-150 w/ Standard Cab, Long Bed & HD 5 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Front)	**UJ534-10**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
1996-1990	**F-150 w/ Extended Cab: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
1990-1989	**F-150 w/ Standard Cab & Short Bed: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990-1989	**F-150 w/ 2 Joint Shaft, Standard Cab & Long Bed: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1990-1989	**F-150 w/ 3 Joint Shaft & HD 5 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Front)	**UJ534-10**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1990-1989	**F-150 w/ 3 Joint Shaft & Std. Duty 5 Spd. Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1989	**F-150 w/ Extended Cab: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988 F-150 w/ 2 Joint Shaft: [Type 1]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**
1988 F-150 w/ 3 Joint Shaft & HD 5 Spd. Man. Trans.: [Type 2]	
U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**
1988 F-150 w/ 3 Joint Shaft Exc. HD 5 Spd. Man. Trans.: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**
1987-1979 F-100 & F-150 w/ 2 Joint Shaft: [Type1]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1987-1979 F-100 & F-150 w/ 3 Joint Shaft: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**
1978-1977 F-150 w/ Std. Cab, Auto. Trans., 400 Eng. & 2.75 Rear Axle Ratio.: [Type 2]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
1978-1977 F-150 w/ Std. Cab, Auto. Trans., 400 Eng. & 3.25 Rear Axle Ratio.: [Type 2]	
U-Joint (Front)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
1978-1977 F-150 w/ Ext. Cab, Auto. Trans. & 400 Eng.: [Type 2]	
U-Joint (Front)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1975	**F-150 w/ 2 Joint Shaft & Man. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1978-1975	**F-150 w/ 3 Joint Shaft & Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1978-1975	**F-150 w/ 2 Joint Shaft & Auto. Trans. Exc. 400 & 460 Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1978-1975	**F-150 w/ 3 Joint Shaft & Auto. Trans. Exc. 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1975	**F-150 w/ Std. Cab, Auto. Trans. & 460 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
1978-1975	**F-150 w/ Ext. Cab, Auto. Trans. & 460 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Rear)❸		**UJ353**
Brute Force Greaseable		***UJ275***
1978-1973	**F-100 w/ 2 Joint Shaft & 460 Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1978-1973	**F-100 w/ 3 Joint Shaft & 460 Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***

(Continued)



Type 1



Type 2

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1973 F-100 w/ 2 Joint Shaft Exc. 460 Eng.: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1978-1973 F-100 w/ 3 Joint Shaft Exc. 460 Eng.: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1972-1953 F-100 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

1972-1953 F-100 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Center) **UJ329-10**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2017-2015 F-150 w/ 3 Joint Shaft: [Type 18]

U-Joint (Rr. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Ctr.)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2014-2008 F-150 w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

(Continued)



Type 1



Type 2



Type 13



Type 18

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2014-2008 F-150 w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2007-2004 F-150 w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2007-2004 F-150 w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2007-2004 F-150 w/ Staked U-Joints: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ30488**
U-Joint (Rr. Shaft; Rr.)❹	**UJ30488**

2004 F-150 Heritage w/ 4.2L & 4.6L Engs.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**

(Continued)



Type 13



Type 14

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 F-150 Heritage w/ 5.4L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Frt. Shaft; Rr.)❷ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Frt.)❸ ..... [2] UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Rr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C

2003-1997 F-150 w/ Reg. Cab, Short Bed, 4.2L & 4.6L Engs.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Frt. Shaft; Rr.)❷ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Frt.)❸ ..... [2] UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Rr.)❹ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
H Yoke UJ648

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-1997 F-150 w/ Reg. Cab, Short Bed & 5.4L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Frt. Shaft; Rr.)❷ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Frt.)❸ ..... [2] UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Rr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
H Yoke UJ650

2003-1997 F-150 w/ 2 Joint Shaft Exc. Reg. Cab w/ Short Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Frt. Shaft; Rr.)❷ UJ354
Brute Force Greaseable UJ270
Brute Force Non Greaseable UJ254
(For Aluminum Drive Shaft) UJ354C
U-Joint (Rr. Shaft; Frt.)❸ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C
U-Joint (Rr. Shaft; Rr.)❹ UJ331
Brute Force Greaseable UJ232
Brute Force Non Greaseable UJ231
(For Aluminum Drive Shaft) UJ331C

(Continued)



Type 13

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-1997 F-150 w/ 3 Joint Shaft Exc. Reg. Cab w/ Short Bed: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F-150 w/ Ext. Cab & Long Bed: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸ •	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸ ■	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ •	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹ ■	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 14



Type 36

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F-150 Exc. Ext. Cab & Long Bed: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Front Axle Left Outer)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❽		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-150 w/ 2 Joint Shaft & 5 Spd. Man. Trans. Thru 1/89: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 36



Type 37

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-150 w/ 2 Joint Shaft Exc. 5 Spd. Man. Trans. Thru 1/89: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-150 w/ 2 Joint Shaft From 2/89: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-150 w/ 3 Joint Shaft: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-150 w/ 3 Joint Shaft & Part Time Transfer Case: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 37

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-150 w/ 3 Joint Shaft Exc. Part Time Transfer Case: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987-1986 F-150 w/ 2 Joint Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36



Type 37

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986 F-150 w/ 3 Joint Shaft: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.) **UJ534-10**
U-Joint (Front Axle Left Outer)❻ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Inner)❼ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Outer)❽ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985-1984 F-150 Exc. Crew Cab From 2/84: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.) **UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.) **UJ534-10**
U-Joint (Front Axle Left Outer)❺ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Inner)❻ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Outer)❼ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***

(Continued)



Type 36



Type 37

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985-1982 F-150 w/ Crew Cab: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984-1982 F-150 Exc. Crew Cab Thru 1/84: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36



Type 37

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-150 w/ Crew Cab & Auto. Trans. From Ser. GJ0,001: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-150 w/ Crew Cab & Man. Trans. From Ser. GJ0,001: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 37

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-150 Exc. Crew Cab From Ser. GJ0,001: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***



Type 36

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-150 w/ Crew Cab & Auto. Trans. Thru Ser. GJ0,000: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 37

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-150 w/ Crew Cab & Man. Trans. Thru Ser. GJ0,000: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-150 Exc. Crew Cab Thru Ser. GJ0,000: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36



Type 37

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-150 w/ 116" Wheel Base & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1979 F-150 w/ 116" Wheel Base & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-150 w/ 133" Wheel Base & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1979 F-150 w/ 133" Wheel Base & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**

(Continued)



Type 26

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-150 w/ 155" Wheel Base & Full Time Transfer Case: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-150 w/ 155" Wheel Base & Part Time Transfer Case: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**

1978 F-150 w/ 2 Joint Shaft, 3.5" Yoke & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Weld Yoke		**UJ633**
H Yoke		**UJ647**

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-150 w/ 2 Joint Shaft, 3.5" Yoke & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

1978 F-150 w/ 2 Joint Shaft, 3.875" Yoke & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-150 w/ 2 Joint Shaft, 3.875" Yoke & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1978 F-150 w/ 3 Joint Shaft, 3.5" Yoke & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

(Continued)



Type 26

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-150 w/ 3 Joint Shaft, 3.5" Yoke & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1978 F-150 w/ 3 Joint Shaft, 3.875" Yoke & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-150 w/ 3 Joint Shaft, 3.875" Yoke & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1977-1976 F-150 w/ 2 Joint Shaft & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

(Continued)



Type 26

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1976 F-150 w/ 2 Joint Shaft & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1977-1976 F-150 w/ 3 Joint Shaft, 3.5" Yoke & Full Time Transfer Case Exc. CV Joint: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1976 F-150 w/ 3 Joint Shaft, 3.5" Yoke & Part Time Transfer Case Exc. CV Joint: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)





Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1976 F-150 w/ 3 Joint Shaft, 3.875" Yoke & Full Time Transfer Case Exc. CV Joint: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1976 F-150 w/ 3 Joint Shaft, 3.875" Yoke & Part Time Transfer Case Exc. CV Joint: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1977-1976 F-150 w/ 3 Joint Shaft, 3.5" Yoke, CV Joint & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

(Continued)



Type 26



Type 27

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1976 F-150 w/ 3 Joint Shaft, 3.5" Yoke, CV Joint & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**

1977-1976 F-150 w/ 3 Joint Shaft, 3.875" Yoke, CV Joint & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977-1976 F-150 w/ 3 Joint Shaft, 3.875" Yoke, CV Joint & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**

1975-1974 F-100 & w/ 2 Joint Shaft & Full Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

(Continued)



Type 26

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1975-1974 F-100 & w/ 2 Joint Shaft & Part Time Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹	[2]	**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1975-1974 F-100 & w/ 3 Joint Shaft & Full Time Transfer Case: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
Weld Yoke		**UJ633**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1975-1974 F-100 & w/ 3 Joint Shaft & Part Time Transfer Case: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1973-1972 F-100 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1973-1972 F-100 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***

1971-1970 F-100 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1971-1970 F-100 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

1969-1967 F-100 w/ 2 Joint Shaft & 3.5" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Wheel Joint)❺ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

(Continued)



Type 26



Type 27

Ford Truck 1/2 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1969-1967 F-100 w/ 2 Joint Shaft & 3.875" Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Frt. Shaft; Rr.)❷ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Frt.)❸ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Rr.)❹ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Wheel Joint)❺ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

1969-1967 F-100 w/ 3 Joint Shaft & 3.5" Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Wheel Joint)❻ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1969-1967 F-100 w/ 3 Joint Shaft & 3.875" Yoke: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Frt. Shaft; Rr.)❷ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Frt.)❸ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Wheel Joint)❻ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

1966 F-100 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Frt. Shaft; Rr.)❷ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Frt.)❸ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Rr.)❹ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Wheel Joint)❺ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

1966 F-100 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Frt. Shaft; Rr.)❷ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Frt.)❸ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Ctr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Wheel Joint)❻ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***

(Continued)



Type 26



Type 27

(Cont.) -- Ford Truck 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)
U-Joint (Cont.)

1965-1959 F-100: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Rr.)❻	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Wheel Joint)❼ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

Ford Truck 3/4 ton

Drive Shaft (2 W/D)
U-Joint

2017-2005 F-250 Super Duty w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2017-2005 F-250 Super Duty w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (2 W/D) (Cont.)
U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ 2 Joint Shaft, 10 Cyl. & Diesel Engs.: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2004-1999 F-250 Super Duty w/ 3 Joint Shaft, 10 Cyl. & Diesel Engs.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2



Type 34

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-1998 F-250 & F-250 Super Duty w/ 2 Joint Shaft Exc. 10 Cyl. & Diesel Engs.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

2004-1998 F-250 & F-250 Super Duty w/ 3 Joint Shaft Exc. 10 Cyl. & Diesel Engs.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1997 F-250 w/ 2 Joint Shaft Exc. 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1997 F-250 w/ 3 Joint Shaft Exc. 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1997 F-250 w/ Reg. Cab, Auto. Trans. & 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1997 F-250 w/ Reg. Cab, Man. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997	**F-250 w/ Ext. Cab, Short Bed & 5.8L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1997	**F-250 w/ Ext. Cab, Long Bed, Auto. Trans. & 5.8L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1997	**F-250 w/ Ext. Cab, Long Bed, Man. Trans. & 5.8L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997	**F-250 w/ Crew Cab & 5.8L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1996-1995	**F-250 w/ 2 Joint Shaft & 7.3L & 7.5L Engs. [Type 1]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Rear)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1996-1995	**F-250 w/ 3 Joint Shaft & 7.3L & 7.5L Engs. [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**

(Continued)



Type 1



Type 2

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1993 F-250 w/ 2 Joint Shaft & 4.9L & 5.8L Engs. [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1996-1993 F-250 w/ 3 Joint Shaft & 4.9L & 5.8L Engs. [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1994-1993 F-250 w/ 2 Joint Shaft & 7.3L & 7.5L Engs. [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1994-1993 F-250 w/ 3 Joint Shaft, Auto. Trans., 7.3L & 7.5L Engs. [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1994-1993 F-250 w/ 3 Joint Shaft, Man. Trans., 7.3L & 7.5L Engs. [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1992 F-250 w/ 2 Joint Shaft & Standard Cab: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1992 F-250 w/ 3 Joint Shaft, Reg. Cab, 5.0L Eng. & 5 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)
U-Joint (Cont.)

1992	**F-250 w/ 3 Joint Shaft, Reg. Cab, 5.8L Eng. & HD 5 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1992	**F-250 w/ 3 Joint Shaft, Reg. Cab, 7.3L, 7.5L Engs. & Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1992-1991	**F-250 w/ 2 Joint Shaft & Ext. Cab: [Type 1]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)
U-Joint (Cont.)

1992-1990	**F-250 w/ 3 Joint Shaft, Reg. Cab, 4.9L Eng. & HD 5 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1992-1990	**F-250 w/ 3 Joint Shaft, Ext. Cab 5.8L Eng. & 4 Spd. Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1992-1990	**F-250 w/ 3 Joint Shaft, Ext. Cab, 5.8L Eng. & Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1992-1990 F-250 w/ 3 Joint Shaft, Ext. Cab, 7.3L & 7.5L Engs. [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1991 F-250 w/ 3 Joint Shaft, Reg. Cab & 5.0L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991 F-250 w/ 2 Joint Shaft, Reg. Cab, 5.0L Eng & Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991 F-250 w/ 2 Joint Shaft, Reg. Cab, 5.0L Eng & Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991-1990 F-250 w/ 2 Joint Shaft, Reg. Cab, 4.9L Eng. & 3 Spd. Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991-1990 F-250 w/ 2 Joint Shaft, Reg. Cab, 4.9L Eng. & 4 Spd. Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991-1990 F-250 w/ 2 Joint Shaft, Reg. Cab, 4.9L Eng. & 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991-1990 F-250 w/ 2 Joint Shaft, Reg. Cab, 4.9L Eng. & Std. 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1991-1990 F-250 w/ 2 Joint Shaft, Reg. Cab, 5.8L Eng & Auto. Trans.. [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991-1990	**F-250 w/ 3 Joint Shaft, Reg. Cab, 5.8L Eng & Man. Trans.. [Type 2]**	
	U-Joint (Front)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Front)	**UJ534-10**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1991-1990	**F-250 w/ 2 Joint Shaft, Reg. Cab, 7.3L, 7.5L Engs & Auto. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1991-1990	**F-250 w/ 3 Joint Shaft, Reg. Cab, 7.3L, 7.5L Engs & Man. Trans.: [Type 2]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Center)	**UJ331-10**
	U-Joint (Rear)❸	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ331-10**
1990	**F-250 w/ 2 Joint Shaft, Reg. Cab, 5.0L Eng & C6 3 Spd. Auto. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Front)	**UJ534-10**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990	**F-250 w/ 2 Joint Shaft, Reg. Cab, 5.0L Eng Exc. C6 3 Spd. Auto. Trans.: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1990	**F-250 w/ 3 Joint Shaft, Reg. Cab & 5.0L Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1990	**F-250 w/ 3 Joint Shaft, Ext. Cab & 4.9L Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Front)	**UJ534-10**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990 F-250 w/ 3 Joint Shaft, Ext. Cab, 5.8L Eng. & 3 Spd. Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1989-1988 F-250 w/ 2 Joint Shaft & HD 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1989-1988 F-250 w/ 2 Joint Shaft Exc. HD 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1989-1988 F-250 w/ 3 Joint Shaft & HD 5 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-250 w/ 3 Joint Shaft Exc. HD 5 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1987 F-250 w/ 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1987 F-250 w/o 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1980 F-250 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1980 F-250 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1979 F-250 w/ 133" & 138" Wheel Base & 3.73 Rear Axle Ratio Exc. 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1979 F-250 w/ 133" & 138" Wheel Base Exc. 3.73 Rear Axle Ratio & 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1979 F-250 w/ 150" Wheel Base Exc. 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Center)	**UJ330-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rear)	**UJ330-10**

1979 F-250 w/ 400 Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1978 F-250 w/ 300 & 351 Engs.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

(Continued)



Type 2

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978	**F-250 w/ 2 Joint Shaft, 400 & 460 Engs. [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
1978	**F-250 w/ 3 Joint Shaft, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**▲ UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Center)❷		**⦸ UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rear)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
1977	**F-250 w/ 3.5" Yoke, 300 & 351 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1977	**F-250 w/ 3.875" Yoke, 300 & 351 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Center)❷		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Rear)❸		**UJ353**
Brute Force Greaseable		***UJ275***

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1977	**F-250 w/ 2 Joint Shaft, 133" Wheel Base, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
1977	**F-250 w/ 3 Joint Shaft, 133" & 138" Wheel Base, 1.063" Dia. Brg. Cap, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1977	**F-250 w/ 3 Joint Shaft, 133" & 138" Wheel Base, 1.188" Dia. Brg. Cap, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**

(Continued)

▲ For Use w/ 1.063" Bearing Cap Application. ⦸ For Use w/ 1.188" Bearing Cap Application.



Type 1



Type 2

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1977	**F-250 w/ 3 Joint Shaft, 133" & 138" Wheel Base, 1.063" Dia. Brg. Cap, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1977	**F-250 w/ 3 Joint Shaft, 133" & 138" Wheel Base, 1.188" Dia. Brg. Cap, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1977	**F-250 w/ 150" & 155" Wheel Base, 3.5" Yoke, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1977	**F-250 w/ 150" & 155" Wheel Base, 3.875" Yoke, 1.063" Dia. Brg. Cap, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
1977	**F-250 w/ 150" & 155" Wheel Base, 3.875" Yoke, 1.188" Dia. Brg. Cap, 400 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1976-1975	**F-250 w/ Ext. Cab, Man. Trans, 300 & 360 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Rear)❸		**UJ353**
Brute Force Greaseable		***UJ275***

(Continued)



Type 2

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 300 & 360 Engs. Exc. Ext. Cab w/ Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1976-1975 F-250 w/ 2 Joint Shaft, 133" Wheel Base, 390 & 460 Engs.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1976-1975 F-250 w/ 3 Joint Shaft, 133" & 138" Wheel Base, 1.063" Dia. Brg. Cap, 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3 Joint Shaft, 133" & 138" Wheel Base, 1.188" Dia. Brg. Cap, 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1976-1975 F-250 w/ 150" & 155" Wheel Base, 3.5" Yoke, 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1976-1975 F-250 w/ 150" & 155" Wheel Base, 3.875" Yoke, 1.063" Dia. Brg. Cap, 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1976-1975	**F-250 w/ 150" & 155" Wheel Base, 3.875" Yoke, 1.188" Dia. Brg. Cap, 390 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1974-1973	**F-250 w/ 300 & 360 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1974-1968	**F-250 w/ 390 & 460 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1972-1968	**F-250 w/ 240, 300 & 360 Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1967-1953	**F-250 w/ 2 Joint Shaft: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
1967-1953	**F-250 w/ 3 Joint Shaft: [Type 2]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Center)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rear)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**

(Continued)



Type 1



Type 2

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2017-2011 F-250 Super Duty w/ 2 Joint Shaft & Narrow Frt. Axle Design: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❹	**UJ374**

2017-2011 F-250 Super Duty w/ 3 Joint Shaft & Narrow Frt. Axle Design: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❺	**UJ374**

2017-2011 F-250 Super Duty w/ 2 Joint Shaft & Wide Frt. Axle Design: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❹	**UJ424**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2011 F-250 Super Duty w/ 3 Joint Shaft & Wide Frt. Axle Design: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❺	**UJ424**

2010-2009 F-250 Super Duty w/ 2 Joint Shaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❹	**UJ374**

(Continued)



Type 28



Type 29

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2010-2009 F-250 Super Duty w/ 3 Joint Shaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❺	**UJ374**

2008-2005 F-250 Super Duty w/ 2 Joint Shaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Wheel Joint)❹	**UJ374**

2008-2005 F-250 Super Duty w/ 3 Joint Shaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Wheel Joint)❺	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Reg. Cab & 5.4L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2] **UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸	[2] **UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❺	**UJ374**
Centering Ball Kit	**UJ617**
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ630F**
H Yoke	**UJ650**

(Continued)



Type 26



Type 28



Type 29

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Ext. Cab, Short Bed & 5.4L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺		**UJ374**
Centering Ball Kit		**UJ617**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Ext. Cab, Long Bed & 5.4L Eng.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻		**UJ374**
Centering Ball Kit		**UJ617**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Crew Cab & 5.4L Eng.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻		**UJ374**
Centering Ball Kit		**UJ617**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty Cab & Chassis w/ 5.4L Eng.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻		**UJ374**
Centering Ball Kit		**UJ617**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

(Continued)



Type 27

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Reg. Cab, 6.0L, 6.8L & 7.3L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Frt. Shaft; Frt.) **UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Frt. Shaft; Rr.) **UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ **UJ374**
Centering Ball Kit **UJ617**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ630F**
H Yoke **UJ650**

2004-1999 F-250 Super Duty w/ Ext. Cab, Short Bed, 6.0L, 6.8L & 7.3L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Frt. Shaft; Frt.) **UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Frt. Shaft; Rr.) **UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❺ **UJ374**
Centering Ball Kit **UJ617**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ630F**
H Yoke **UJ650**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Ext. Cab, Long Bed, 6.0L, 6.8L & 7.3L Engs.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Frt. Shaft; Frt.) **UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Frt. Shaft; Rr.) **UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Wheel Joint)❻ **UJ374**
Centering Ball Kit **UJ617**
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ630F**
H Yoke **UJ650**

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty w/ Crew Cab, 6.0L, 6.8L & 7.3L Engs.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻		**UJ374**
Centering Ball Kit		**UJ617**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-250 Super Duty Cab & Chassis w/ 6.0L, 6.8L & 7.3L Engs.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Wheel Joint)❻		**UJ374**
Centering Ball Kit		**UJ617**
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

1999-1997 F-250 w/ 4.6L & 5.4L Engs.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**

(Continued)



Type 13



Type 27

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 5.8L Eng., 2 Joint Rear Shaft & HD Front Axle: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	☐ **UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	☐ **UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	☐ **UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 5.8L Eng., 3 Joint Rear Shaft & HD Front Axle: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	☐ **UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	☐ **UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	☐ **UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)

☐ For Use w/ Outer Lock Ring Application on Half Shaft.



Type 36



Type 37

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 7.3L & 7.5L Engs., 2 Joint Rear Shaft & HD Front Axle: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**☐ UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**☐ UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**☐ UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 7.3L & 7.5L Engs., 3 Joint Rear Shaft & HD Front Axle: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❻	**☐ UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**☐ UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**☐ UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)

☐ For Use w/ Outer Lock Ring Application on Half Shaft.



Type 36



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 5.8L Eng., 2 Joint Rear Shaft & Std. Front Axle: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 5.8L Eng., 3 Joint Rear Shaft & Std. Front Axle: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)

◇ For Use w/ Inner Lock Ring Application on Half Shaft.



Type 36



Type 37

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 7.3L & 7.5L Engs., 2 Joint Rear Shaft & Std. Front Axle: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 F-250 w/ 7.3L & 7.5L Engs., 3 Joint Rear Shaft & Std. Front Axle: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❻	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	◇ **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)

◇ For Use w/ Inner Lock Ring Application on Half Shaft.



Type 36



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Reg. Cab w/ 7.3L & 7.5L Engs., Auto. Trans. & Inner Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1996-1990 F250 Reg. Cab w/ 7.3L & 7.5L Engs., Auto. Trans. & Outer Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Crew Cab w/ 7.3L & 7.5L Engs., Auto. Trans. & Inner Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1996-1990 F250 Reg. Cab w/ 7.3L & 7.5L Engs., Man. Trans. & Outer Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

(Continued)



Type 26

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Crew Cab w/ 7.3L & 7.5L Engs., Auto. Trans. & Outer Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1996-1990 F250 Reg. Cab w/ 7.3L & 7.5L Engs., Man. Trans. & Inner Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Crew Cab w/ 7.3L & 7.5L Engs., Man. Trans. & Outer Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1996-1990 F250 Crew Cab w/ 7.3L & 7.5L Engs., Man. Trans. & Inner Lock Ring Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 26

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Reg. Cab w/ 4.9L, 5.0L, 5.8L Engs., Inner Lock Ring Wheel Joints & U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Wheel Joint)❺ [3]	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

1996-1990 F250 Crew Cab w/ 4.9L, 5.0L, 5.8L Engs., Outer Lock Ring Wheel Joints w/o U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Wheel Joint)❺ [3]	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Crew Cab w/ 4.9L, 5.0L, 5.8L Engs., Outer Lock Ring Wheel Joints & U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Wheel Joint)❺ [3]	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

1996-1990 F250 Reg. Cab w/ 4.9L, 5.0L, 5.8L Engs., Inner Lock Ring Wheel Joints & U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Wheel Joint)❺ [3]	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 26

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Reg. Cab w/ 4.9L, 5.0L, 5.8L Engs., Inner Lock Ring Wheel Joints w/o U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1996-1990 F250 Crew Cab w/ 4.9L, 5.0L, 5.8L Engs., Inner Lock Ring Wheel Joints & U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Reg. Cab w/ 4.9L, 5.0L, 5.8L Engs., Outer Lock Ring Wheel Joints w/o U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

1996-1990 F250 Reg. Cab w/ 4.9L, 5.0L, 5.8L Engs., Outer Lock Ring Wheel Joints & U-Bolts At Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

(Continued)



Type 26

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Ext. Cab w/ 7.3L & 7.5L Engs., Man. Trans. and Outer Lock Ring Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❻ [3]	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Ext. Cab w/ 4.9L, 5.0L, 5.8L Engs. & Outer Lock Ring Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Wheel Joint)❻ [3]	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 27

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Ext. Cab w/ 7.3L & 7.5L Engs., Auto. Trans. and Outer Lock Ring Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[3]	**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Ext. Cab w/ 7.3L & 7.5L Engs., Man. Trans. and Inner Lock Ring Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 27

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Ext. Cab w/ 4.9L, 5.0L, 5.8L Engs. & Inner Lock Ring Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990 F250 Ext. Cab w/ 7.3L & 7.5L Engs., Auto. Trans. and Inner Lock Ring Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Ctr.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 27

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 F-250 w/ 2 Joint Shaft, HD 5 Spd. Man. Trans. & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 F-250 w/ 3 Joint Shaft, HD 5 Spd. Man. Trans. & Inner Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 F-250 w/ 3 Joint Shaft, HD 5 Spd. Man. Trans. & Outer Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989 F-250 w/ 2 Joint Shaft, HD 5 Spd. Man. Trans. & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36



Type 37

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-250 w/ 2 Joint Shaft & Inner Lock Ring Wheel Joints Exc. HD 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-250 w/ 3 Joint Shaft & Inner Lock Ring Wheel Joints Exc. HD 5 Spd. Man. Trans.: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-250 w/ 3 Joint Shaft & Outer Lock Ring Wheel Joints Exc. HD 5 Spd. Man. Trans.: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-250 w/ 2 Joint Shaft & Outer Lock Ring Wheel Joints Exc. HD 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36



Type 37

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Reg. Cab, 4.9L, 5.8L Engs., HD 5 Spd. Man. Trans. & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Reg. Cab, 7.3L, 7.5L Engs., HD 5 Spd. Man. Trans. & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Crew Cab, 5.8L Eng., HD 5 Spd. Man. Trans. Inner Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Crew Cab, 7.3L, 7.5L Engs., HD 5 Spd. Man. Trans. Inner Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 37

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Crew Cab, 7.3L, 7.5L Engs., HD 5 Spd. Man. Trans. Outer Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Crew Cab, 5.8L Eng., HD 5 Spd. Man. Trans. Outer Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Reg. Cab, 7.3L, 7.5L Engs., HD 5 Spd. Man. Trans. & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1988 F-250 w/ Reg. Cab, 4.9L, 5.8L Engs., HD 5 Spd. Man. Trans. & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-250 w/ 2 Joint Shaft, 5 Spd. Man. Trans. & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-250 w/ 2 Joint Shaft & Inner Lock Ring Wheel Joints Exc. 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺ [3]	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 36

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-250 w/ 3 Joint Shaft & Inner Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-250 w/ 3 Joint Shaft & Outer Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 37

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-250 w/ 2 Joint Shaft & Outer Lock Ring Wheel Joints Exc. 5 Spd. Man. Trans.: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-250 w/ 2 Joint Shaft, 5 Spd. Man. Trans. & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1984 F-250 w/ 2 Joint Shaft & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1984 F-250 w/ 2 Joint Shaft & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1982 F-250 w/ 3 Joint Shaft & Inner Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986-1982 F-250 w/ 3 Joint Shaft & Outer Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1983-1982 F-250 w/ 2 Joint Shaft & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1983-1982 F-250 w/ 2 Joint Shaft & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-250 w/ 2 Joint Shaft & Inner Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Frt.)❶	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-250 w/ 3 Joint Shaft & Inner Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Frt.)❶	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❻		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❽		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 36



Type 37

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-250 w/ 3 Joint Shaft & Outer Lock Ring Wheel Joints: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Frt.)❶	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Inner)❼		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Outer)❸		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-250 w/ 2 Joint Shaft & Outer Lock Ring Wheel Joints: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Frt.)❶	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	•	**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	■	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Front Axle Left Outer)❺		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Inner)❺		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Outer)❼		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.





MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-250 w/ 2 Joint Shaft & 1.188" O.D. Brg. Cap Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-250 w/ 3 Joint Shaft & 1.188" O.D. Brg. Cap Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1979 F-250 w/ 2 Joint Shaft & 1.375" O.D. Brg. Cap Wheel Joints: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979 F-250 w/ 3 Joint Shaft & 1.375" O.D. Brg. Cap Wheel Joints: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-250 w/ 3.5" Intm. Shaft Yoke & 1.188" O.D. Brg. Cap Wheel Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❼	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 27



Type 34

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-250 w/ 3.5" Intm. Shaft Yoke & 1.375" O.D. Brg. Cap Wheel Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❼	[2]	**UJ374**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-250 w/ 3.875" Intm. Shaft Yoke & 1.188" O.D. Brg. Cap Wheel Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❼	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 34

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1978 F-250 w/ 3.875" Intm. Shaft Yoke & 1.375" O.D. Brg. Cap Wheel Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❼	[2]	**UJ374**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977 F-250 w/ 3.5" Intm. Shaft Yoke, Full Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❻		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❼		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Inner)❽		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
Centering Yoke		**UJ607**
U-Joint (Front Axle Right Outer)❾		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
H Yoke		**UJ647**

(Continued)



Type 34



Type 39

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977 F-250 w/ 3.5" Intm. Shaft Yoke, Part Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❾	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
H Yoke	**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977 F-250 w/ 3.875" Intm. Shaft Yoke, Full Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❺	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❻		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❼		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Inner)❽		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
Centering Yoke		**UJ607**
U-Joint (Front Axle Right Outer)❾		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
H Yoke		**UJ647**

(Continued)



Type 39

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977 F-250 w/ 3.875" Intm. Shaft Yoke, Part Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❾	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
H Yoke	**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977 F-250 w/ 3.875" Intm. Shaft Yoke, Part Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
H Yoke	**UJ647**

(Continued)



Type 39

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977	**F-250 w/ 3.875" Intm. Shaft Yoke, Full Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Intmd. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❺	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❻		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❽		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❾		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977	**F-250 w/ 3.5" Intm. Shaft Yoke, Part Time Transfer Case & Inner Lock Ring Joints: [Type 39]**	
U-Joint (Frt. Shaft; Frt.)❶		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Frt. Shaft; Rr.)❷		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Rr. Shaft; Frt.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Front Axle Left Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❽		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❾		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

(Continued)



Type 39

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1977 F-250 w/ 3.5" Intm. Shaft Yoke, Full Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❻		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❼		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Inner)❽		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
U-Joint (Front Axle Right Outer)❾		**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ Full Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸		**UJ353**
Brute Force Greaseable		***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❻		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Front Axle Left Outer)❼		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Inner)❽		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
U-Joint (Front Axle Right Outer)❾		**UJ231**
(For Aluminum Drive Shaft)		**UJ231C**
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 39

(Cont.) -- Ford Truck 3/4 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.5" Intm. Shaft Yoke, 133" Wheel Base, Part Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Rr.)❻	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Front Axle Left Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❾	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.5" Intm. Shaft Yoke, 150" Wheel Base, Part Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❾	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 39

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.875" Intm. Shaft Yoke, 133" Wheel Base, Part Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Rr.)❻	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Front Axle Left Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❾	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.875" Intm. Shaft Yoke, 150" Wheel Base, Part Time Transfer Case & Outer Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❾	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 39

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.875" Intm. Shaft Yoke, 150" Wheel Base, Part Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.875" Intm. Shaft Yoke, 133" Wheel Base, Part Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Frt.)❺	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Rr.)❻	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 39

Ford Truck 3/4 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.5" Intm. Shaft Yoke, 133" Wheel Base, Part Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rr. Shaft; Rr.)❻	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ 3.5" Intm. Shaft Yoke, 150" Wheel Base, Part Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Frt. Shaft; Rr.)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❻	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Front Axle Left Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❽	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❾	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

(Continued)



Type 39

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-250 w/ Full Time Transfer Case & Inner Lock Ring Wheel Joints: [Type 39]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Intmd. Shaft; Frt.)❸ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Intmd. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❺ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Rr.)❻ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Front Axle Left Outer)❼ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Inner)❽ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
U-Joint (Front Axle Right Outer)❾ **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
H Yoke **UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1974-1959 F-250 w/ Outer Lock Ring Wheel Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Frt. Shaft; Rr.)❷ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❺ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Rr.)❻ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Wheel Joint)❼ ..... [2] **UJ231**
(For Aluminum Drive Shaft) **UJ231C**

1974-1959 F-250 w/ Inner Lock Ring Wheel Joints: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Frt. Shaft; Rr.)❷ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Intmd. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❺ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Rr. Shaft; Rr.)❻ **UJ353**
Brute Force Greaseable ***UJ275***
U-Joint (Wheel Joint)❼ ..... [2] **UJ365**
Brute Force Greaseable ***UJ378***
Brute Force Non Greaseable ***UJ365***



Type 34



Type 39

Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2017-2007 F-350 Super Duty w/ Single Rear Whls. & 2 Joint Driveshaft: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2017-2007 F-350 Super Duty w/ Single Rear Whls. & 3 Joint Driveshaft: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2017-2007 F-350 Super Duty w/ Dual Rear Whls. & 3 Joint Driveshaft: [Type 2]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Center)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**

2008-1999 F53 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Front)	**UJ351-10**
U-Joint (Center)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center)	**UJ351-10**
U-Joint (Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Rear)	**UJ351-10**

2008-1999 F53 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Front)	**UJ351-10**
U-Joint (Center; Front)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center; Front)	**UJ351-10**
U-Joint (Center; Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center; Rear)	**UJ351-10**
U-Joint (Rear)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Rear)	**UJ351-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 F-350 Super Duty w/ Reg. Cab & Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2006-2005 F-350 Super Duty w/ Reg. Cab & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2006-2005 F-350 Super Duty w/ Ext. Cab & Crew Cab: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2004-1999 F-350 Super Duty w/ Reg. Cab, Auto. Trans. & 5.4L Eng.: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2



Type 3

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ Reg. Cab, Man. Trans. & 5.4L Eng.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2004-1999 F-350 Super Duty w/ Ext. Cab, Crew Cab & 5.4L Eng.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2004-1999 F-350 Super Duty w/ Reg. Cab, Auto. Trans. & 6.0L, 6.8L & 7.3L Engs.: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ Reg. Cab, Man. Trans. & 6.0L, 6.8L & 7.3L Engs.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

2004-1999 F-350 Super Duty w/ Ext. Cab, Crew Cab & 6.0L, 6.8L & 7.3L Engs.: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

1997 F-350 w/ 2 Joint Shaft & 5.8L Eng.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997 F-350 w/ 3 Joint Shaft, 136" & 160" Wheel Base, C6 Auto. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1997 F-350 w/ 3 Joint Shaft, 168" Wheel Base, C6 Auto. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1997 F-350 w/ 3 Joint Shaft, E40D Auto. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997 F-350 w/ Man. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1997-1995 F-350 w/ 2 Joint Shaft, 7.3L & 7.5L Engs.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1997-1995 F-350 w/ 3 Joint Shaft, 7.3L & 7.5L Engs.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (2 W/D) (Cont.)		
U-Joint (Cont.)		
1997-1989	**F53 w/ 3 Joint Shaft: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ331-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ331-10**
1997-1989	**F53 w/ 4 Joint Shaft: [Type 3]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center; Front)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center; Front)	**UJ331-10**
	U-Joint (Center; Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center; Rear)	**UJ331-10**
	U-Joint (Rear)❹	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ331-10**
1997-1988	**F Super Duty: [Type 2]**	
	U-Joint (Front)❶	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Center)❷	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Center)	**UJ331-10**
	U-Joint (Rear)❸	**UJ330**
	Brute Force Greaseable	***UJ295***
	(For Aluminum Drive Shaft)	**UJ330C**
	Clamp Kit (Rear)	**UJ331-10**
	U-Joint (PTO)	**UJ338**
1996-1995	**F-350 w/ 2 Joint Shaft & 4.9L Eng.: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1996-1995	**F-350 w/ 3 Joint Shaft & 4.9L Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1996-1995	**F-350 w/ 2 Joint Shaft, 1.063" Dia. Brg. Cap & 5.8L Eng.: [Type 1]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❷	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**
1996-1995	**F-350 w/ 2 Joint Shaft, 1.188" Dia. Brg. Cap & 5.8L Eng.: [Type 1]**	
	U-Joint (Front)❶	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Front)	**UJ331-10**
	U-Joint (Rear)❷	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rear)	**UJ331-10**
1996-1995	**F-350 w/ 3 Joint Shaft, 1.063" Dia. Brg. Cap & 5.8L Eng.: [Type 2]**	
	U-Joint (Front)❶	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Center)❷	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rear)❸	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2



Type 3

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1995 F-350 w/ 3 Joint Shaft, 1.188" Dia. Brg. Cap & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1994-1992 F-350 w/ Reg. Cab, Auto. Trans., 4.9L & 5.8L Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1994-1992 F-350 w/ Reg. Cab, Man. Trans., 4.9L & 5.8L Engs.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1994-1992 F-350 w/ Reg. Cab, Auto. Trans., 7.3L & 7.5L Engs.: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1994-1992 F-350 w/ Reg. Cab, Man. Trans. & 7.3L Eng.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1994-1992 F-350 w/ Reg. Cab, Man. Trans. & 7.5L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1994-1992 F-350 w/ Ext. Cab: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1994-1992 F-350 w/ Crew Cab, Auto. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1994-1992 F-350 w/ Crew Cab, Man. Trans. & 5.8L Eng.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1994-1992 F-350 w/ Crew Cab, Auto. Trans. & 7.3L Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1994-1992 F-350 w/ Crew Cab, Man. Trans. & 7.3L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1994-1992 F-350 w/ Crew Cab & 7.5L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1994-1992 F-350 Cab & Chassis: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 2

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1994-1989 F59 w/ 3 Joint Shaft: [Type 2]	
U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**
1994-1989 F59 w/ 4 Joint Shaft: [Type 3]	
U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center; Front)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center; Front)	**UJ331-10**
U-Joint (Center; Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center; Rear)	**UJ331-10**
U-Joint (Rear)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**
1991 F-350 w/ 133" Wheel Base, Man. Trans., 4.9L & 5.8L Engs.: [Type 2]	
U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991 F-350 w/ Man. Trans. w/o 133" Wheel Base, 4.9L & 5.8L Engs.: [Type 2]	
U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**
1991 F-350 w/ 2 Joint Shaft & 3 Spd. Auto. Trans.: [Type 1]	
U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**
1991 F-350 w/ 3 Joint Shaft & 3 Spd. Auto. Trans.: [Type 2]	
U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

(Continued)



Type 1



Type 2



Type 3

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991	**F-350 w/ 3 Joint Shaft, 136" Wheel Base, 4 Spd. Auto. Trans. & 5.8L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1991	**F-350 w/ 3 Joint Shaft, 136" Wheel Base, 4 Spd. Auto. Trans. & 7.3L & 7.5L Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1991	**F-350 w/ 3 Joint Shaft, 155" & 160" Wheel Base & 4 Spd. Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1991	**F-350 w/ 3 Joint Shaft, 168" Wheel Base & 4 Spd. Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1990	**F-350 w/ 133" Wheel Base, Man. Trans., 4.9L & 5.8L Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1990	**F-350 w/ 136", 160" Wheel Base & Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**

(Continued)



Type 2

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990	**F-350 w/ Man. Trans., 7.3L & 7.5L Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1990	**F-350 w/ 133" Wheel Base & Auto. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1990	**F-350 w/ 136", 155" Wheel Base & Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1990	**F-350 w/ 160" Wheel Base, Auto. Trans. & 6 Cyl. Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
1990	**F-350 w/ 160" Wheel Base, Auto. Trans. & 8 Cyl. Eng.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1990	**F-350 w/ 168" Wheel Base & Auto. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

(Continued)



Type 1



Type 2

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1989	**F-350 w/ 3 Joint Shaft Exc. 5 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1989	**F-350 w/ 133" Wheel Base, 5 Spd. Man. Trans., 4.9L & 5.8L Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1989	**F-350 w/ 136", 160", 168" Wheel Base, 5 Spd. Man. Trans., 4.9L & 5.8L Engs.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Center)		**UJ331-10**
U-Joint (Rear)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1989	**F-350 w/ 5 Spd. Man. Trans., 7.3L & 7.5L Engs.: [Type 1]**	
U-Joint (Front)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Front)		**UJ331-10**
U-Joint (Rear)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rear)		**UJ331-10**
1989-1987	**F-350 w/ 2 Joint Shaft Exc. 5 Spd. Man. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**
1988	**F-350 w/ 3 Joint Shaft & 5 Spd. Man. Trans.: [Type 2]**	
U-Joint (Front)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Front)		**UJ534-10**
U-Joint (Center)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rear)		**UJ534-10**

(Continued)



Type 1



Type 2

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988 F-350 w/ 3 Joint Shaft, 7.3L & 7.5L Engs. Exc. 5 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1988-1987 F-350 w/ 2 Joint Shaft & 5 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1987 F-350 w/ 3 Joint Shaft & Man. Trans. Exc. HD Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ 3 Joint Shaft & HD 5 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rear)	**UJ331-10**

1987 F-350 w/ 3 Joint Shaft & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1984 F-350 w/ 3 Joint Shaft & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1986-1984 F-350 w/ 3 Joint Shaft & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1986-1980 F-350 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1983-1982 F-350 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ •	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Front)	**UJ534-10**
U-Joint (Front)❶ ■	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-350 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1979 F-350 w/ 1.063" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rear)	**UJ534-10**

1979 F-350 w/ 1.188" Dia. Brg. Cap: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)

• For use w/ U-Bolt Application. ■ For Use w/o U-Bolt Application.



Type 1



Type 2

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1977 F-350 w/ 1.063" Dia. Brg. Cap, 300, 302 & 351 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1978-1977 F-350 w/ 1.188" Dia. Brg. Cap, 300, 302 & 351 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1978-1977 F-350 w/ Auto.Trans., 400 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1978-1977 F-350 w/ Man. Trans., 400 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1976-1975 F-350 w/o 155" Wheel Base, 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

1976-1975 F-350 w/ 390 & 460 Engs. Exc. 155" Wheel Base: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 2

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1976-1975 F-350 w/ 155" Wheel Base: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1974-1968 F-350 w/ 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

1974-1967 F-350 w/o 390 & 460 Engs.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ353**
Brute Force Greaseable	***UJ275***
U-Joint (Rear)❸	**UJ353**
Brute Force Greaseable	***UJ275***

1966-1953 F-350 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1966-1953 F-350 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Center)	**UJ329-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

Drive Shaft (4 W/D)

U-Joint

2017-2011 F-350 Super Duty w/ Single Rear Whls., 2 Joint Driveshaft & Narrow Frt. Axle: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❹	[2] **UJ374**

(Continued)



Type 1



Type 2



Type 28

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2011 F-350 Super Duty w/ Single Rear Whls., 3 Joint Driveshaft & Narrow Frt. Axle: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**

2017-2011 F-350 Super Duty w/ Dual Rear Whls., 2 Joint Driveshaft & Narrow Frt. Axle: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Wheel Joint)❹	[2]	**UJ374**

2017-2011 F-350 Super Duty w/ Dual Rear Whls., 3 Joint Driveshaft & Narrow Frt. Axle: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2011 F-350 Super Duty w/ Single Rear Whls., 2 Joint Driveshaft & Wide Frt. Axle: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❹	[2]	**UJ424**

2017-2011 F-350 Super Duty w/ Single Rear Whls., 3 Joint Driveshaft & Wide Frt. Axle: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ424**

2017-2011 F-350 Super Duty w/ Dual Rear Whls., 2 Joint Driveshaft & Wide Frt. Axle: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Wheel Joint)❹	[2]	**UJ424**

(Continued)



Type 28



Type 29

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2011 F-350 Super Duty w/ Dual Rear Whls., 3 Joint Driveshaft & Wide Frt. Axle: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Wheel Joint)❺	[2]	**UJ424**

2011-2009 F-350 Super Duty w/ CV Driveshaft Exc. Cab & Chassis: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❹	[2]	**UJ374**

2010-2009 F-350 Super Duty w/ Single Rear Whls. & 2 Joint Driveshaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❹	[2]	**UJ374**

2010-2009 F-350 Super Duty w/ Single Rear Whls. & 3 Joint Driveshaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**

2010-2009 F-350 Super Duty w/ Dual Rear Whls. & 2 Joint Driveshaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Wheel Joint)❹	[2]	**UJ374**

2010-2009 F-350 Super Duty w/ Dual Rear Whls. & 3 Joint Driveshaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
U-Joint (Wheel Joint)❺	[2]	**UJ374**

(Continued)



Type 28



Type 29

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2008-2007 F-350 Super Duty Cab & Chassis w/ 2 Joint Shaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Wheel Joint)❹ [2]	**UJ374**

2008-2007 F-350 Super Duty Cab & Chassis w/ 3 Joint Shaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
U-Joint (Wheel Joint)❺ [2]	**UJ374**

2008-2007 F-350 Super Duty w/ 2 Joint Shaft Exc. Cab & Chassis: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❹ [2]	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2008-2007 F-350 Super Duty w/ 3 Joint Shaft Exc. Cab & Chassis: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❺ [2]	**UJ374**

2008-2007 F-350 Super Duty w/ CV Driveshaft Exc. Cab & Chassis: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷ [2]	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❹ [2]	**UJ374**

(Continued)



Type 28



Type 29

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 F-350 Super Duty w/ 2 Joint Shaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❹	[2]	**UJ374**

2006-2005 F-350 Super Duty w/ 3 Joint Shaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**

2006-2005 F-350 Super Duty w/ CV Driveshaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❹	[2]	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ 2 Joint Shaft & 5.4L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

(Continued)



Type 26



Type 28



Type 29

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ 3 Joint Shaft & 5.4L Eng.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ CV Driveshaft & 5.4L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

2004-1999 F-350 Super Duty w/ 2 Joint Shaft, 6.0L, 6.8L & 7.3L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

(Continued)



Type 26



Type 27

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ 3 Joint Shaft, 6.0L, 6.8L & 7.3L Engs.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Ball Seat Repair Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1999 F-350 Super Duty w/ CV Driveshaft, 6.0L, 6.8L & 7.3L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Ball Seat Repair Kit		**UJ617**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

1997-1994 F-350 w/ 133" Wheel Base & 5.8L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)





Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 F-350 w/ 133" Wheel Base, 7.3L & 7.5L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1997-1990 F-350 w/ 136" Wheel Base: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1990 F-350 w/ 160" & 168" Wheel Base: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**

1993-1990 F-350 w/ 133" Wheel Base & Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1990 F-350 w/ 133" Wheel Base, Man. Trans. & 5.8L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1993-1990 F-350 w/ 133" Wheel Base, Man. Trans., 7.3L & 7.5L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring, 133" WB & Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring, 133" WB & Man. Trans. & 5.8L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring, 133" WB & Man. Trans., 7.3L & 7.5L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring, 136" WB & HD 5 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring & 136" WB Exc. HD 5 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring & 160" Wheel Base: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring, 2 Joint Shaft & 168" Wheel Base: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26



Type 27

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Outer Lock Ring, 3 Joint Shaft & 168" Wheel Base: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Inner Lock Ring, 133" WB & Auto. Trans.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**

1989-1988 F-350 w/ Frt. Shaft Inner Lock Ring, 133" WB & Man. Trans. & 5.8L Eng.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**

(Continued)



Type 27



Type 31

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (4 W/D) (Cont.)		
U-Joint (Cont.)		
1989-1988	**F-350 w/ Frt. Shaft Inner Lock Ring, 133" WB & Man. Trans., 7.3L & 7.5L Engs.: [Type 31]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
	U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Rr. Shaft; Frt.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
	U-Joint (Wheel Joint)❻ [2]	**UJ374**
1989-1988	**F-350 w/ Frt. Shaft Inner Lock Ring, 136" WB & HD 5 Spd. Man. Trans.: [Type 31]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
	U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Rr. Shaft; Frt.)❹	**UJ354**
	Brute Force Greaseable	***UJ270***
	Brute Force Non Greaseable	***UJ254***
	(For Aluminum Drive Shaft)	**UJ354C**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
	U-Joint (Wheel Joint)❻ [2]	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (4 W/D) (Cont.)		
U-Joint (Cont.)		
1989-1988	**F-350 w/ Frt. Shaft Inner Lock Ring & 136" WB Exc. HD 5 Spd. Man. Trans.: [Type 31]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
	Brute Force Greaseable	***UJ265***
	Brute Force Non Greaseable	***UJ264***
	U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
	U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
	Brute Force Greaseable	***UJ235***
	Brute Force Non Greaseable	***UJ234***
	U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
	Brute Force Greaseable	***UJ290***
	(For Aluminum Drive Shaft)	**UJ355C**
	U-Joint (Rr. Shaft; Frt.)❹	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
	Brute Force Greaseable	***UJ232***
	Brute Force Non Greaseable	***UJ231***
	(For Aluminum Drive Shaft)	**UJ331C**
	Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
	U-Joint (Wheel Joint)❻ [2]	**UJ374**

(Continued)



Type 31

Ford Truck 1 ton -- (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Inner Lock Ring & 160" Wheel Base: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❸ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
U-Joint (Rr. Shaft; Frt.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Ctr.) **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❻ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❼ ..... [2] **UJ374**

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Inner Lock Ring, 2 Joint Shaft & 168" Wheel Base: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Frt. Shaft; Rr.)❸ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
U-Joint (Rr. Shaft; Frt.)❹ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Frt.) **UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
Clamp Kit (Rr. Shaft; Rr.) **UJ331-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**

(Continued)



Type 31



Type 32

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1989-1988 F-350 w/ Frt. Shaft Inner Lock Ring, 3 Joint Shaft & 168" Wheel Base: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❻		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❼	[2]	**UJ374**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Inner Lock Ring, 2 Joint Shaft & Full Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**

1987 F-350 w/ Frt. Shaft Inner Lock Ring, 3 Joint Shaft & Full Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❼	[2]	**UJ374**

(Continued)



Type 31



Type 32

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Inner Lock Ring, 2 Joint Shaft & Part Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**

1987 F-350 w/ Frt. Shaft Inner Lock Ring, 3 Joint Shaft & Part Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Frt. Shaft; Rr.)❸		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❼	[2]	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Outer Lock Ring, 2 Joint Shaft & Full Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26



Type 31



Type 32

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Outer Lock Ring, 3 Joint Shaft & Full Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1987 F-350 w/ Frt. Shaft Outer Lock Ring, 2 Joint Shaft & Part Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Outer Lock Ring, 3 Joint Shaft & Part Time Transfer Case Exc. 5 Spd. Man. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)





Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Inner Lock Ring, 2 Joint Shaft & 5 Spd. Man. Trans.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❻ [2]	**UJ374**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Inner Lock Ring, 3 Joint Shaft & 5 Spd. Man. Trans.: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Ctr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
U-Joint (Frt. Shaft; Rr.)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
U-Joint (Rr. Shaft; Frt.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❻	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ331-10**
U-Joint (Wheel Joint)❼ [2]	**UJ374**

(Continued)



Type 31



Type 32

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Outer Lock Ring, 2 Joint Shaft & 5 Spd. Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1987 F-350 w/ Frt. Shaft Outer Lock Ring, 3 Joint Shaft & 5 Spd. Man. Trans.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ331-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ331-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

1986 F-350 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
H Yoke		**UJ648**

(Continued)





Ford Truck 1 ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1986 F-350 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.) **UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.) **UJ534-10**
U-Joint (Wheel Joint)❻ ..... [2] **UJ374**
Centering Yoke **UJ608**
H Yoke **UJ648**

1985 F-350 w/ IFS Front Axle & 2 Joint Rear Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.) **UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.) **UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.) **UJ534-10**
U-Joint (Front Axle Left Outer)❺ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Front Axle Right Inner)❻ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Front Axle Right Outer)❼ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985 F-350 w/ IFS Front Axle & 3 Joint Rear Shaft: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.) **UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.) **UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.) **UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❺ **UJ434**
Brute Force Greaseable ***UJ265***
Brute Force Non Greaseable ***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.) **UJ534-10**
U-Joint (Front Axle Left Outer)❻ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Front Axle Right Inner)❼ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**
U-Joint (Front Axle Right Outer)❽ **UJ231**
(For Aluminum Drive Shaft) **UJ231C**

(Continued)


Type 27


Type 36


Type 37

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985 F-350 w/ Monobeam Front Axle & 2 Joint Rear Shaft: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985 F-350 w/ Monobeam Front Axle & 3 Joint Rear Shaft: [Type 32]

U-Joint (Frt. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Frt. Shaft; Rr.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❺		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❻		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❼	[2]	**UJ374**
Centering Yoke		**UJ608**

(Continued)



Type 31



Type 32

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984-1982 F-350 w/ 2 Joint Shaft: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1984-1982 F-350 w/ 3 Joint Shaft: [Type 37]

U-Joint (Frt. Shaft; Frt.)❶	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ534-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❽	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

(Continued)



Type 36



Type 37

(Cont.) -- Ford Truck 1 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-350 w/ Front Axle Inner Lock Rings: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Inner)❻	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
U-Joint (Front Axle Right Outer)❼	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 F-350 w/ Front Axle Outer Lock Rings: [Type 36]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ534-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ434**
Brute Force Greaseable	***UJ265***
Brute Force Non Greaseable	***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ534-10**
U-Joint (Front Axle Left Outer)❺	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Inner)❻	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**
U-Joint (Front Axle Right Outer)❼	**UJ231**
(For Aluminum Drive Shaft)	**UJ231C**

1979 F-350 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

(Continued)



Type 26



Type 36

Ford Truck 1 ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

1979 F-350 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ534-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❺		**UJ434**
Brute Force Greaseable		***UJ265***
Brute Force Non Greaseable		***UJ264***
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ534-10**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Centering Yoke		**UJ608**
Weld Yoke		**UJ638**
H Yoke		**UJ648**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

Ford Truck 1 1/2 ton, 2 1/2 ton

Drive Shaft (4 X 2)

U-Joint

2014-1999 F-450 & F-550 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Front)	**UJ351-10**
U-Joint (Center)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center)	**UJ351-10**
U-Joint (Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Rear)	**UJ351-10**

2014-1999 F-450 & F-550 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Front)	**UJ351-10**
U-Joint (Center; Front)❷	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center; Front)	**UJ351-10**
U-Joint (Center; Rear)❸	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Center; Rear)	**UJ351-10**
U-Joint (Rear)❹	**UJ351**
(For Aluminum Drive Shaft)	**UJ351C**
Clamp Kit (Rear)	**UJ351-10**

Drive Shaft (4 X 4)

U-Joint

2014-2009 F-450 & F-550 w/ 2 Joint Shaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
U-Joint (Wheel Joint)❹	[2]	**UJ424**

(Continued)



Type 2



Type 3



Type 27



Type 28

(Cont.) -- Ford Truck 1 1/2 ton, 2 1/2 ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 X 4) (Cont.)
U-Joint (Cont.)

2014-2009 F-450 & F-550 w/ 3 Joint Shaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
U-Joint (Wheel Joint)❺	[2]	**UJ424**

2008-2005 F-450 & F-550 w/ 2 Joint Shaft: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
U-Joint (Wheel Joint)❹	[2]	**UJ424**

2008-2005 F-450 & F-550 w/ 3 Joint Shaft: [Type 29]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Ctr.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
U-Joint (Wheel Joint)❺	[2]	**UJ424**

Drive Shaft (4 X 4) (Cont.)
U-Joint (Cont.)

2004-1999 F-450 & F-550 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
Ball Seat Repair Kit		**UJ606**
U-Joint (Wheel Joint)❺	[2]	**UJ374**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**

2004-1999 F-450 & F-550 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ331-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ331-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ351-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ351-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351**
(For Aluminum Drive Shaft)		**UJ351C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ351-10**
Ball Seat Repair Kit		**UJ606**
U-Joint (Wheel Joint)❻	[2]	**UJ374**
Flange Yoke		**UJ630F**
H Yoke		**UJ650**


Type 26


Type 27


Type 28


Type 29

Geo Tracker (1989-1997), (from 1998) See-Chevrolet/GMC Truck

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

1997-1989 Tracker: [Type 1]

U-Joint (Front)❶	UJ398
U-Joint (Rear)❷	UJ398

Drive Shaft (4 W/D)

U-Joint

1997-1989 Tracker: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	UJ398
U-Joint (Frt. Shaft; Rr.)❷	UJ398
U-Joint (Rr. Shaft; Frt.)❸	UJ398
U-Joint (Rr. Shaft; Rr.)❹	UJ398

Hino Truck 145, 165

Drive Shaft

U-Joint

2007-2005 145 & 165 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	UJ358
U-Joint (Center)❷	UJ358
U-Joint (Rear)❸	UJ358

2007-2005 145 & 165 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶	UJ358
U-Joint (Center; Front)❷	UJ358
U-Joint (Center; Rear)❸	UJ358
U-Joint (Rear)❹	UJ358

Hino Truck 185

Drive Shaft

U-Joint

2007-2005 185 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	UJ358
U-Joint (Center)❷	UJ358
U-Joint (Rear)❸	UJ358

2007-2005 185 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶	UJ358
U-Joint (Center; Front)❷	UJ358
U-Joint (Center; Rear)❸	UJ358
U-Joint (Rear)❹	UJ358

Hino Truck 238

Drive Shaft

U-Joint

2007-2005 238 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	UJ460
U-Joint (Center)❷	UJ460
U-Joint (Rear)❸	UJ460

2007-2005 238 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶	UJ460
U-Joint (Center; Front)❷	UJ460
U-Joint (Center; Rear)❸	UJ460
U-Joint (Rear)❹	UJ460



Type 1



Type 2



Type 3



Type 13

Hino Truck 258LP

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

2007-2006 258LP w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ460**
U-Joint (Center)❷ **UJ460**
U-Joint (Rear)❸ **UJ460**

2007-2006 258LP w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶ **UJ460**
U-Joint (Center; Front)❷ **UJ460**
U-Joint (Center; Rear)❸ **UJ460**
U-Joint (Rear)❹ **UJ460**

Hino Truck 268

Drive Shaft

U-Joint

2007-2005 268 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ460**
U-Joint (Center)❷ **UJ460**
U-Joint (Rear)❸ **UJ460**

2007-2005 268 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶ **UJ460**
U-Joint (Center; Front)❷ **UJ460**
U-Joint (Center; Rear)❸ **UJ460**
U-Joint (Rear)❹ **UJ460**

Honda Truck Passport

Drive Shaft (2 W/D)

U-Joint

2002-1998 Passport: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ437-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ437-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 Passport: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ437-10**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Center) **UJ437-10**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ437-10**

(Continued)



Type 1



Type 2



Type 3

Honda Truck Passport -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2002-1998 Passport: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 Passport: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

Hummer H1, H2, H3

Drive Shaft (4 W/D)

U-Joint

2009-2006 H3 & H3T: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2009-2003 H2: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Frt.)	**UJ530-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

(Continued)



Type 13



Type 14



Type 15

(Cont.) -- Hummer H1, H2, H3

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006 H1: [Type 24]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Ctr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2002 H1: [Type 24]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Ctr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

IHC Light Truck Scout, Scout II

Drive Shaft (2 W/D)

U-Joint

1980-1970 Scout & Scout II: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Front)	**UJ329-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rear)	**UJ329-10**

1968-1966 Scout: [Type 1]

U-Joint (Front)❶	**UJ429**
Brute Force Greaseable	***UJ250***
U-Joint (Rear)❷	**UJ429**
Brute Force Greaseable	***UJ250***

1965-1961 Scout: [Type 1]

U-Joint (Front)❶	**UJ505**
U-Joint (Rear)❷	**UJ505**

Drive Shaft (4 W/D)

U-Joint

1980-1974 Scout II: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ329-10**
U-Joint (Wheel Joint)❺	[2] **UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***



Type 1



Type 24



Type 26

IHC Light Truck Scout, Scout II -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1980-1974 Scout II: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1973-1971 Scout II: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

IHC Light Truck M1200

Drive Shaft

U-Joint

1972-1968 M1200: [Type 2]

U-Joint (Front)❶	**UJ423**
U-Joint (Center)❷	**UJ423**
U-Joint (Rear)❸	**UJ423**



Type 2



Type 26

IHC Light Truck Pickup, Travelall

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

1975-1974 Travelall: [Type 34]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

(Continued)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

1975-1974 Travelall: [Type 34] (Continued)

U-Joint (Rr. Shaft; Rr.)❻		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❼	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

Infiniti Truck QX4 & QX56

Drive Shaft (2 W/D)

U-Joint

2006-2004 QX56: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2003-2001 QX4: [Type 1]

U-Joint (Front)❶	**UJ393**
U-Joint (Rear)❷	**UJ393**

Drive Shaft (4 W/D)

U-Joint

2006-2004 QX56: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2003-1997 QX4: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
U-Joint (Rr. Shaft; Rr.)❹	**UJ393**



Type 1



Type 2



Type 13



Type 34

Isuzu Truck Amigo, Ascender, Axiom, Hombre, i-280, i-290, i-350, i-370, Pickup, Rodeo, Rodeo Sport, Trooper

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2008-2006 i-280, i-290, & i-370 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2008-2006 i-280, i-290, & i-370 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ355**
Brute Force Greaseable	***UJ290***
(For Aluminum Drive Shaft)	**UJ355C**
Clamp Kit (Rear)	**UJ530-10**

2008-2003 Ascender: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

2004-2002 Axiom: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-1998 Rodeo: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

2003-2001 Rodeo Sport: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

2002-2000 Trooper: [Type 2]

U-Joint (Front)❶	**UJ411**
U-Joint (Center)❷	**UJ411**
U-Joint (Rear)❸	**UJ411**

2000-1998 Amigo: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2000-1996 Hombre w/ Standard Cab: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

(Continued)



Type 1



Type 2

(Cont.) -- Isuzu Truck Amigo, Ascender, Axiom, Hombre, i-280, i-290, i-350, i-370, Pickup, Rodeo, Rodeo Sport, Trooper

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2000-1996 Hombre w/ Extended Cab: [Type 2]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Center)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Center)	**UJ530-10**
U-Joint (Rear)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

1997-1991 Rodeo: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1995-1990 Pickup w/ 105.6" WB, U.S. Built from 1/90: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1995-1990 Pickup w/ 119.2" WB, U.S. Built from 1/90: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

1995-1990 Pickup w/ 105.6" WB, Japan Built from 1/90: [Type 1]

U-Joint (Front)❶	**UJ383**
U-Joint (Rear)❷	**UJ383**

1995-1990 Pickup w/ 119.2" WB, Japan Built from 1/90: [Type 2]

U-Joint (Front)❶	**UJ383**
U-Joint (Center)❷	**UJ383**
U-Joint (Rear)❸	**UJ383**

1994-1989 Amigo: [Type 1]

U-Joint (Front)❶	**UJ383**
U-Joint (Rear)❷	**UJ383**

1990-1988 Pickup w/ 105.6" WB From 12/87 Thru 12/90: [Type 1]

U-Joint (Front)❶	**UJ383**
U-Joint (Rear)❷	**UJ383**

1990-1988 Pickup w/ 119.2" WB From 12/87 Thru 12/90: [Type 2]

U-Joint (Front)❶	**UJ383**
U-Joint (Center)❷	**UJ383**
U-Joint (Rear)❸	**UJ383**

1988-1986 2.0L & 2.2L Gas Engs. w/ 104.3" WB Thru 11/87: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ341**

1988-1986 2.0L & 2.2L Gas Engs. w/ 117.9" WB Thru 11/87: [Type 2]

U-Joint (Front)❶	**UJ341**
U-Joint (Center)❷	**UJ341**
U-Joint (Rear)❸	**UJ341**

1988-1986 2.2L Diesel & 2.3L Gas Engs. w/ 104.3" WB Thru 11/87: [Type 1]

U-Joint (Front)❶	**UJ341**
U-Joint (Rear)❷	**UJ383**

(Continued)



Type 1



Type 2

Isuzu Truck Amigo, Ascender, Axiom, Hombre, i-280, i-290, i-350, i-370, Pickup, Rodeo, Rodeo Sport, Trooper -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988-1986 2.2L Diesel & 2.3L Gas Engs. w/ 117.9" WB Thru 11/87: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ383**

1985-1981 Pickup w/ 104.3" WB: [Type 1]

U-Joint (Front)❶ **UJ341**
U-Joint (Rear)❷ **UJ341**

1985-1981 Pickup w/ 117.9" WB: [Type 2]

U-Joint (Front)❶ **UJ341**
U-Joint (Center)❷ **UJ341**
U-Joint (Rear)❸ **UJ341**

Drive Shaft (4 W/D)

U-Joint

2008-2006 i-350 & i-370: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ355**
Brute Force Greaseable ***UJ290***
(For Aluminum Drive Shaft) **UJ355C**
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

2008-2003 Ascender: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ445**
Brute Force Greaseable ***UJ225***
Clamp Kit (Frt. Shaft; Frt.) **UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Frt.) **UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸ **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
Clamp Kit (Rr. Shaft; Rr.) **UJ530-10**

2004-2002 Axiom: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1998 Rodeo & Rodeo Sport: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

2002-1998 Trooper Exc. Torque on Demand: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ383**
U-Joint (Frt. Shaft; Rr.)❷ **UJ383**
U-Joint (Rr. Shaft; Frt.)❸ **UJ411**
U-Joint (Rr. Shaft; Rr.)❹ **UJ411**

2000-1998 Amigo: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

(Continued)



Type 1



Type 2



Type 13



Type 15



Type 17

(Cont.) -- Isuzu Truck Amigo, Ascender, Axiom, Hombre, i-280, i-290, i-350, i-370, Pickup, Rodeo, Rodeo Sport, Trooper

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1998 Hombre: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1997-1991 Rodeo: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1997-1987 Trooper & Trooper II w/ 3 Joint Rr. Shaft From 11/86: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ383**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ383**
U-Joint (Rr. Shaft; Rr.)❺	**UJ383**

1997-1987 Trooper & Trooper II w/ 2 Joint Rr. Shaft From 7/87: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ383**
U-Joint (Rr. Shaft; Rr.)❹	**UJ383**

1995-1991 Pickup Japan Built From 11/90: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ383**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ383**
U-Joint (Rr. Shaft; Rr.)❺	**UJ383**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995-1990 Pickup American Built From 11/90: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

1991-1988 Pickup From 12/87 Thru 10/90: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ383**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ383**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ383**
U-Joint (Rr. Shaft; Rr.)❺	**UJ383**

1988-1986 Pickup Thru 11/87: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ341**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ341**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ341**
U-Joint (Rr. Shaft; Rr.)❺	**UJ383**

1987-1984 Trooper II Thru 6/87: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ341**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ341**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ341**
U-Joint (Rr. Shaft; Rr.)❺	**UJ341**

1985-1981 Pickup: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ341**
U-Joint (Frt. Shaft; Rr.)❷	**UJ383**
U-Joint (Rr. Shaft; Frt.)❸	**UJ341**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ341**
U-Joint (Rr. Shaft; Rr.)❺	**UJ341**



Type 13



Type 14



Type 15

Isuzu Truck FRR, NPR, NRR

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft

U-Joint

2004-1996 NPR w/ Diesel Eng. From 3/96: [Type 2]

U-Joint (Front)❶	**UJ382**
U-Joint (Center)❷	**UJ382**
U-Joint (Rear)❸	**UJ382**

2004-1996 NPR w/ Gasoline Eng. From 3/96: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

1996-1992 NPR w/ Diesel Eng. & 2 Joint Shaft From 8/92 Thru 2/96: [Type 1]

U-Joint (Front)❶	**UJ382**
U-Joint (Rear)❷	**UJ382**

1996-1992 NPR w/ Diesel Eng. & 3 Joint Shaft From 8/92 Thru 2/96: [Type 2]

U-Joint (Front)❶	**UJ382**
U-Joint (Center)❷	**UJ382**
U-Joint (Rear)❸	**UJ382**

1996-1992 NPR w/ Gas Eng. & 2 Joint Shaft From 8/92 Thru 2/96: [Type 1]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Rear)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

Drive Shaft (Cont.)

U-Joint (Cont.)

1996-1992 NPR w/ Gas Eng. & 3 Joint Shaft From 8/92 Thru 2/96: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Front)	**UJ331-10**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Center)	**UJ331-10**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
Clamp Kit (Rear)	**UJ331-10**

1995-1994 NRR & FRR w/ 2 Joint Shaft From 2/94: [Type 1]

U-Joint (Front)❶	**UJ460**
U-Joint (Rear)❷	**UJ460**

1995-1994 NRR & FRR w/ 3 Joint Shaft From 2/94: [Type 2]

U-Joint (Front)❶	**UJ460**
U-Joint (Center)❷	**UJ460**
U-Joint (Rear)❸	**UJ460**

1994-1991 NRR w/ 2 Joint Shaft From 2/91 Thru 1/94: [Type 1]

U-Joint (Front)❶	**UJ358**
U-Joint (Rear)❷	**UJ358**

1994-1991 NRR w/ 3 Joint Shaft From 2/91 Thru 1/94: [Type 2]

U-Joint (Front)❶	**UJ358**
U-Joint (Center)❷	**UJ358**
U-Joint (Rear)❸	**UJ358**

1992-1986 NPR w/ 2 Joint Shaft Thru 7/92: [Type 1]

U-Joint (Front)❶	**UJ382**
U-Joint (Rear)❷	**UJ382**

1992-1986 NPR w/ 3 Joint Shaft Thru 7/92: [Type 2]

U-Joint (Front)❶	**UJ382**
U-Joint (Center)❷	**UJ382**
U-Joint (Rear)❸	**UJ382**

1991-1988 NRR w/ 2 Joint Shaft From 11/87 Thru 1/91: [Type 1]

U-Joint (Front)❶	**UJ461**
U-Joint (Rear)❷	**UJ461**

(Continued)



Type 1



Type 2

(Cont.) -- Isuzu Truck FRR, NPR, NRR

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (Cont.)

U-Joint (Cont.)

1991-1988 NRR w/ 3 Joint Shaft From 11/87 Thru 1/91: [Type 2]

U-Joint (Front)❶ **UJ461**
U-Joint (Center)❷ **UJ461**
U-Joint (Rear)❸ **UJ461**

Iveco Truck 110, 120, 220, 230, 340 & 450

Drive Shaft

U-Joint

1990-1981 340 & 450 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ370**
U-Joint (Rear)❷ **UJ370**

1990-1981 340 & 450 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ370**
U-Joint (Center)❷ **UJ370**
U-Joint (Rear)❸ **UJ370**

1988-1987 110 & 120 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

Drive Shaft (Cont.)

U-Joint (Cont.)

1988-1987 110 & 120 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Center)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❸ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

1988-1987 220 & 230 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rear)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**

1988-1987 220 & 230 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ370**
U-Joint (Center)❷ **UJ370**
U-Joint (Rear)❸ **UJ370**

Jeep CJ, Commando, Jeepsters VJ, Scrambler, Wrangler

Drive Shaft (4 W/D)

U-Joint

2017-2013 Wrangler: [Type 33]

U-Joint (Wheel Joint)❶ ..... [2] **UJ20057**

2012-2007 Wrangler w/ Trulok Diff.: [Type 33]

U-Joint (Wheel Joint)❶ ..... [2] **UJ20057**

2012-2007 Wrangler w/o Trulok Diff.: [Type 33]

U-Joint (Wheel Joint)❶ ..... [4] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***

(Continued)



Type 1



Type 2



Type 33

Jeep CJ, Commando, Jeepsters VJ, Scrambler, Wrangler -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Wrangler Exc. Rubicon: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

2006-2005 Wrangler Rubicon: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[4]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Wrangler Unlimited Rubicon: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
Centering Ball Kit		**UJ617**
H Yoke		**UJ648**

2006-2005 Wrangler Exc. Rubicon: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

(Continued)



Type 13



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-2003 Wrangler Exc. Rubicon: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

2004-2003 Wrangler Rubicon: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Rr.)❹		**UJ355**
Brute Force Greaseable		***UJ290***
(For Aluminum Drive Shaft)		**UJ355C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[4]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
H Yoke		**UJ648**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2002-1999 Wrangler: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[4]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Ball Kit		**UJ617**
H Yoke		**UJ647**

1998-1997 Wrangler: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 26

Jeep CJ, Commando, Jeepsters VJ, Scrambler, Wrangler -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995-1994 Wrangler w/ 4" Rr. Axle Yoke Exc. ABS: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1995-1994 Wrangler w/ 3.5" Rr. Axle Yoke Exc. ABS: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995-1994 Wrangler w/ ABS & 4" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1995-1994 Wrangler w/ ABS & 3.5" Rr. Axle Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 26

(Cont.) -- Jeep CJ, Commando, Jeepsters VJ, Scrambler, Wrangler

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1993-1987 Wrangler: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1986-1982 CJ7 & Scrambler: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1980 CJ Series & Scrambler w/ 3 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1981-1980 CJ Series & Scrambler w/ 2 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**

(Continued)



Type 26

Jeep CJ, Commando, Jeepsters VJ, Scrambler, Wrangler -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979-1974 CJ Series & Scrambler w/ 2 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**

1979-1974 CJ Series & Scrambler w/ 3 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1973-1972 Jeepster & Commando: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1973-1968 CJ Series w/ 2 Grooved & 2 Plain Frt. Shaft Brgs. [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ361**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ361**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

(Continued)



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1973-1968 CJ Series w/ 4 Plain Frt. Shaft Brgs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1971-1967 Jeepster & Commando w/ 4 Cyl. Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ361**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ361**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1971-1967 Jeepster & Commando w/ 6 Cyl. Eng.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ361**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ514G**
U-Joint (Frt. Shaft; Rr.)❸		**UJ361**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❻	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1967-1960 CJ Series w/ Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

(Continued)



Type 26



Type 31

Jeep CJ, Commando, Jeepsters VJ, Scrambler, Wrangler -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1959 CJ Series: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ329-10**

(Continued)

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1959 CJ Series: [Type 26]

U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ329-10**
U-Joint (Wheel Joint)❺ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

Drive Shaft (2 W/D)

U-Joint

2007-2004 Commander, Grand Cherokee & Liberty: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

2003 Liberty w/ 3.5" Yoke: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2003 Liberty w/ 4" Yoke: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
Clamp Kit (Rear)	**UJ437-10**

2003-2002 Grand Cherokee: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

(Continued)



Type 1



Type 26

(Cont.) -- Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2002	**Liberty w/ 2.4L Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Front)		**UJ437-10**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Rear)		**UJ437-10**
2002	**Liberty w/ 3.7L Eng. & Auto. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Front)		**UJ437-10**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Rear)		**UJ437-10**
2002	**Liberty w/ 3.7L Eng. & Man. Trans.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Front)		**UJ437-10**
U-Joint (Rear)❷		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
Clamp Kit (Rear)		**UJ437-10**
2001-2000	**Cherokee & Grand Cherokee w/ 4.0L Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Front)		**UJ437-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rear)		**UJ437-10**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2001-2000	**Grand Cherokee w/ 4.7L Eng.: [Type 1]**	
U-Joint (Front)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rear)		**UJ437-10**
1999-1985	**All: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Front)		**UJ437-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rear)		**UJ437-10**
1984-1975	**w/ Inner Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit		**UJ318-10**
1984-1975	**w/ Outer Lock Rings: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**
1974-1970	**Wagoneer: [Type 1]**	
U-Joint (Front)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Front)		**UJ329-10**
U-Joint (Rear)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rear)		**UJ329-10**

(Continued)



Type 1

Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1969-1966 Wagoneer: [Type 7]

U-Joint (Rear)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit **UJ318-10**

1965-1964 Wagoneer w/ Auto. Trans.: [Type 1]

U-Joint (Front)❶ **UJ507**
U-Joint (Rear)❷ **UJ505**
U-Bolt Kit (Rear) **UJ329-10**

1965-1964 Wagoneer w/ Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

1963 Wagoneer: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Front) **UJ329-10**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Bolt Kit (Rear) **UJ329-10**

Drive Shaft (4 W/D)

U-Joint

2007-2005 Liberty w/ Man. Trans.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

2007-2005 Liberty w/ Auto. Trans.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rr. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004 Grand Cherokee w/ 6 Cyl. Eng.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**

2004 Grand Cherokee w/ 4.7L Eng.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ380**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
H Yoke **UJ647**

2004 Liberty: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**

(Continued)



Type 1



Type 7



Type 13



Type 17

(Cont.) -- Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003 Liberty w/ 3.5" Yoke: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

2003 Liberty w/ 3.875" Yoke: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

2003-2002 Grand Cherokee w/ 4.7L Eng. Exc. Selec-Trac: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ380**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
H Yoke	**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2003-2002 Grand Cherokee w/ 4.7L Eng. & Selec-Trac: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ380**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
H Yoke	**UJ647**

2003-2002 Grand Cherokee w/ 4.0L Eng.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

2002 Liberty w/ 2.4L Eng.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

(Continued)



Type 13



Type 17

Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2002 Liberty w/ 3.7L Eng.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2001 Grand Cherokee w/ 4.0L Eng.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**

2001 Grand Cherokee w/ 4.7L Eng. & Selec-Trac: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ380**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
H Yoke	**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001 Grand Cherokee w/ 4.7L Eng. Exc. Selec-Trac: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ380**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
H Yoke	**UJ647**

2001-1999 Cherokee w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ [2]	**UJ380**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)	**UJ437-10**
U-Joint (Wheel Joint)❺ [2]	**UJ371**
Brute Force Greaseable	***UJ377***
Brute Force Non Greaseable	***UJ371***
H Yoke	**UJ647**
Centering Ball Kit	**UJ617**

(Continued)



Type 13



Type 17



Type 26

(Cont.) -- Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2001-1999 Cherokee w/ Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

2000-1999 Grand Cherokee w/ 4.0L Eng.: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**

2000-1999 Grand Cherokee w/ 4.7L Eng. & Selec-Trac: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2000-1999 Grand Cherokee w/ 4.7L Eng. Exc. Selec-Trac: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**

1998 Grand Cherokee w/ 4.0L & 5.2L Engs.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

(Continued)



Type 17



Type 26

Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998 Grand Cherokee w/ 5.9L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

1998-1996 Cherokee: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1993 Grand Cherokee: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

1995-1994 Cherokee w/ ABS: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

(Continued)



Type 26

(Cont.) -- Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1995-1994 Cherokee w/o ABS: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

1993 Cherokee: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992 Cherokee: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**
Centering Ball Kit		**UJ617**

1992-1986 Comanche: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26

Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1984 Grand Wagoneer w/ U-Joints at Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1991-1984 Grand Wagoneer w/ CV Joint at Transfer Case: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❹	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1991-1984 Cherokee w/ U-Joints at Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1991-1984 Cherokee w/ CV Joint at Transfer Case: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❹	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**

(Continued)



Type 26



Type 28

(Cont.) -- Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1990-1984 Wagoneer w/ U-Joints at Transfer Case: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**

1990-1984 Wagoneer w/ CV Joint at Transfer Case: [Type 28]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❹	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1983-1980 Cherokee & Wagoneer: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1979-1974 Cherokee & Wagoneer w/ Auto. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

(Continued)



Type 26



Type 28

Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1979-1974 Cherokee & Wagoneer w/ Man. Trans.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**
H Yoke		**UJ647**

1973-1970 Wagoneer w/ Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1973-1970 Wagoneer w/ Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ361**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ361**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ361**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ361**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1969-1968 Wagoneer w/ 3.8L Eng.: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ361**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ361**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1969-1968 Wagoneer w/ 5.3L & 5.7L Engs.: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ505**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ513**
U-Joint (Frt. Shaft; Rr.)❸		**UJ497**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❻	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

(Continued)



Type 26



Type 31

(Cont.) -- Jeep Cherokee (thru 2001), Comanche, Commander, Grand Cherokee, Liberty, Wagoneer

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1967-1966 Wagoneer w/ Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**
U-Joint (Wheel Joint)❺ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

1967-1966 Wagoneer w/ Inner Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ361**
U-Joint (Frt. Shaft; Rr.)❷	**UJ361**
U-Joint (Rr. Shaft; Rr.)❹	**UJ315G**
Brute Force Greaseable	***UJ246***
Clamp Kit (Rr. Shaft; Rr.)	**UJ318-10**
U-Joint (Wheel Joint)❺ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

1965-1964 Wagoneer: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ361**
U-Joint (Frt. Shaft; Rr.)❷	**UJ361**
U-Joint (Rr. Shaft; Frt.)❸	**UJ507**
U-Joint (Rr. Shaft; Rr.)❹	**UJ505**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ329-10**
U-Joint (Wheel Joint)❺ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1963 Wagoneer: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)	**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)	**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)	**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)	**UJ329-10**
U-Joint (Wheel Joint)❺ [2]	**UJ365**
Brute Force Greaseable	***UJ378***
Brute Force Non Greaseable	***UJ365***



Type 26

Jeep F4 Pickup, Gladiator & J series

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

1988-1980 J Series: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**

1979-1974 J Series: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ380**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Centering Yoke		**UJ607**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1973-1970 J Series & Gladiator: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1969-1968 J Series & Gladiator w/ Outer Lock Rings: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

(Continued)



Type 26

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1969-1968 J Series & Gladiator w/ Inner Lock Rings: [Type 31]

U-Joint (Frt. Shaft; Frt.)❶		**UJ505**
U-Joint (Frt. Shaft; Ctr.)❷		**UJ513**
U-Joint (Frt. Shaft; Rr.)❸		**UJ497**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❻	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1967-1963 J Series & Gladiator: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Frt.)		**UJ329-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Frt. Shaft; Rr.)		**UJ329-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Frt.)		**UJ329-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Bolt Kit (Rr. Shaft; Rr.)		**UJ329-10**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1962-1960 F4 Series Pickup: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***

1959-1957 F4 Series Pickup: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
U-Joint (Wheel Joint)❺	[2]	**UJ365**
Brute Force Greaseable		***UJ378***
Brute Force Non Greaseable		***UJ365***



Type 26



Type 31

Kia CUV Sportage

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (AWD)		
U-Joint		
2010-2007 Sportage: [Type 44]		
	U-Joint (Front)❶	UJ386

Kia Truck Sorento & Sportage

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (2 W/D)		
U-Joint		
2006-2003 Sorento: [Type 1]		
	U-Joint (Front)❶	UJ10436
	U-Joint (Rear)❷	UJ10436
2002-1995 Sportage: [Type 2]		
	U-Joint (Front)❶	UJ386
	U-Joint (Center)❷	UJ386
	U-Joint (Rear)❸	UJ386
Drive Shaft (4 W/D)		
U-Joint		
2006-2003 Sorento: [Type 13]		
	U-Joint (Frt. Shaft; Frt.)❶	UJ386
	U-Joint (Frt. Shaft; Rr.)❷	UJ386
	U-Joint (Rr. Shaft; Frt.)❸	UJ20508
	U-Joint (Rr. Shaft; Rr.)❹	UJ20508
2002-1995 Sportage: [Type 13]		
	U-Joint (Frt. Shaft; Frt.)❶	UJ386
	U-Joint (Frt. Shaft; Rr.)❷	UJ386
	U-Joint (Rr. Shaft; Frt.)❸	UJ386
	U-Joint (Rr. Shaft; Rr.)❹	UJ386

Lexus CUV RX300, RX330 & RX350

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (AWD)		
U-Joint		
2009-1999 w/ Staked U-Joints: [Type 41]		
	U-Joint (Front)❶	UJ10430
	U-Joint (Rear)❷	UJ10430



Lexus Truck GX460, GX470, LX450, LX470, LX570

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2009-2003 GX470: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2007-2003 LX470: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2002-1998 LX470: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

1997-1996 LX450: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ389**
U-Joint (Rr. Shaft; Rr.)❹	**UJ389**

Drive Shaft (AWD)

U-Joint

2017-2010 GX460: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2015-2013 LX570: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2011-2008 LX570: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***



Type 13



Type 17

Lincoln Truck Aviator

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D)

U-Joint

2005-2003 All: [Type 1]

U-Joint (Front)❶ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rear)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

Drive Shaft (AWD)

U-Joint

2005-2003 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

Lincoln Truck Blackwood

Drive Shaft (2 W/D)

U-Joint

2002 All: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Lincoln Truck Mark LT

Drive Shaft (2 W/D)

U-Joint

2008-2006 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2008-2006 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Center)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rear)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

(Continued)



Type 1



Type 2



Type 15

(Cont.) -- Lincoln Truck Mark LT

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2008-2006 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

Lincoln Truck Navigator

Drive Shaft (2 W/D)

U-Joint

2017-2007 All: [Type 6]

U-Joint (Center)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2006-2005 Exc. Staked U-Joints: [Type 6]

U-Joint (Center)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2005 w/ Staked U-Joints: [Type 1]

U-Joint (Front)❶	**UJ30488**
U-Joint (Rear)❷	**UJ30488**

2004-2003 All: [Type 7]

U-Joint (Rear)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2002-1998 All: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D)

U-Joint

2017-2007 All: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 1



Type 6



Type 7



Type 13



Type 17

Lincoln Truck Navigator -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-1998 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

Mazda CUV Tribute

Drive Shaft (4 W/D)

U-Joint

2004-2001 Tribute: [Type 43]

U-Joint (Center)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

Drive Shaft (AWD)

U-Joint

2006-2005 Tribute: [Type 43]

U-Joint (Center)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

Mazda Truck B2000, B2200, B2300, B2500, B2600, B3000, B4000, Navajo

Drive Shaft (2 W/D)

U-Joint

2009-1998 B2300, B2500, B3000 & B4000: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 B2300, B3000 & B4000 w/ Regular Cab: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Front)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

(Continued)



Type 1



Type 13



Type 43

(Cont.) Mazda Truck B2000, B2200, B2300, B2500, B2600, B3000, B4000, Navajo

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 B2300, B3000 & B4000 w/ Cab Plus: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Front) **UJ437-10**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Center) **UJ437-10**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rear) **UJ437-10**

1994-1992 Navajo: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1993-1987 B2200 & B2600: [Type 6]

U-Joint (Center)❶ **UJ384**

1987-1986 B2000: [Type 6]

U-Joint (Center)❶ **UJ384**

1984-1972 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ384**
U-Joint (Rear)❷ **UJ384**

1984-1972 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ384**
U-Joint (Center)❷ **UJ384**
U-Joint (Rear)❸ **UJ384**

Drive Shaft (4 W/D)

U-Joint

2009-2002 B2300, B3000 & B4000: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2001-1998 B2300, B2500, B3000 & B4000 w/ Reg. Cab: [Type 22]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

2001-1998 B2300, B2500, B3000 & B4000 w/ Cab Plus: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

(Continued)



Mazda Truck B2000, B2200, B2300, B2500, B2600, B3000, B4000, Navajo (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 B2300, B3000 & B4000 w/ 125" Wheelbase & 3 Joint Frt. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❻	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 B2300, B3000 & B4000 w/ 108" Wheelbase & 2 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

1997-1994 B2300, B3000 & B4000 w/ 114" Wheelbase & 2 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

(Continued)



Type 26



Type 27

(Cont.) Mazda Truck B2000, B2200, B2300, B2500, B2600, B3000, B4000, Navajo

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 B2300, B3000 & B4000 w/ 125" Wheelbase & 2 Joint Frt. Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Rr.)		**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Frt.)		**UJ437-10**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Ctr.)		**UJ437-10**
U-Joint (Rr. Shaft; Rr.)❺		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❻	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997-1994 B2300, B3000 & B4000 w/ 108" Wheelbase & 3 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Rr.)❹		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Rr. Shaft; Rr.)		**UJ437-10**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

1997-1994 B2300, B3000 & B4000 w/ 114" Wheelbase & 3 Joint Frt. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ369**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
(For Aluminum Drive Shaft)		**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)		**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ379**
Brute Force Greaseable		***UJ280***
Brute Force Non Greaseable		***UJ269***
U-Joint (Rr. Shaft; Frt.)❸		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹		**UJ354**
Brute Force Greaseable		***UJ270***
Brute Force Non Greaseable		***UJ254***
(For Aluminum Drive Shaft)		**UJ354C**
U-Joint (Wheel Joint)❺	[3]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
H Yoke		**UJ647**

(Continued)





Mazda Truck B2000, B2200, B2300, B2500, B2600, B3000, B4000, Navajo (Cont.)

MFG./YEAR | MODEL & LOCATION | PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1994-1993 Navajo: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Rr.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
U-Joint (Wheel Joint)❺ ..... [3] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***

1993-1987 B2200 & B2600 w/ Long Bed: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ386**
U-Joint (Frt. Shaft; Rr.)❷ **UJ386**
U-Joint (Rr. Shaft; Frt.)❸ **UJ384**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ384**
U-Joint (Rr. Shaft; Rr.)❺ **UJ384**

1993-1987 B2200 & B2600 w/ Std. Bed: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ386**
U-Joint (Frt. Shaft; Rr.)❷ **UJ386**
U-Joint (Rr. Shaft; Frt.)❸ **UJ384**
U-Joint (Rr. Shaft; Rr.)❹ **UJ384**

1993-1987 B2200 & B2600 w/ Cab Plus: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ **UJ386**
U-Joint (Frt. Shaft; Rr.)❷ **UJ386**
U-Joint (Rr. Shaft; Frt.)❸ **UJ384**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ384**
U-Joint (Rr. Shaft; Rr.)❺ **UJ384**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1992-1991 Navajo w/ 1.063" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
U-Joint (Wheel Joint)❺ ..... [3] **UJ436**
Brute Force Greaseable ***UJ466***
Brute Force Non Greaseable ***UJ436***
H Yoke **UJ647**

1992-1991 Navajo w/ 1.188" Dia. Whl. Joint Brg. Caps: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Rr. Shaft; Rr.) **UJ437-10**
U-Joint (Wheel Joint)❺ ..... [3] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
H Yoke **UJ647**



Type 13



Type 14



Type 26

Mercury CUV Mariner

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2007-2005 Mariner: [Type 43]

U-Joint (Center)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Rear)	**UJ437-10**

Mercury Truck Mountaineer

Drive Shaft (2 W/D)

U-Joint

2010-1997 All: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D)

U-Joint

2003-1998 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1997 Thru 7/23/96: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷	[2] **UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
H Yoke	**UJ647**

1997 From 7/24/96: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Frt. Shaft; Frt.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 13



Type 15



Type 43

Mercury Truck Mountaineer -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD)

U-Joint

2010-2006 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**

2005-1998 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

1997 From 7/24/96: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**

1997 Thru 7/23/96: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
Clamp Kit (Frt. Shaft; Frt.) **UJ437-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
U-Joint (Rr. Shaft; Rr.)❹ **UJ354**
Brute Force Greaseable ***UJ270***
Brute Force Non Greaseable ***UJ254***
(For Aluminum Drive Shaft) **UJ354C**
H Yoke **UJ647**

Mitsubishi CUV Outlander

Drive Shaft (AWD)

U-Joint

2006-2003 Outlander: [Type 41]

U-Joint (Front)❶ **UJ398**
U-Joint (Rear)❷ **UJ398**



Type 13



Type 15



Type 41

Mitsubishi Truck Mighty Max, Montero, Montero Sport, Raider

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2009-2006 Raider w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2009-2006 Raider w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2003-2000 Montero Sport w/ 3.5L Eng.: [Type 6]

U-Joint (Center)❶	**UJ450**
U-Joint (Rear)❷	**UJ450**

2003-1997 Montero Sport w/ 3.0L Eng.: [Type 2]

U-Joint (Front)❶	**UJ450**
U-Joint (Center)❷	**UJ450**
U-Joint (Rear)❸	**UJ450**

1999-1997 Montero Sport w/ 2.4L Eng.: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

1996-1989 Mighty Max w/ Standard Cab & Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

1996-1989 Mighty Max w/ Standard Cab & Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1996-1989 Mighty Max w/ Extended Cab & Auto. Trans.: [Type 2]

U-Joint (Front)❶	**UJ398**
U-Joint (Center)❷	**UJ398**
U-Joint (Rear)❸	**UJ398**

1996-1989 Mighty Max w/ Extended Cab & Man. Trans.: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

1988-1983 Mighty Max w/ 2 Joint Shaft & 2.0L Eng.: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988-1983 Mighty Max w/ 3 Joint Shaft & 2.0L Eng.: [Type 2]

U-Joint (Front)❶	**UJ398**
U-Joint (Center)❷	**UJ398**
U-Joint (Rear)❸	**UJ398**

1988-1983 Mighty Max w/ 2 Joint Shaft & 2.6L Eng.: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**

1988-1983 Mighty Max w/ 3 Joint Shaft & 2.6L Eng.: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

1985-1983 Mighty Max w/ 2.3L Eng.: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

Drive Shaft (4 W/D)

U-Joint

2009-2006 Raider: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2001 Montero: [Type 22]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**

2004-2001 Montero Sport: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Rr. Shaft; Frt.)❷	**UJ450**
U-Joint (Rr. Shaft; Rr.)❸	**UJ450**

2000 Montero Sport: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Rr. Shaft; Frt.)❷	**UJ450**
U-Joint (Rr. Shaft; Rr.)❸	**UJ450**

2000-1999 Montero w/ Man. Trans.: [Type 22]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**

2000-1999 Montero w/ Auto. Trans.: [Type 22]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Rr. Shaft; Rr.)❷	**UJ450**

1999 Montero Sport Exc. LTD w/ 3.5L Eng.: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Rr. Shaft; Frt.)❷	**UJ450**
U-Joint (Rr. Shaft; Rr.)❸	**UJ450**

(Continued)



Mitsubishi Truck Mighty Max, Montero, Montero Sport, Raider -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1999	Montero Sport LTD w/ 3.5L Eng.: [Type 15]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ399
	U-Joint (Rr. Shaft; Frt.)❷	UJ450
	U-Joint (Rr. Shaft; Rr.)❸	UJ450
1998-1997	Montero w/ Auto. Trans.: [Type 20]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ399
	U-Joint (Frt. Shaft; Rr.)❷	UJ399
	U-Joint (Rr. Shaft; Rr.)❸	UJ450
1998-1997	Montero w/ Man. Trans.: [Type 20]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ399
	U-Joint (Frt. Shaft; Rr.)❷	UJ399
1998-1997	Montero Sport: [Type 15]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Rr. Shaft; Frt.)❷	UJ450
	U-Joint (Rr. Shaft; Rr.)❸	UJ450
1996-1994	Montero w/ 3.0L Eng.: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450
1996-1994	Montero w/ 3.5L Eng. From 12/2/93: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ399
	U-Joint (Frt. Shaft; Rr.)❷	UJ399
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450
1996-1990	Mighty Max w/ 2 Joint Shaft: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1996-1990	Mighty Max w/ 3 Joint Shaft: [Type 14]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Ctr.)❹	UJ450
	U-Joint (Rr. Shaft; Rr.)❺	UJ450
1994	Montero w/ 3.5L Eng. Thru 12/1/93: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ399
	U-Joint (Frt. Shaft; Rr.)❷	UJ399
1993-1990	Montero: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450
1989	Montero w/ 2.6L Eng.: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ399
	U-Joint (Rr. Shaft; Rr.)❹	UJ399
1989	Montero w/ 3.0L Eng.: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ450
	U-Joint (Rr. Shaft; Rr.)❹	UJ450
1989-1983	Mighty Max: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ399
	U-Joint (Rr. Shaft; Rr.)❹	UJ399
1988-1983	Montero: [Type 13]	
	U-Joint (Frt. Shaft; Frt.)❶	UJ398
	U-Joint (Frt. Shaft; Rr.)❷	UJ398
	U-Joint (Rr. Shaft; Frt.)❸	UJ399
	U-Joint (Rr. Shaft; Rr.)❹	UJ399



Type 13



Type 14



Type 15



Type 20

Nissan Truck

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2017-2016 NV2500 & NV3500: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***

2017-2012 NV1500: [Type 2]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Center)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Rear)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***

2017-2005 Frontier w/ 4 Cyl. Eng.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2017-2005 Frontier w/ 6 Cyl. Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2015-2012 NV2500 & NV3500 w/ 4.0L Eng.: [Type 2]

U-Joint (Front)❶	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Center)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
U-Joint (Rear)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2015-2012 NV2500 & NV3500 w/ 5.6L Eng.: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***

2015-2007 Titan: [Type 2]

U-Joint (Front)❶	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Center)❷	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rear)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2015-2005 Armada: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2015-2005 Xterra: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2012 Pathfinder: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

(Continued)



Type 1



Type 2

Nissan Truck -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2011-2009 Pathfinder: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2008-2005 Pathfinder: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2004 Titan: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2004 Pathfinder Armada: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2004-2002 Frontier w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2004-2002 Frontier w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2004-2001 Pathfinder: [Type 1]

U-Joint (Front)❶	**UJ393**
U-Joint (Rear)❷	**UJ393**

2000-1989 Pathfinder: [Type 2]

U-Joint (Front)❶	**UJ399**
U-Joint (Center)❷	**UJ399**
U-Joint (Rear)❸	**UJ399**

1997-1986 Pickup w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
Clamp Kit (Center)	**UJ437-10**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1994-1986 Pickup w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1985-1965 520, 521, 620 & 720 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ391**
U-Joint (Rear)❷	**UJ391**

1985-1965 520, 521, 620 & 720 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ391**
U-Joint (Center)❷	**UJ391**
U-Joint (Rear)❸	**UJ391**

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2017-2005 Frontier & Xterra: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2015-2007 Armada & Titan: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ330**
Brute Force Greaseable	***UJ295***
(For Aluminum Drive Shaft)	**UJ330C**

2012 Pathfinder: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2011-2009 Pathfinder: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2008-2005 Pathfinder: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2005 Armada: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



Type 13



Type 15

Nissan Truck -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2004 Titan: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2004 Pathfinder Armada: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2004-1998 Frontier w/ 2 Joint Rear Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2004-1998 Frontier w/ 3 Joint Rear Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2004-1990 Pathfinder w/ Rear Shaft Inner Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
U-Joint (Rr. Shaft; Rr.)❹	**UJ393**

2004-1990 Pathfinder w/ Rear Shaft Outer Lock Rings: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

(Continued)



Type 13



Type 14

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (4 W/D) (Cont.)		
U-Joint (Cont.)		
1997-1986	**Pickup American Built w/ 2 Joint Shaft: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1997-1986	**Pickup American Built w/ 3 Joint Shaft: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ369**
	Brute Force Greaseable	***UJ280***
	Brute Force Non Greaseable	***UJ269***
	(For Aluminum Drive Shaft)	**UJ369C**
1989-1988	**Pickup Japan Built w/ 2 Joint Shaft & 4 Cyl. Eng.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ391**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ391**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ446**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ446**
1989-1988	**Pickup Japan Built w/ 3 Joint Shaft & 4 Cyl. Eng.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ391**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ391**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ446**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ446**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ446**

MFG./YEAR	MODEL & LOCATION	PART NO.
Drive Shaft (4 W/D) (Cont.)		
U-Joint (Cont.)		
1989-1988	**Pickup Japan Built w/ 2 Joint Shaft & 6 Cyl. Eng.: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ393**
1989-1988	**Pickup Japan Built w/ 3 Joint Shaft & 6 Cyl. Eng.: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ393**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ393**
1989-1987	**Pathfinder: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ393**
1987-1986	**Pickup Japan Built w/ 2 Joint Shaft: [Type 13]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
	U-Joint (Rr. Shaft; Rr.)❹	**UJ393**
1987-1986	**Pickup Japan Built w/ 3 Joint Shaft: [Type 14]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ446**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ446**
	U-Joint (Rr. Shaft; Frt.)❸	**UJ393**
	U-Joint (Rr. Shaft; Ctr.)❹	**UJ393**
	U-Joint (Rr. Shaft; Rr.)❺	**UJ393**
1986-1983	**720 Pickup: [Type 25]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ393**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ393**
	U-Joint (Intmd. Shaft; Frt.)❸	**UJ393**
	U-Joint (Intmd. Shaft; Rr.)❹	**UJ393**
	U-Joint (Rr. Shaft; Frt.)❺	**UJ393**
	U-Joint (Rr. Shaft; Rr.)❻	**UJ393**
1982-1980	**720 Pickup: [Type 25]**	
	U-Joint (Frt. Shaft; Frt.)❶	**UJ391**
	U-Joint (Frt. Shaft; Rr.)❷	**UJ391**
	U-Joint (Intmd. Shaft; Frt.)❸	**UJ391**
	U-Joint (Intmd. Shaft; Rr.)❹	**UJ391**
	U-Joint (Rr. Shaft; Frt.)❺	**UJ391**
	U-Joint (Rr. Shaft; Rr.)❻	**UJ391**



Type 13



Type 14



Type 25

Oldsmobile Truck Bravada

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2004-2002 All: [Type 1]

U-Joint (Front)❶	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Front)	**UJ530-10**
U-Joint (Rear)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rear)	**UJ530-10**

Drive Shaft (AWD)

U-Joint

2004-1998 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1997-1996 All: [Type 21]

U-Joint (Frt. Shaft; Rr.)❶ [2]	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Frt. Shaft; Rr.)	**UJ530-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**
Ball Seat Repair Kit	**UJ606**
Flange Yoke	**UJ626**
H Yoke	**UJ646**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

1994-1991 w/ 2.75" Front Shaft Yoke: [Type 21]

U-Joint (Frt. Shaft; Rr.)❶ [2]	**UJ437G**
Brute Force Greaseable	***UJ240***
Brute Force Non Greaseable	***UJ237***
Clamp Kit (Frt. Shaft; Rr.)	**UJ437-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

1994-1991 w/ 3.5" Front Shaft Yoke: [Type 21]

U-Joint (Frt. Shaft; Rr.)❶ [2]	**UJ379**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Plymouth Truck Arrow Pickup

Drive Shaft (2 W/D)

U-Joint

1982-1979 2.0L Eng.: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

1982-1979 2.6L Eng.: [Type 1]

U-Joint (Front)❶	**UJ399**
U-Joint (Rear)❷	**UJ399**



Type 1



Type 15



Type 21

Plymouth Truck Trailduster

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

1981-1975 w/ 2.125" Yoke: [Type 1]

U-Joint (Front)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Front)		**UJ318-10**
U-Joint (Rear)❷		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rear)		**UJ318-10**

1981-1975 w/ 2.625" Yoke: [Type 1]

U-Joint (Front)❶		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Front)		**UJ316-10**
U-Joint (Rear)❷		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rear)		**UJ316-10**

Drive Shaft (4 W/D)

U-Joint

1981-1977 w/ 2.125" Rear Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1981-1977 w/ 2.625" Rear Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ316**
Brute Force Greaseable		***UJ248***
Clamp Kit (Rr. Shaft; Rr.)		**UJ316-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

1976-1974 w/ Frt. Shaft Inner Lock Rings & 2.125" Rear Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Frt. Shaft; Frt.)		**UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ534G**
Brute Force Greaseable		***UJ235***
Brute Force Non Greaseable		***UJ234***
U-Joint (Rr. Shaft; Frt.)❸		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Frt.)		**UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹		**UJ315G**
Brute Force Greaseable		***UJ246***
Clamp Kit (Rr. Shaft; Rr.)		**UJ318-10**
U-Joint (Wheel Joint)❺	[2]	**UJ371**
Brute Force Greaseable		***UJ377***
Brute Force Non Greaseable		***UJ371***
Ball Seat Repair Kit		**UJ606**
Flange Yoke		**UJ626**
H Yoke		**UJ646**

(Continued)



Type 1



Type 26

Plymouth Truck Trailduster -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO. MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1974 w/ Frt. Shaft Inner Lock Rings & 2.625" Rear Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ534G**
Brute Force Greaseable ***UJ235***
Brute Force Non Greaseable ***UJ234***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Ball Seat Repair Kit **UJ606**
Flange Yoke **UJ626**
H Yoke **UJ646**

1976-1974 w/ Frt. Shaft Outer Lock Rings & 2.125" Rear Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Rr.) **UJ318-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Yoke **UJ607**
H Yoke **UJ647**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1976-1974 w/ Frt. Shaft Outer Lock Rings & 2.625" Rear Shaft Yoke: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Frt. Shaft; Frt.) **UJ318-10**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ379**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
U-Joint (Rr. Shaft; Frt.)❸ **UJ315G**
Brute Force Greaseable ***UJ246***
Clamp Kit (Rr. Shaft; Frt.) **UJ318-10**
U-Joint (Rr. Shaft; Rr.)❹ **UJ316**
Brute Force Greaseable ***UJ248***
Clamp Kit (Rr. Shaft; Rr.) **UJ316-10**
U-Joint (Wheel Joint)❺ ..... [2] **UJ371**
Brute Force Greaseable ***UJ377***
Brute Force Non Greaseable ***UJ371***
Centering Yoke **UJ607**
H Yoke **UJ647**

Pontiac CUV Torrent

Drive Shaft (AWD)

U-Joint

2006 All: [Type 43]

U-Joint (Center)❶ **UJ10439**
U-Joint (Rear)❷ **UJ409**



Type 26



Type 43

RAM 1/2 Ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2017-2014 1500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2014 1500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2013-2011 1500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2013-2011 1500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2011 Dakota w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2011 Dakota w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D)

U-Joint

2017-2014 1500 w/ 2 Joint Shaft: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2014 1500 w/ 3 Joint Shaft: [Type 18]

U-Joint (Rr. Shaft; Frt.)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2013-2011 1500 w/ 2 Joint Shaft: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

(Continued)



RAM 1/2 Ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2013-2011 1500 w/ 3 Joint Shaft: [Type 16]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2011 Dakota: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

RAM 3/4 Ton

Drive Shaft (2 W/D)

U-Joint

2017-2013 2500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***

2017-2013 2500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ358**
U-Joint (Center)❷	**UJ358**
U-Joint (Rear)❸	**UJ358**

2012-2011 2500 w/ Diesel Eng. & 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ351A**
U-Joint (Rear)❷	**UJ351A**

2012-2011 2500 w/ Gas Eng. & 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***

2012-2011 2500 w/ Diesel Eng. & 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ351A**
U-Joint (Center)❷	**UJ351A**
U-Joint (Rear)❸	**UJ351A**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2012-2011 2500 w/ Gas Eng. & 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Center)❷	**UJ330A**
Brute Force Greaseable	***UJ295A***
U-Joint (Rear)❸	**UJ330A**
Brute Force Greaseable	***UJ295A***

(Continued)



Type 1



Type 2



Type 15



Type 16

(Cont.) -- RAM 3/4 Ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2017-2013 2500 w/ 2 Joint Rr. Shaft Serrated Frt. Pin. Flange: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2017-2013 2500 w/ 3 Joint Rr. Shaft Serrated Frt. Pin. Flange: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358**
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2017-2013 2500 w/ 2 Joint Rr. Shaft Flat Faced Frt. Pin. Flange: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2013 2500 w/ 3 Joint Rr. Shaft Flat Faced Frt. Pin. Flange: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358**
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2012-2011 2500 w/ Gas Eng. & 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2012-2011 2500 w/ Gas Eng. & 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Rr. Shaft; Rr.)❺		**UJ330A**
Brute Force Greaseable		***UJ295A***
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

(Continued)





RAM 3/4 Ton -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2012-2011 2500 w/ Diesel Eng. & 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2012-2011 2500 w/ Diesel Eng. & 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

RAM 1 Ton

Drive Shaft (2 W/D)

U-Joint

2017-2013 3500 w/ 2 Joint Rr. Shaft: [Type 1]

U-Joint (Front)❶		**UJ358**
U-Joint (Rear)❷		**UJ358**

2017-2013 3500 w/ 3 Joint Rr. Shaft: [Type 2]

U-Joint (Front)❶		**UJ358**
U-Joint (Center)❷		**UJ358**
U-Joint (Rear)❸		**UJ358**

2012-2011 3500 w/ 2 Joint Shaft & Single Rear Wheels: [Type 1]

U-Joint (Front)❶		**UJ351A**
U-Joint (Rear)❷		**UJ351A**

2012-2011 3500 w/ 2 Joint Shaft & Dual Rear Wheels: [Type 1]

U-Joint (Front)❶		**UJ358A**
U-Joint (Rear)❷		**UJ358A**

2012-2011 3500 w/ 3 Joint Shaft & Single Rear Wheels: [Type 2]

U-Joint (Front)❶		**UJ351A**
U-Joint (Center)❷		**UJ351A**
U-Joint (Rear)❸		**UJ351A**

2012-2011 3500 w/ 3 Joint Shaft & Dual Rear Wheels: [Type 2]

U-Joint (Front)❶		**UJ358A**
U-Joint (Center)❷		**UJ358A**
U-Joint (Rear)❸		**UJ358A**

Drive Shaft (4 W/D)

U-Joint

2017-2013 3500 w/ 2 Joint Rr. Shaft & Flat Faced Frt. Pin. Flange: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358**
U-Joint (Wheel Joint)❺	[2]	**UJ479**

2017-2013 3500 w/ 2 Joint Rr. Shaft & Serrated Frt. Pin. Flange: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358**
U-Joint (Wheel Joint)❺	[2]	**UJ479**

(Continued)



Type 1



Type 2



Type 26



Type 27

(Cont.) -- RAM 1 Ton

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2013 3500 w/ 3 Joint Rr. Shaft & Flat Faced Frt. Pin. Flange: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ330**
Brute Force Greaseable		***UJ295***
(For Aluminum Drive Shaft)		**UJ330C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358**
U-Joint (Wheel Joint)❻	[2]	**UJ479**

2017-2013 3500 w/ 3 Joint Rr. Shaft & Serrated Frt. Pin. Flange: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ358**
U-Joint (Rr. Shaft; Rr.)❺		**UJ358**
U-Joint (Wheel Joint)❻	[2]	**UJ479**

2012-2011 3500 w/ 2 Joint Shaft & Dual Rear Wheels: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ358A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ358A**
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2012-2011 3500 w/ 2 Joint Shaft & Single Rear Wheels: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❹		**UJ351A**
U-Joint (Wheel Joint)❺	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

2012-2011 3500 w/ 3 Joint Shaft & Single Rear Wheels: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶		**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ331**
Brute Force Greaseable		***UJ232***
Brute Force Non Greaseable		***UJ231***
(For Aluminum Drive Shaft)		**UJ331C**
U-Joint (Rr. Shaft; Frt.)❸		**UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹		**UJ351A**
U-Joint (Rr. Shaft; Rr.)❺		**UJ351A**
U-Joint (Wheel Joint)❻	[2]	**UJ479**
Centering Ball Kit		**UJ617**
H Yoke		**UJ650**

(Continued)



Type 26



Type 27

RAM 1 Ton -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2012-2011 3500 Cab & Chassis w/ 2 Joint Rr. Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358A**
U-Joint (Rr. Shaft; Rr.)❹ **UJ358A**
U-Joint (Wheel Joint)❺ ..... [2] **UJ479**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

2012-2011 3500 Cab & Chassis w/ 3 Joint Rr. Shaft & Dual Rr. Whls.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358A**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ358A**
U-Joint (Rr. Shaft; Rr.)❺ **UJ358A**
U-Joint (Wheel Joint)❻ ..... [2] **UJ479**
Centering Ball Kit **UJ617**
H Yoke **UJ650**

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2012-2011 R3500 Cab & Chassis w/ 3 Joint Rr. Shaft & Single Rr. Whls.: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ351A**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ351A**
U-Joint (Rr. Shaft; Rr.)❺ **UJ351A**
U-Joint (Wheel Joint)❻ ..... [2] **UJ479**
Centering Ball Kit **UJ617**
H Yoke **UJ650**



Type 26



Type 27

RAM 1 1/2 Ton, 2 Ton

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 X 2)

U-Joint

2017-2011 4500 & 5500 w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ358**
U-Joint (Rear)❷ **UJ358**

2017-2011 4500 & 5500 w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ358**
U-Joint (Center)❷ **UJ358**
U-Joint (Rear)❸ **UJ358**

2017-2011 4500 & 5500 w/ 4 Joint Shaft: [Type 3]

U-Joint (Front)❶ **UJ358**
U-Joint (Center; Front)❷ **UJ358**
U-Joint (Center; Rear)❸ **UJ358**
U-Joint (Rear)❹ **UJ358**

Drive Shaft (4 X 4)

U-Joint

2017-2013 4500 & 5500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358**
U-Joint (Rr. Shaft; Rr.)❹ **UJ358**
U-Joint (Wheel Joint)❺ ..... [2] **UJ479**

2017-2013 4500 & 5500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Frt. Shaft; Rr.)❷ **UJ330**
Brute Force Greaseable ***UJ295***
(For Aluminum Drive Shaft) **UJ330C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ358**
U-Joint (Rr. Shaft; Rr.)❺ **UJ358**
U-Joint (Wheel Joint)❻ ..... [2] **UJ479**

2012-2011 4500 & 5500 w/ 2 Joint Shaft: [Type 26]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358**
U-Joint (Rr. Shaft; Rr.)❹ **UJ358**
H Yoke **UJ650**

(Continued)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 X 4) (Cont.)

U-Joint (Cont.)

2012-2011 4500 & 5500 w/ 3 Joint Shaft: [Type 27]

U-Joint (Frt. Shaft; Frt.)❶ **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] **UJ331**
Brute Force Greaseable ***UJ232***
Brute Force Non Greaseable ***UJ231***
(For Aluminum Drive Shaft) **UJ331C**
U-Joint (Rr. Shaft; Frt.)❸ **UJ358**
U-Joint (Rr. Shaft; Ctr.)❹ **UJ358**
U-Joint (Rr. Shaft; Rr.)❺ **UJ358**
H Yoke **UJ650**



Rover

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2004-1999 Discovery: [Type 19]

U-Joint (Frt. Shaft; Frt.)❶		**UJ344**
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ344**
U-Joint (Rr. Shaft; Frt.)❸		**UJ344**

2002-1998 Range Rover: [Type 19]

U-Joint (Frt. Shaft; Frt.)❶	**UJ344**
U-Joint (Frt. Shaft; Rr.)❷	**UJ344**
U-Joint (Rr. Shaft; Frt.)❸	**UJ344**

1998-1994 Discovery: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ344**
U-Joint (Frt. Shaft; Rr.)❷	**UJ344**
U-Joint (Rr. Shaft; Frt.)❸	**UJ344**
U-Joint (Rr. Shaft; Rr.)❹	**UJ344**

1997-1986 Defender & Range Rover: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ344**
U-Joint (Frt. Shaft; Rr.)❷	**UJ344**
U-Joint (Rr. Shaft; Frt.)❸	**UJ344**
U-Joint (Rr. Shaft; Rr.)❹	**UJ344**

1974-1971 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1970-1962 3.5" Rr. Shaft Yokes: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (PTO)	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1970-1962 3.25" Rr. Shaft Yokes: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ344**
U-Joint (Rr. Shaft; Rr.)❹	**UJ344**
U-Joint (PTO)	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1961-1950 All: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ344**
U-Joint (Frt. Shaft; Rr.)❷	**UJ344**
U-Joint (Rr. Shaft; Frt.)❸	**UJ344**
U-Joint (Rr. Shaft; Rr.)❹	**UJ344**

Drive Shaft (AWD)

U-Joint

2005-2002 Freelander: [Type 18]

U-Joint (Rr. Shaft; Frt.)❶	**UJ341**
U-Joint (Rr. Shaft; Ctr.)❷	**UJ341**
U-Joint (Rr. Shaft; Rr.)❸	**UJ341**



Type 13



Type 18



Type 19

Saab Truck 9-7X

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD)

U-Joint

2009-2008 9-7X Aero: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Frt.)	**UJ492-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ331A**
Brute Force Greaseable	***UJ232A***
Clamp Kit (Rr. Shaft; Rr.)	**UJ492-10**

2009-2008 9-7X Exc. Aero: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Drive Shaft (AWD) (Cont.)

U-Joint (Cont.)

2007-2005 All: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶	**UJ445**
Brute Force Greaseable	***UJ225***
Clamp Kit (Frt. Shaft; Frt.)	**UJ360-10**
U-Joint (Rr. Shaft; Frt.)❷	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Frt.)	**UJ530-10**
U-Joint (Rr. Shaft; Rr.)❸	**UJ534G**
Brute Force Greaseable	***UJ235***
Brute Force Non Greaseable	***UJ234***
Clamp Kit (Rr. Shaft; Rr.)	**UJ530-10**

Saturn CUV Vue

Drive Shaft (AWD)

U-Joint

2007-2002 Vue: [Type 43]

U-Joint (Center)❶	**UJ409**
U-Joint (Rear)❷	**UJ10439**

Subaru CUV Forester

Drive Shaft (AWD)

U-Joint

2005-1998 Forester: [Type 41]

U-Joint (Front)❶	**UJ10430**
U-Joint (Rear)❷	**UJ10430**



Type 15



Type 41



Type 43

Suzuki Equator, Grand Vitara, Samurai, Sidekick, Vitara, XL7

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D)

U-Joint

2013-2006 Grand Vitara: [Type 1]

U-Joint (Front)❶	**UJ408**
U-Joint (Rear)❷	**UJ408**

2011-2009 Equator w/ 4 Cyl Eng.: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2011-2009 Equator w/ 6 Cyl. Eng.: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2002 XL-7: [Type 4]

U-Joint (Front)❶	**UJ408**

2005-1999 Grand Vitara w/ Auto. Trans.: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

2005-1999 Grand Vitara w/ Man. Trans.: [Type 1]

U-Joint (Front)❶	**UJ408**
U-Joint (Rear)❷	**UJ408**

2004-1999 Vitara: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

1998-1991 Sidekick: [Type 1]

U-Joint (Front)❶	**UJ398**
U-Joint (Rear)❷	**UJ398**

Drive Shaft (4 W/D)

U-Joint

2013-2006 Grand Vitara: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ408**
U-Joint (Rr. Shaft; Rr.)❷	**UJ408**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2011-2009 Equator: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2006-2001 XL-7: [Type 19]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Frt. Shaft; Rr.)❷	**UJ398**
U-Joint (Rr. Shaft; Frt.)❸	**UJ408**

2005-1999 Grand Vitara & Vitara w/ Auto. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Frt. Shaft; Rr.)❷	**UJ398**
U-Joint (Rr. Shaft; Frt.)❸	**UJ398**
U-Joint (Rr. Shaft; Rr.)❹	**UJ398**

2005-1999 Grand Vitara & Vitara w/ Man. Trans.: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Frt. Shaft; Rr.)❷	**UJ398**
U-Joint (Rr. Shaft; Frt.)❸	**UJ408**
U-Joint (Rr. Shaft; Rr.)❹	**UJ408**

2004-1999 Vitara: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Frt. Shaft; Rr.)❷	**UJ398**
U-Joint (Rr. Shaft; Frt.)❸	**UJ398**
U-Joint (Rr. Shaft; Rr.)❹	**UJ398**

1998-1989 Sidekick: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Frt. Shaft; Rr.)❷	**UJ398**
U-Joint (Rr. Shaft; Frt.)❸	**UJ398**
U-Joint (Rr. Shaft; Rr.)❹	**UJ398**

1995-1986 Samurai: [Type 25]

U-Joint (Frt. Shaft; Frt.)❶	**UJ398**
U-Joint (Frt. Shaft; Rr.)❷	**UJ398**
U-Joint (Intmd. Shaft; Frt.)❸	**UJ398**
U-Joint (Intmd. Shaft; Rr.)❹	**UJ398**
U-Joint (Rr. Shaft; Frt.)❺	**UJ398**
U-Joint (Rr. Shaft; Rr.)❻	**UJ398**



Type 1



Type 2



Type 4



Type 13



Type 17



Type 19



Type 25

Toyota CUV Highlander & RAV4

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (AWD)

U-Joint

2007-2001 Highlander Exc. Hybrid Eng.: [Type 41]

U-Joint (Front)❶	**UJ10430**
U-Joint (Rear)❷	**UJ10430**

2001-1996 RAV4: [Type 41]

U-Joint (Front)❶	**UJ10430**
U-Joint (Rear)❷	**UJ10430**

Toyota Truck

Drive Shaft (2 W/D)

U-Joint

2017-2008 Sequoia: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2007 Tundra w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2007 Tundra w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Center)❷	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rear)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2005 Tacoma w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2017-2005 Tacoma w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2017-1990 4Runner: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2014-2007 FJ Cruiser: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

(Continued)



Type 1



Type 2



Type 41

Toyota Truck -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2006-2005 Tundra: [Type 2]

U-Joint (Front)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Center)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rear)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2004-2001 Sequoia: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2004-2001 Tacoma w/ Reg. Cab & Inner Lock Rings: [Type 7]

U-Joint (Rear)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2004-2001 Tacoma w/ Reg. Cab & Outer Lock Rings: [Type 7]

U-Joint (Rear)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2004-2001 Tacoma w/ Ext. Cab Exc. PreRunner & S-Runner: [Type 2]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Center)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2004-2001 Tacoma PreRunner & S-Runner w/ Ext. Cab: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2004-2001 Tacoma PreRunner & S-Runner w/ Crew Cab: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2004-2000 Tundra: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

2000-1999 Tacoma w/ Reg. Cab & Inner Lock Rings Exc. PreRunner: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2000-1999 Tacoma PreRunner w/ Reg. Cab: [Type 7]

U-Joint (Rear)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2000-1999 Tacoma w/ Ext. Cab Exc. PreRunner: [Type 2]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Center)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2000-1999 Tacoma PreRunner w/ Ext. Cab: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

(Continued)



Type 1



Type 2



Type 7

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

2000-1999 Tacoma w/ Reg. Cab & Outer Lock Rings Exc. PreRunner: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1998 Tacoma w/ Reg. Cab & Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1998 Tacoma w/ Reg. Cab & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

1998 Tacoma w/ Ext. Cab Exc. PreRunner: [Type 2]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Center)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

1998 Tacoma PreRunner w/ Ext. Cab: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1998-1997 T100: [Type 2]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Center)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❸	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1997-1995 Tacoma w/ Reg. Cab & Outer Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rear)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**

1997-1995 Tacoma w/ Reg. Cab & Inner Lock Rings: [Type 1]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

1997-1995 Tacoma w/ Ext. Cab: [Type 2]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Center)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

1996-1993 T100 w/ Inner Lock Rings: [Type 2]

U-Joint (Front)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Center)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rear)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

(Continued)



Type 1



Type 2

Toyota Truck -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1996-1993 T100 w/ Outer Lock Rings: [Type 2]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Center)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❸ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1995-1992 Pickup w/ 2 Joint Shaft & Inner Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Rear)❷ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***

1995-1992 Pickup w/ 2 Joint Shaft & Outer Lock Rings: [Type 1]

U-Joint (Front)❶ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**
U-Joint (Rear)❷ **UJ369**
Brute Force Greaseable ***UJ280***
Brute Force Non Greaseable ***UJ269***
(For Aluminum Drive Shaft) **UJ369C**

1995-1989 Pickup w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Center)❷ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Rear)❸ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***

1991-1989 Pickup w/ 2 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Center)❷ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Rear)❸ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***

1988-1984 Pickup w/ 2 Joint Shaft & 4 Speed Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ390**
U-Joint (Rear)❷ **UJ390**

Drive Shaft (2 W/D) (Cont.)

U-Joint (Cont.)

1988-1984 Pickup w/ 3 Joint Shaft & 4 Speed Man. Trans.: [Type 2]

U-Joint (Front)❶ **UJ390**
U-Joint (Center)❷ **UJ390**
U-Joint (Rear)❸ **UJ390**

1988-1984 Pickup w/ 2 Joint Shaft Exc. 4 Spd. Man. Trans.: [Type 1]

U-Joint (Front)❶ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Rear)❷ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***

1988-1984 Pickup w/ 3 Joint Shaft Exc. 4 Spd. Man. Trans.: [Type 2]

U-Joint (Front)❶ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Center)❷ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***
U-Joint (Rear)❸ **UJ387**
Brute Force Greaseable ***UJ285***
Brute Force Non Greaseable ***UJ287***

1983-1979 Pickup w/ 2 Joint Shaft: [Type 1]

U-Joint (Front)❶ **UJ390**
U-Joint (Rear)❷ **UJ390**

1983-1979 Pickup w/ 3 Joint Shaft: [Type 2]

U-Joint (Front)❶ **UJ390**
U-Joint (Center)❷ **UJ390**
U-Joint (Rear)❸ **UJ390**

1974-1969 Hi Lux: [Type 2]

U-Joint (Front)❶ **UJ390**
U-Joint (Center)❷ **UJ390**
U-Joint (Rear)❸ **UJ390**

(Continued)



Type 1



Type 2

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D)

U-Joint

2017-2008 Sequoia: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-2007 Tundra w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2017-2007 Tundra w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Ctr.)❹	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**
U-Joint (Rr. Shaft; Rr.)❺	**UJ331**
Brute Force Greaseable	***UJ232***
Brute Force Non Greaseable	***UJ231***
(For Aluminum Drive Shaft)	**UJ331C**

2017-1996 4Runner: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2016-2013 Land Cruiser: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

(Continued)



Type 13



Type 14

Toyota Truck -- (Cont.)

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2015-2005 Tacoma w/ 2 Joint Shaft: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2015-2005 Tacoma w/ 3 Joint Shaft: [Type 18]

U-Joint (Rr. Shaft; Frt.)❶	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Ctr.)❷	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**
U-Joint (Rr. Shaft; Rr.)❸	**UJ354**
Brute Force Greaseable	***UJ270***
Brute Force Non Greaseable	***UJ254***
(For Aluminum Drive Shaft)	**UJ354C**

2014-2007 FJ Cruiser: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2011-2003 Land Cruiser: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2007-2005 Sequoia: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ389**
U-Joint (Rr. Shaft; Rr.)❷	**UJ389**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

2006-2000 Tundra: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2004-2001 Sequoia: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Frt. Shaft; Rr.)❷	**UJ369**
Brute Force Greaseable	***UJ280***
Brute Force Non Greaseable	***UJ269***
(For Aluminum Drive Shaft)	**UJ369C**
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2004-1995 Tacoma: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Frt.)❸	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❹	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

2002-1998 Land Cruiser: [Type 17]

U-Joint (Rr. Shaft; Frt.)❶	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***
U-Joint (Rr. Shaft; Rr.)❷	**UJ387**
Brute Force Greaseable	***UJ285***
Brute Force Non Greaseable	***UJ287***

(Continued)



Type 13



Type 17



Type 18

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1998-1993 T100: [Type 15]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Frt.)❷		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Rr.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***

1997-1991 Land Cruiser: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Frt.)❸		**UJ389**
U-Joint (Rr. Shaft; Rr.)❹		**UJ389**

1995-1989 Pickup w/ 2 Joint Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ513**
U-Joint (Rr. Shaft; Frt.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Rr.)❹		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
Centering Ball Kit		**UJ614**

1995-1989 Pickup w/ 3 Joint Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ513**
U-Joint (Rr. Shaft; Frt.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ513**
U-Joint (Rr. Shaft; Rr.)❺		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
Centering Ball Kit		**UJ614**

1995-1984 4Runner: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ513**
U-Joint (Rr. Shaft; Frt.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Rr.)❹		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
Centering Ball Kit		**UJ614**

MFG./YEAR	MODEL & LOCATION	PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1990-1974 Land Cruiser: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ389**
U-Joint (Frt. Shaft; Rr.)❷		**UJ389**
U-Joint (Rr. Shaft; Frt.)❸		**UJ389**
U-Joint (Rr. Shaft; Rr.)❹		**UJ389**

1988-1986 Pickup: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ513**
U-Joint (Rr. Shaft; Frt.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Rr.)❹		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
Centering Ball Kit		**UJ614**

1985 Pickup w/ CV Front Shaft & 2 Joint Rear Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ513**
U-Joint (Rr. Shaft; Frt.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Rr.)❹		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
Centering Ball Kit		**UJ614**

1985 Pickup w/ CV Front Shaft & 3 Joint Rear Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Frt. Shaft; Rr.)❷	[2]	**UJ513**
U-Joint (Rr. Shaft; Frt.)❸		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Ctr.)❹		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
U-Joint (Rr. Shaft; Rr.)❺		**UJ387**
Brute Force Greaseable		***UJ285***
Brute Force Non Greaseable		***UJ287***
Centering Ball Kit		**UJ614**



Type 13



Type 14



Type 15

Toyota Truck -- (Cont.)

MFG./YEAR MODEL & LOCATION PART NO.

Drive Shaft (4 W/D) (Cont.)

U-Joint (Cont.)

1985 Pickup w/ 2 Joint Front & Rear Shafts: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Frt. Shaft; Rr.)❷ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Frt.)❸ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Rr.)❹ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
Centering Ball Kit UJ614

1985 Pickup w/ 2 Joint Front Shaft & 3 Joint Rear Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Frt. Shaft; Rr.)❷ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Frt.)❸ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Ctr.)❹ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Rr.)❺ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
Centering Ball Kit UJ614

1984-1979 Pickup w/ CV Front Shaft & 2 Joint Rear Shaft: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ513
U-Joint (Rr. Shaft; Frt.)❸ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Rr.)❹ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
Centering Ball Kit UJ613

Drive Shaft (4 W/D) (Cont.)

1984-1979 Pickup w/ CV Front Shaft & 3 Joint Rear Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Frt. Shaft; Rr.)❷ ..... [2] UJ513
U-Joint (Rr. Shaft; Frt.)❸ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Ctr.)❹ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Rr.)❺ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
Centering Ball Kit UJ613

1984-1979 Pickup w/ 2 Joint Front & Rear Shafts: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Frt. Shaft; Rr.)❷ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Frt.)❸ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Rr.)❹ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
Centering Ball Kit UJ613

1984-1979 Pickup w/ 2 Joint Front Shaft & 3 Joint Rear Shaft: [Type 14]

U-Joint (Frt. Shaft; Frt.)❶ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Frt. Shaft; Rr.)❷ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Frt.)❸ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Ctr.)❹ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
U-Joint (Rr. Shaft; Rr.)❺ UJ387
Brute Force Greaseable UJ285
Brute Force Non Greaseable UJ287
Centering Ball Kit UJ613

1973-1965 Land Cruiser: [Type 13]

U-Joint (Frt. Shaft; Frt.)❶ UJ396
U-Joint (Frt. Shaft; Rr.)❷ UJ396
U-Joint (Rr. Shaft; Frt.)❸ UJ396
U-Joint (Rr. Shaft; Rr.)❹ UJ396
U-Joint (PTO) UJ396



Type 13



Type 14

Double cardan CV parts



Ball Seat Repair Kit

Ball seat repair kit	Series
UJ606	Saginaw



Centering Yoke

Centering yokes	Between tabs	Bolt hole spacing length	Bolt hole spacing width	Series	Stud socket dimension
UJ607	3.22”	1.500”	2.34”	1310HR	0.500
UJ608	3.62”	1.500”	2.88”	1330HR	0.500
UJ609	2.44”	1.500”	2.34”	1210 Spicer	0.500
UJ615	3.62”	1.500”	2.88”	1330HR	0.625



Centering Ball Kits

Centering ball kits	Ball diameter	Stud bore diameter	Series
UJ612	1.12”	0.5	Spicer Early Design
UJ613	1.34”	0.47	Toyota
UJ614	1.46”	0.51	Toyota
UJ617	1.12”	0.5	Spicer Later Design



Flange Yoke

Flange yoke	Flange face to CL	Bolt circles	Series	Pilot diameter
UJ626	1.69”	4.25”	3R	3.12”



Flange Yoke - Early

Flange yoke earlier design	Flange face to CL	Bolt circles	Series	Pilot diameter
UJ627	1.62”	3.50”	1310	2.00”



Flange Yoke - Later

Flange yoke later design	Yoke hole	Flange face to CL	Bolt circles	Series	Pilot diameter
UJ628C	1.063”	1.62”	4.25”	1330	3.12”
UJ628F	1.063”	1.62”	4.25”	1330	2.00”
UJ630F	1.188”	1.62”	4.25”	1350	2.00”



Ball Stud Tube Weld Yoke

Ball stud tube weld yokes	Ball stud diameter	Ball stud length	Series	Center line to end of ball stud
UJ633	0.50”	0.60”	1310	1.64”
UJ638	0.50”	0.60”	1330	1.66”



H Yokes

H yokes	Center to center	Maximum joint angle	Series
UJ646	3.25”	17	3R
UJ647	2.69”	26	1310
UJ648	2.75”	18	1330
UJ650	2.88”	30	1350

Double cardan CV parts



Grease fittings

Grease fittings (sold in multiples of 10)	Type	Spec
UJ621	Flush	1/4 Inch-28 (.366 Overall Length)



Grease fittings

Grease fittings (sold in multiples of 10)	Type	Spec
UJ622	Extended Length Regular	1/4 Inch-28 (1.65 Overall Length)



Clamp kits

Clamp kits (sold in multiples of 10)	Type	Spec
UJ3415	Stainless Steel CV Clamp	365 MM in Length
UJ3416	Stainless Steel CV Clamp	750 MM in Length



Lock plate w/cap screw kits

	4 Welded plate type round bearings
Standard U-Joint	Lock plate w/cap screws (Kit)
UJ333	UJ12858
UJ334	UJ12859
UJ376	UJ12859
UJ381	UJ12859

	2 Welded plate type & 2 Plain round bearings
Standard U-Joint	Lock plate w/cap screws (Kit)
UJ475	UJ12858*
UJ476	UJ12859**
UJ477	UJ12859**
UJ478	UJ12859**

* Kit contents for UJ12858: Lockplate Qty. 4 (334LP) & Screws Qty. 8 (334CS)
** Kit contents for UJ12859: Lockplate Qty. 4 (334LP) & Screws Qty. 8 (333CS)

Components not sold separately

Universal joint kit and hardware listing

Standard Universal Joint part numbers with optional versions and associated hardware



Standard U-Joint	Brute Force Greaseable	Brute Force Non Greaseable	Aluminum Drive Shaft	U Bolt Kit	Clamp Kit	Lock Plate with screws
UJ315G	UJ246	N/A	N/A	N/A	UJ318-10	
UJ316	UJ248	N/A	N/A	N/A	UJ316-10	
UJ317	UJ246	N/A	N/A	N/A	UJ318-10	
UJ319	N/A	N/A	N/A	N/A	UJ318-10	
UJ330	UJ295	N/A	UJ330C	UJ330-10	UJ331-10 or UJ492-10	
UJ330A	UJ295A	N/A	N/A	N/A	N/A	
UJ331	UJ232	UJ231	UJ331C	UJ330-10	UJ331-10	
UJ331A	UJ232A	N/A	N/A	N/A	N/A	
UJ351	N/A	N/A	UJ351C	UJ358-10	UJ351-10 or UJ352-10	
UJ351A	N/A	N/A	UJ351C	UJ358-10	UJ351-10 or UJ352-10	
UJ353	UJ275	N/A	N/A	UJ329-10	N/A	
UJ354	UJ270	UJ254	UJ354C	UJ329-10	UJ360-10 or UJ437-10	
UJ355	UJ290	N/A	UJ355C	N/A	UJ530-10	
UJ358	N/A	N/A	N/A	UJ358-10	UJ351-10	
UJ358A	N/A	N/A	N/A	UJ358-10	UJ351-10	
UJ361	N/A	N/A	N/A	UJ329-10	N/A	
UJ365*	UJ378	UJ365	N/A	N/A	N/A	
UJ368	N/A	N/A	N/A	N/A	UJ360-10	
UJ369	UJ280	UJ269	UJ369C	UJ329-10	UJ360-10 or UJ437-10	
UJ371*	UJ377	UJ371	N/A	N/A	N/A	
UJ372	N/A	N/A	UJ372C	N/A	UJ530-10	
UJ375	N/A	N/A	N/A	UJ534-10	N/A	
UJ379	UJ280	UJ269	N/A	N/A	N/A	

(Continued)

* Standard part is Brute Force

N/A Not Available

Universal joint kit and hardware listing

Standard Universal Joint part numbers with optional versions and associated hardware



Standard U-Joint	Brute Force Greaseable	Brute Force Non Greaseable	Aluminum Drive Shaft	U Bolt Kit	Clamp Kit	Lock Plate with screws
UJ380	UJ280	UJ269	N/A	N/A	N/A	
UJ387	UJ285	UJ287	N/A	N/A	N/A	
UJ427	N/A	N/A	N/A	UJ330-10	N/A	
UJ428	N/A	N/A	N/A	UJ358-10	N/A	
UJ429	UJ250	N/A	N/A	N/A	N/A	
UJ430	UJ255	UJ230	N/A	UJ534-10	N/A	
UJ434	UJ265	UJ264	N/A	UJ534-10	N/A	
UJ436*	UJ466	UJ436	N/A	N/A	N/A	
UJ437G	UJ240	UJ437	N/A	N/A	UJ437-10	
UJ445	UJ225	N/A	N/A	N/A	UJ360-10	
UJ455	N/A	N/A	N/A	N/A	UJ360-10	
UJ457	N/A	N/A	UJ457C	N/A	UJ318-10	
UJ460	N/A	N/A	N/A	N/A	UJN907028X	
UJ475	N/A	N/A	N/A	N/A	UJ475-10	UJ12858
UJ476	N/A	N/A	N/A	N/A	UJ476-10	UJ12859
UJ477	N/A	N/A	N/A	N/A	UJ476-10	UJ12859
UJ478	N/A	N/A	N/A	N/A	UJ476-10	UJ12859
UJ497	N/A	N/A	N/A	UJ329-10	N/A	
UJ498	N/A	N/A	N/A	UJ534-10	N/A	
UJ534G	UJ235	UJ234	N/A	N/A	UJ530-10	
UJ579	N/A	N/A	N/A	N/A	UJN2507018X	

* Standard part is Brute Force

N/A Not Available

U-bolt dimensions





U-bolt kit dimensional size listing

A Bearing OD	B Length	C CL-CL	D Thread Size	E Thread Length	Torque (Ft-lbs.)	Part Number	Series
1.063″	1.72″	1.406″	5/16-24	0.50″	14-17	**UJ329-10**	1310/1330
1.188″	1.97″	1.656″	3/8-24	0.62″	20-24	**UJ330-10**	1350/1410
1.375″	2.25″	1.906″	7/16-20	0.72″	32-37	**UJ358-10**	1480/1550
1.125″	1.80″	1.578″	5/16-24	0.72″	14-17	**UJ534-10**	FORD 1310/1330

Bearing clamp kit dimensional size listing

Bearing OD	A CL-CL	B Width	C Hole	D Thread Size	E Under Head	Torque (Ft-lbs.)	Part Number	Series
1.125″	1.53″	0.62″	0.28″	1/4-28	0.59″	13-18	**UJ316-10**	7290
1.188″	1.81″	0.75″	0.34″	5/16-24	0.75″	30-35	**UJ331-10**	1350/1410 (SPR)
1.188″	1.66″	0.75″	0.34″	5/16-24	1.31″	30-35	**UJ492-10**	1350/1410 (GM)
1.375″	2.12″	0.81″	0.41″	3/8-24	0.75″	55-60	**UJ351-10**	1480/1550
1.063″	1.59″	0.69″	0.28″	1/4-28	0.59″	13-18	**UJ437-10**	1310/1330 (SPR)
1.078″	1.50″	0.56″	0.28″	1/4-28	0.62″	13-18	**UJ318-10**	7260
1.063″	1.59″	0.62″	0.34″	5/16-24	1.50″	30-35	**UJ360-10**	1310/1330 (GM)
1.125″	1.81″	0.62″	0.34″	5/16-24	1.50″	30-35	**UJ530-10**	3R
1.375″	1.93″			5/16-24	1.29″		**UJ352-10**	1480/1550
1.625″	2.31″	0.88″	0.41″	3/8-24	0.75″	45-60	**UJN907028X**	SPL90/100
1.875″	2.50″	0.94″	0.41″	3/8-24	0.75″	45-60	**UJ475-10**	1610
1.937″	2.81″	1.00″	0.53″	1/2-20	1.00″	115-135	**UJ476-10**	1710/1760/1810
2.165″	3.22″	1.10″	0.49″	M12x1.25	0.98″		**UJN1707018X**	SPL170
2.361″	3.44″	1.13″	0.48″	M12x1.25	0.98″	115-135	**UJN2507018X**	SPL250

U-joints with 4 grooved round bearings

First, measure the outside diameters of two adjacent bearings to see if they are the same or different. Locate the diameter(s) in the first column using the smaller diameter first if the bearings are of two sizes. Second, remove the seals from two bearings opposite each other and re-install the bearings on the cross. Measure the distance from the inside edge of the lock ring groove on one bearing across the joint to the same point on the opposite bearing and write it down. See drawing below. Next measure the thickness of two lock rings together. Add this measurement to the first measurement and the total should be slightly less than the "installed" dimension shown in the second column. If necessary, note the type and location of any lube fittings.



Dimension D Bearing Diameter	Dimension I Includes Locks	Lube Fitting	Part Number	OE Series
0.788" (20.0mm)	1.496" (38.0mm)	Yes[8]	**UJ392**	Nissan
0.867"	1.400"	Yes[8]	**UJ10430**	Nissan, Subaru, Toyota
0.886" (22.5mm)	1.496" (38.0mm)	Yes[8]	**UJ385**	Mazda
0.938" (15/16")	1.485" (1 31/64")	Yes[4]	**UJ1500**[11]	Neapco 0600
			UJ1501	
		Yes[8]	**UJ1502**	
	1.500" (1 1/2")	Yes[4]	**UJ338**	Spicer 1000
		Yes[8]	**UJ838**	
		No	**UJ10103**	
0.938" (15/16") 2 0.969" (31/32") 2	1.500" (1 1/2") 1.444" (1 29/64")	Yes[4]	**UJ840**	Combination UJ338 X UJ861
0.947"	1.900"	Yes[8]	**UJ10431**	BMW, Mazda
0.969" (31/32")	1.444" (1 29/64")	Yes [4]	**UJ861**	Rockwell L6N
		Yes[8]	**UJ839**	
	1.688" (1 11/16")	Yes[4]	**UJ983**	Mechanics 1.5
0.985" (25.0mm)	1.717" (43.6mm)	Yes[8]	**UJ397**	Mazda
	1.732" (44.0mm)	Yes[8]	**UJ391**	Nissan & Subaru
1.000" (1")	1.719" (1 23/32")	Yes[8]	**UJ514G**	Mechanics 1.75
	2.344" (2 11/32")	No	**UJ515**[16]	Mechanics 2
		Yes[1]	**UJ507**	

(Continued)

1 Regular lube fitting in cross
4 Angled lube fitting in center of cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
11 Plain bearing - No needles
16 Special pocketed cross forging

U-joints with 4 grooved round bearings

Dimension D Bearing Diameter	Dimension I Includes Locks	Lube Fitting	Part Number	OE Series
1.024" (26.0mm)	1.843" (46.8mm)	Yes[8]	**UJ394**	Toyota
	2.205" (56.0mm)	Yes[1]	**UJ390**	
1.044" (26.5mm)	1.988" (50.5mm)	Yes[8]	**UJ386**	Kia & Mazda
1.063" - 1.064" (1 1/16" / 27.0mm)	1.640" (1 41/64")	No	**UJ436**	Spicer 1210-WJ
		Yes[9]	**UJ466**	
	1.818"	Yes[4]	**UJ995**	Rockwell L12N
	1.930" (49.0mm)	No	**UJ446**	Nissan
	2.188" (2 3/16")	No	**UJ365**	Spicer 1310-WJ
		Yes[9]	**UJ378**	
	2.343" (2 11/32")	Yes[1]	**UJ368**	Spicer 1310
	2.375" (2 3/8")	Yes[1]	**UJ429**	Cleveland S55
	2.375" x 2.781"	Yes[1]	**UJ431**	Combination UJ429 X UJ433
	2.781" (2 25/32")	Yes[1]	**UJ433**	Cleveland P55
1.078" (1 5/64")	2.125" (2 1/8")	Yes[1]	**UJ315G**	Detroit 7260
		Yes[8]	**UJ317**	
		Yes[4]	**UJ832M**	
1.078" (1 5/64") 2 1.125" (1 1/8") 2	2.125" (2 1/8") 2.625" (2 5/8")	Yes[1]	**UJ347**	Combination UJ315G X UJ316
1.102"	2.024"	Yes[8]	**UJ10436**	Kia
1.103" (28.0mm)	2.205" (56.0mm)	Yes[1]	**UJ393**	Nissan & Subaru
	2.323" (59.0mm)	Yes[8]	**UJ384**	Mazda
1.125" (1 1/8")	1.95"	Yes[4]	**UJ880H**	Howse 14
	2.125" (2 1/8")	Yes[8]	**UJ513**	Mechanics 2.5
	2.557"	No	**UJ492**[16]	Mechanics 3 & Saginaw 44 & American Axle 1344
		Yes[1]	**UJ534G**	
	2.625" (2 5/8")	Yes[1]	**UJ316**	Detroit 7290
	3.250" (3 1/4")	Yes[1]	**UJ545**	Mechanics 4
1.142" (29.0mm)	2.047" (52.0mm)	Yes[8]	**UJ387**	Toyota
	2.087" (53.0mm)	Yes[8]	**UJ383**	Isuzu
	2.835" (53.0mm)	Yes[8]	**UJ411**	
1.181" (30.0mm)	2.290" (58.15mm)	Yes[4]	**UJ450**	Mitsubishi

(Continued)

1 Regular lube fitting in cross
4 Angled lube fitting in center of cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
11 Plain bearing - No needles
16 Special pocketed cross forging

U-joints with 4 grooved round bearings

Dimension D Bearing Diameter	Dimension I Includes Locks	Lube Fitting	Part Number	OE Series
1.188" (1 3/16")	2.188" (2 3/16")	No	**UJ371**	Spicer 1310-WJ
		Yes[9]	**UJ377**	
	2.563" (2 9/16")	Yes[1]	**UJ423**	Cleveland R55
	3.125" (3 1/8")	Yes[1]	**UJ427**	Cleveland 055
1.188"	2.405"	No	**UJ20057**	SPL30WJ/1350WJ
1.231" (1 15/64")	2.000" (2")	Yes[4]	**UJ305**	Detroit 5160
	3.000" (3")	Yes[1]	**UJ304**	Detroit 5380
1.250" (1 1/4")	2.14"	Yes[4]	**UJ964H**	Howse 35
1.260" (32.0mm)	2.520" (64.0mm)	Yes[1]	**UJ389**	Toyota
1.260"	2.362"	Yes[1]	**UJ20508**	Kia
1.310" (1 5/16")	2.795" (2 51/64")	Yes[4]	**UJ888**	Rockwell 44R
1.313" (1 5/16")	4.313" (4 5/16")	Yes[1]	**UJ567**	Mechanics 6
1.339" (34.0mm)	2.205" (56.0mm)	Yes[4]	**UJ816**	Walterscheid II
1.375" (1 3/8")	2.915" (74.0mm)	Yes[1]	**UJ464**	American Axle 1485-WJ
	3.000" (3")	Yes[1]	**UJ374**	Spicer 1480-WJ (SPL55)
		No	**UJ374BF**	
	3.702" (94.0mm)	Yes[1]	**UJ479**	American Axle 1555-WJ
	3.780" (96.0mm)	Yes[1]	**UJ424**	Spicer 1550-WJ (SPL70)

1 Regular lube fitting in cross
4 Angled lube fitting in center of cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
11 Plain bearing - No needles
16 Special pocketed cross forging

U-joints with 4 plain round bearings

First, measure the outside diameters of two adjacent bearings to see if they are the same or different. Locate the diameter(s) in the first column using the smaller diameter first if the bearings are of two sizes. Second, remove the seals from two bearings opposite each other and re-install the bearings on the cross. Measure the overall dimension and locate it in the second column. Note, the measured dimension should be slightly less than that shown. If necessary, note the type and location of any lube fittings.



Dimension D Bearing Diameter	Dimension O Back to Back	Lube Fitting	Part Number	OE Series
0.750" (3/4")	1.906" (1 29/32")	No	**UJ405**	0400SG
0.788" (20.0mm)	2.166" (55.0mm)	Yes[8]	**UJ410**	Kubota
	2.244" (57.0mm)	Yes[8]	**UJ395**	Toyota
0.868" (22.0mm)	2.126" (54.0mm)	Yes[4]	**UJ811**	Bondioli 1
	2.157" (54.8mm)	Yes[4]	**UJ812**	Walterscheid 2
0.875" (7/8")	2.469" (2 15/32")	Yes[8]	**UJ870**	Rockwell L10N
0.938" (15/16")	2.411" (2 13/32")	No	**UJ340**	Spicer 1100
		Yes[3]	**UJ341**	
		Yes[8]	**UJ341BL**	
		Yes[4]	**UJ341AG**	Bondioli 2 & Walterscheid 2200
0.945" (24.0mm)	2.490" (63.25mm)	No	**UJ413**	Alfa Romeo
0.985" (25.0mm)	2.524" (64.1mm)	No	**UJ398**	Mitsubishi
	3.012" (76.5mm)	Yes[1]	**UJ399**	
1.024" (26.0mm)	2.756" (70.0mm)	Yes[8]	**UJ408**	Suzuki

(Continued)

1 Regular lube fitting in cross
2 Flush-type lube fitting in cross
3 Long lube fitting in cross
4 Angled lube fitting in center of cross
5 Two regular lube fittings in cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
20 Our kit is designed to fit applications with one half round yoke and one full round yoke
* Inside/Outside lockup options

U-joints with 4 plain round bearings

Dimension D Bearing Diameter	Dimension O Back to Back	Lube Fitting	Part Number	OE Series
1.063" (1 1/16") (27.0mm)	2.438" (2 7/16")	Yes[9]	**UJ240**	Brute Force for UJ437 or UJ437G
		No	**UJ237**	
		No	**UJ437**	Spicer 1210
		Yes[8]	**UJ437G**	
	2.650" (2 21/32")	Yes[4]	**UJ409**	Chev. / GMC / Pontiac & Saturn
		Yes[8]	**UJ10439**	
	2.756" (70.0mm)	Yes[4]	**UJ813**	Bondioli 3 & Walterscheid I
	2.935" (2 15/16")	Yes[1]	**UJ344**	Spicer 1300
		Yes[4]	**UJ344AG**	Bondioli 4 & Walterscheid 2300
	3.218" (3 7/32")	No	**UJ269**	Brute Force for UJ369 or UJ379
		Yes[9]	**UJ280**	
		Yes[1]	**UJ369**	Spicer 1310
		Yes[1]	**UJ369C**	For Aluminum Drive Shaft
		Yes[2]	**UJ379**	Spicer 1310
		Yes[9]	**UJ380**	
	3.218" x 3.622"	Yes[9]	**UJ275**	Brute Force for UJ353
		Yes[1]	**UJ353**	Spicer 1310 & 1330
	3.622" (3 5/8")	No	**UJ254**	Brute Force for UJ354
		Yes[9]	**UJ270**	
		Yes[1]	**UJ354**	Spicer 1330
		No	**UJ345**	Visteon 1330 (Brg. OD 1.066")
1.063" (1 1/16") 2 1.125" (1 1/8") 2	3.218" (3 7/32")	Yes[1]	**UJ430***	Ford 1310
	3.622" (3 5/8")	Yes[1]	**UJ434***	Ford 1330
1.063" (1 1/16") 2 1.188" (1 3/16") 2	3.218"(3 7/32") x 3.622"(3 5/8")	Yes[1]	**UJ348**	Combination UJ369 X UJ331
	3.622" (3 5/8")	Yes[1]	**UJ448**	Combination UJ354 X UJ331
1.066"	3.787"	No	**UJ30488**	Ford-Staked Joint
1.123" (28.5mm)	3.071" (78.0mm)	Yes[4]	**UJ396**	Toyota
1.125" (1 1/8")	2.625" (2 5/8")	Yes[4]	**UJ880**	Rockwell L14N
		Yes[8]	**UJ882**	
1.125" (1 1/8") 2 1.188" (1 3/16") 2	3.622" (3 5/8")	Yes[1]	**UJ459**	Combination UJ434 X UJ331
1.181" (30.0mm)	3.268" (83.0mm)	No	**UJ451**	ZF

(Continued)

1 Regular lube fitting in cross
2 Flush-type lube fitting in cross
3 Long lube fitting in cross
4 Angled lube fitting in center of cross
5 Two regular lube fittings in cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
20 Our kit is designed to fit applications with one half round yoke and one full round yoke
* Inside/Outside lockup options

U-joints with 4 plain round bearings

Dimension D Bearing Diameter	Dimension O Back to Back	Lube Fitting	Part Number	OE Series
1.188" (1 3/16")	3.150" (80.0mm)	Yes[4]	**UJ815**	Bondioli 5
	3.228" (82.0mm)	No	**UJ456**	Carraro
	3.622" (3 5/8")	No	**UJ231**	Brute Force for UJ331
		Yes[9]	**UJ232**	
		Yes[1]	**UJ331**	Spicer 1350 (SPL30)
		Yes[8]	**UJ331BL**	
		Yes[1]	**UJ331C**	For Aluminum Drive Shaft
		Yes[9]	**UJ232A**	Brute Force for UJ331A
		Yes[1]	**UJ331A**	American Axle 1355
		Yes[4]	**UJ331AG**	Bondioli 6 & Walterscheid 220
	3.622"(3 5/8") x 4.187"(4 3/16")	No	**UJ21425**	Combination UJ331XUJ330
	4.178"	Yes[9]	**UJ295A**	Brute Force for UJ330A
		Yes[1]	**UJ330A**	American Axle 1415
	4.187" (4 3/16")	Yes[9]	**UJ295**	Brute Force for UJ330
		Yes[1]	**UJ330**	Spicer 1410 (SPL36)
		Yes[1]	**UJ330C**	For Aluminum Drive Shaft
1.188" (1 3/16") 2 1.375" (1 3/8") 2	4.187" (4 3/16")	No	**UJ31448**	Spicer 1410 x Spicer 1480
1.250" (1 1/4")	3.210"	Yes[4]	**UJ964**	Rockwell 35N
		Yes[8]	**UJ934**	
1.260" (32.0mm)	2.992" (76.0mm)	Yes[4]	**UJ814**	Walterscheid 2400
1.300" (33.0mm)	3.662" (93.0mm)	Yes[4]	**UJ382**	Isuzu
1.375" (1 3/8")	3.701" (94.0mm)	Yes[4]	**UJ818**	Bondioli 7
	4.178"	Yes[1]	**UJ351A**	American Axle 1485
		No	**UJ351ABF**	Brute Force for UJ351A
	4.187" (4 3/16")	Yes[1]	**UJ351**	Spicer 1480 (SPL55)
		No	**UJ351BF**	Brute Force for UJ351
		Yes[4]	**UJ351AG**	Bondioli 8 & Walterscheid 240
		Yes[1]	**UJ351C**	For Aluminum Drive Shaft
	4.956"	Yes[1]	**UJ358A**	American Axle 1555
		No	**UJ358ABF**	Brute Force for UJ358A
	4.965"	Yes[1]	**UJ358**	Spicer 1550 (SPL70)
		No	**UJ358BF**	Brute Force for UJ358
		Yes[1]	**UJ36800**	Cleveland U56-55-2

(Continued)

1 Regular lube fitting in cross
2 Flush-type lube fitting in cross
3 Long lube fitting in cross
4 Angled lube fitting in center of cross
5 Two regular lube fittings in cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
20 Our kit is designed to fit applications with one half round yoke and one full round yoke
* Inside/Outside lockup options

U-joints with 4 plain round bearings

Dimension D Bearing Diameter	Dimension O Back to Back	Lube Fitting	Part Number	OE Series
1.378" (35.0mm)	4.092" (103.9mm)	Yes[4]	**UJ461**	Isuzu
1.417" (36.0mm)	3.496" (88.8mm)	Yes[4]	**UJ817**	Walterscheid 2500
1.531" (1 17/32")	4.312" (4 5/16")	Yes[1]	**UJ889**	Rockwell 55N
1.562" (1 9/16")	4.562" (4 9/16")	Yes[1]	**UJ370**	Hardy Spicer 1510
1.614" (41.0mm)	4.250" (108mm)	Yes[1]	**UJ30921**	Bondioli & Pavesi
	4.646" (118mm)	Yes[1]	**UJ31021**	
1.625" (1 5/8")	4.955" (126.0mm)	Yes[1]	**UJ460**	Spicer SPL90/100 (1590)
	5.064" (5 1/16")	Yes[4]	**UJ898**	Rockwell 750N
	5.590" (5 19/32")	Yes[1]	**UJ359**	Spicer 1650
1.654" (42.0mm)	4.094" (104.0mm)	Yes[4]	**UJ821**	Walterscheid 2600
1.937" (1 15/16")	5.934" (5 15/16")	Yes[5]	**UJ899**	Rockwell 850N
2.165" (55.0mm)	6.456" (164.0mm)	Yes[5]	**UJ578[20]**	Spicer SPL170
2.362" (60.0mm)	6.417" (163.0mm)	Yes[4]	**UJ579[20]**	Spicer SPL250

1 Regular lube fitting in cross
2 Flush-type lube fitting in cross
3 Long lube fitting in cross
4 Angled lube fitting in center of cross
5 Two regular lube fittings in cross
8 Regular lube fitting in bearing
9 Flush-type lube fitting in bearing
20 Our kit is designed to fit applications with one half round yoke and one full round yoke
* Inside/Outside lockup options

U-joints with 2 grooved & 2 plain round bearings



Bearing Diameter	Bearing Type	Dimension I Includes Locks	Dimension O Without Locks	Lube Fitting	Part Number	OE Series
1.000″ (1″) 1.063″ (1 1/16″)	Grooved Plain	1.719″ (1 23/32″)	2.438″ (2 7/16″)	Yes[4]	**UJ361**	Combination UJ514G X UJ437G
		2.344″ (2 11/32″)	3.218″ (3 7/32″)	Yes[1]	**UJ505**	Combination UJ507 X UJ369
1.000″ (1″) 1.125″ (1 1/8″)	Grooved Plain	2.344″ (2 11/32″)	3.218″ (3 7/32″)	Yes[1]	**UJ498**	Combination UJ507 X UJ430
1.063″ (1 1/16″) 1.063″ (1 1/16″)	Grooved Plain	2.188″ (2 3/16″)	3.218″ (3 7/32″)	Yes[1]	**UJ455**	Combination UJ365 X UJ369
		2.344″ (2 11/32″)	3.218″ (3 7/32″)	Yes[1]	**UJ445**	Combination UJ368 X UJ369
1.063″ (1 1/16″) 1.125″ (1 1/8″)	Grooved Plain	2.375″ (2 3/8″) 2.781″ (2 25/32″)	3.218″ (3 7/32″) 3.622″ (3 5/8″)	Yes[1] Yes[1]	**UJ430** **UJ434**	Ford & Mercury
1.078″ (1 5/64″) 1.063″ (1 1/16″)	Grooved Plain	2.125″ (2 1/8″)	3.218″ (3 7/32″)	Yes[1]	**UJ319**	Combination UJ315G X UJ369
			3.622″ (3 5/8″)	Yes[2]	**UJ457**	Combination UJ315G X UJ354
1.078″ (1 5/64″) 1.125″ (1 1/8″)	Grooved Plain	2.125″ (2 1/8″)	3.218″ (3 7/32″)	Yes[1]	**UJ320**	Combination UJ315G X UJ430
1.125″ (1 1/8″) 1.063″ (1 1/16″)	Grooved Plain	2.125″ (2 1/8″)	3.218″ (3 7/32″)	Yes[8]	**UJ497**	Combination UJ513 X UJ369
		2.563″ (2 9/16″)	3.218″ (3 7/32″)	Yes[1]	**UJ372**	Combination UJ534G X UJ369
			3.622″ (3 5/8″)	Yes[1]	**UJ355**	Combination UJ534G X UJ354
		2.625″ (2 5/8″)	3.218″ (3 7/32″)	Yes[1]	**UJ449**	Combination UJ316 X UJ369
			3.622″ (3 5/8″)	Yes[2] No	**UJ458** **UJ458BF**	Combination UJ316 X UJ354
1.125″ (1 1/8″) 1.125″ (1 1/8″)	Grooved Plain	2.560″ (2 9/16″)	3.622″ (3 5/8″)	Yes[1]	**UJ375**	Combination UJ534G X UJ434
1.125″ (1 1/8″) 1.188″ (1 3/16″)	Grooved Plain	2.560″ (2 9/16″)	3.622″ (3 5/8″)	Yes[1]	**UJ447**	Combination UJ534G X UJ331
1.231″ (1 15/64″) 1.188″ (1 3/16″)	Grooved Plain	3.000″ (3″)	4.187″ (4 3/16″)	Yes[1]	**UJ362**	Combination UJ304 X UJ330

1 Regular lube fitting in cross
2 Flush-type lube fitting in cross
4 Angled lube fitting in center of cross
8 Regular lube fitting in bearing

NOTES

Heavy Duty Trucks Section

Driveline series

Popular U-Joint Series	Standard Part No.	Brute Force Greaseable	Brute Force Non Greaseable	Yoke Lockup	Bearing Diameter	Brg Cap Style	Brg Cap Construction	Lube Fitting
0400SG Series	**UJ405**			1.906(O)	0.750	4 Plain Round Bearings	OSR	No
Cleveland 055	**UJ427**			3.125(O)	1.188	4 Grooved Round Bearings	ISR	Yes
Combination UJ534G X UJ354	**UJ355**	UJ290		2.560 (Inside Lock Up 1) / 3.622 (Inside Lock Up 2)	1.125 (Brg. Cap OD 1)/ 1.063 (Brg. Cap OD 2)	2 Grooved & 2 Plain Round Brgs	2 ISR & 2 OSR	Yes
Combination UJ534G X UJ369	**UJ372**			2.560 (Inside Lock Up 1) / 3.218 (Inside Lock Up 2)	1.125 (Brg. Cap OD 1)/ 1.063 (Brg. Cap OD 2)	2 Grooved & 2 Plain Round Brgs	2 ISR & 2 OSR	Yes
Detroit 7260	**UJ315G**	UJ246		2.125(I)	1.078	4 Grooved Round Bearings	ISR	Yes
Detroit 7290	**UJ316**	UJ248		2.625(I)	1.125	4 Grooved Round Bearings	ISR	Yes
Ford 1330	**UJ434**	UJ265	UJ264	2.781 (Inside Lock Up 1) / 3.622 (Inside Lock Up 2)	1.125 (Brg. Cap OD 1)/ 1.063 (Brg. Cap OD 2)	2 Grooved & 2 Plain Round Brgs	2 ISR & 2 OSR	Yes
Heavy Trucks (1610 Series)	**UJ333**			5.312(O)	1.875	4 Welded Plate Type Round Brg		Yes
Heavy Trucks (1760 Series)	**UJ376**			7.000(O)	1.937	4 Welded Plate Type Round Brg		Yes
Mechanics 3	**UJ534G**	UJ235	UJ234	2.557(O)	1.125	4 Grooved Round Bearings	ISR	Yes
Mechanics 9C	**UJ911**			2.810(CtC) Across Bearing / 6.620(CtC) Across Joint		4 Wing Bearings	4 HWD	Yes
Mechanics9C & Spicer 1810	**UJ480**			7.550(I)	1.937	2 RD W/Welded Plate & 2 HWD	2 Plate & 2 HWD	Yes
Mechanics9C & Spicer 1880	**UJ488**			8.090(I)	2.186	2 RD W/Welded Plate & 2 HWD	2 Plate & 2 HWD	Yes
Rockwell/Meritor L6N	**UJ861**			1.444(I)	.969	4 Grooved Round Bearings	ISR	Yes
Spicer 1000	**UJ338**			1.500(I)	0.938	4 Grooved Round Bearings	ISR	Yes

(Continued)

Driveline series

Popular U-Joint Series	Standard Part No.	Brute Force Greaseable	Brute Force Non Greaseable	Yoke Lockup	Bearing Diameter	Brg Cap Style	Brg Cap Construction	Lube Fitting
Spicer 1210	**UJ437G**	UJ240	UJ237	2.438(0)	1.063	4 Plain Round Bearings	OSR	No
Spicer 1310	**UJ369**	UJ280	UJ269	3.218(0)	1.063	4 Plain Round Bearings	OSR	Yes
Spicer 1310 Wheel Joint	**UJ371**	UJ377		2.188(I)	1.188	4 Grooved Round Bearings	ISR	No
Spicer 1310x1330	**UJ353**	UJ275		3.218(0) 1 & 3.622 (0) 2	1.063	4 Plain Round Bearings	OSR	Yes
Spicer 1350	**UJ331**	UJ232	UJ231	3.622(0)	1.188	4 Plain Round Bearings	OSR	Yes
Spicer 1410	**UJ330**	UJ295		4.187(0)	1.188	4 Plain Round Bearings	OSR	Yes
Spicer 1480	**UJ351**		UJ351BF	4.187(0)	1.375	4 Plain Round Bearings	OSR	Yes
Spicer 1480 Wheel Joint	**UJ374**		UJ374BF	3.000(0)	1.375	4 Grooved Round Bearings	ISR	Yes
Spicer 1550	**UJ358**		UJ358BF	4.965(0)	1.375	4 Plain Round Bearings	OSR	
Spicer 1610	**UJ475**			5.312(0)	1.875	2 Welded Plate & 2 Round Bearing		Yes
Spicer 1710	**UJ334**			6.094(0)	1.937	4 Welded Plate Type Round Bearing		Yes
Spicer 1710	**UJ476**			6.094 (BP)	1.937	2 Welded Plate & 2 Round Bearing		Yes
Spicer 1760	**UJ477**			7.000(BP)	1.937	2 Welded Plate & 2 Round Bearing		Yes
Spicer 1810	**UJ381**			7.547(0)	1.937	4 Welded Plate Type Round Brg		Yes
Spicer 1810	**UJ478**			7.547(BP)	1.937	2 Welded Plate & 2 Round Bearing		Yes
Spicer 1880	**UJ388**			8.094(BP)	2.186	4 Welded Plate Type Round Brg		Yes
Spicer SPL170	**UJ578**			6.456(0)	2.165	4 Plain Round Bearings	OSR	Yes
Spicer SPL250	**UJ579**			6.417(0)	2.362	4 Plain Round Bearings	OSR	Yes
Spicer SPL90/100	**UJ460**			4.955(0)	1.625	4 Plain Round Bearings	OSR	Yes
Spicer1330	**UJ354**	UJ2701	UJ254	3.622(0)	1.063	4 Plain Round Bearings	OSR	Yes

Heavy duty series by dimension

Yoke Lockup	Bearing Diameter	Series	Part number
1.444(I)	**0.969**	Rockwell/Meritor L6N	**UJ861**
1.500(I)	**0.938**	Spicer 1000	**UJ338**
1.906(0)	**0.750**	0400 Sg	**UJ405**
3.125(I)	**1.188**	Cleveland 055	**UJ427**
3.218(0)	**1.063**	Spicer 1310	**UJ369**
3.622(0)	**1.188**	Spicer 1350	**UJ331**
4.187(0)	**1.188**	Spicer 1410	**UJ330**
4.187(0)	**1.375**	Spicer 1480	**UJ351**
4.955(0)	**1.625**	Spicer SPL90/100	**UJ460**
4.965(0)	**1.375**	Spicer 1550	**UJ358**
5.312(0)	**1.875**	Spicer 1610-4 Welded Plate Type Round Bearing	**UJ333**
5.312(0)	**1.875**	Spicer 1610-2 Welded Plate & 2 Round Bearing	**UJ475**
6.094(0)	**1.937**	Spicer 1710-4 Welded Plate Type Round Bearing	**UJ334**
6.187(0)	**1.937**	Spicer 1710-2 Welded Plate & 2 Round Bearing	**UJ476**
6.417(0)	**2.362**	Spicer SPL250-4 Plain Round Bearings	**UJ579**
6.456(0)	**2.165**	Spicer SPL170-4 Plain Round Bearings	**UJ578**
6.62 Ctr.-Ctr.	**2.81 Ctr.-Ctr.**	Mechanics 9C-4 Wing Bearings	**UJ911**
7.000(0)	**1.937**	Spicer 1760-4 Welded Plate Type Round Bearing	**UJ376**
7.093(0)	**1.937**	Spicer 1760-2 Welded Plate & 2 Round Bearing	**UJ477**
7.547(0)	**1.937**	Spicer 1810-4 Welded Plate Type Round Bearing	**UJ381**
7.550(0)	**1.937**	Mechanics9C & Spicer 1810	**UJ480**
7.640(0)	**1.937**	Spicer 1810-2 Welded Plate & 2 Round Bearing	**UJ478**

Popular heavy duty interchanges

Driveline Series	Part number	Meritor	Neapco	Precision	Spicer
1610 Full Round	**UJ333**	CP279X	4-0279	333	5-279X
1610 Half Round	**UJ875**	CP674X	4-0674	875	5-674X
1610 Half Round	**UJ475***	CP674X	4-0674	475	5-674X
1710 Full Round	**UJ334**	CP280X	5-0280	334	5-280X
1710 Half Round	**UJ876**	CP675X	6-0675	876	5-675X
1710 Half Round	**UJ476***	CP675X	6-0675	476	5-675X
1760 Full Round	**UJ376**	CP407X	6-0407	376	5-407X
1760 Half Round	**UJ877**	CP677X	6-0677	877	5-677X
1760 Half Round	**UJ477***	CP677X	6-0677	477	5-677X
1810 Full Round	**UJ381**	CP281X	6-0281	381	5-281X
1810 Half Round	**UJ878**	CP676X	6-0676	878	5-676X
1810 Half Round	**UJ478***	CP676X	6-0676	478	5-676X
1810/9C	**UJ480**	CP18N96	6-1250	480	5-324X
Mechanics 5C	**UJ968**	CP5177	4-5177	968	5-5177X
Mechanics 6C	**UJ560**	CP62N47	4-6143	560	5-6000X
Mechanics 6C	**UJ905**	CP62N-HWD	4-6128	905	5-6106X
Mechanics 7C	**UJ570**	CP72N38	5-7205	570	5-7000X
Mechanics 7C	**UJ574**	CP72N45	5-7207	574	5-7202X
Mechanics 7C	**UJ927**	CP72N-HWD	5-7126	927	5-7105X
Mechanics 8C	**UJ928**	CP82N-HWD	6-8133	928	5-8105X
SPL170	**UJ578**	US170X	6-1170	578	SPL170-3X
SPL250	**UJ579**	US250X	6-1250	579	SPL250-3X
Spicer SPL90/100	**UJ460**	—	4-1090	460	SPL100-1X

* Without clamp kit

U-joints with 4 welded plate type round bearings

First, measure the bearing diameter and locate in the first column. Second, measure the distance between two opposite plates and locate in column two. If necessary, note the type and quantity of any lube fittings.





Dimension D Bearing Diameter	Dimension L Between Plates	Lube Fitting	Part Number	Lock Plate Kit w/Cap Screws	OE Series
1.562" (1 9/16")	4.562" (4 9/16")	Yes[1]	**UJ332**		Spicer 1500
1.875" (1 7/8")	5.312" (5 5/16")	Yes[5]	**UJ333**	UJ12858	Spicer 1610
1.937" (1 15/16")	6.094" (6 3/32")	Yes[5]	**UJ334**	UJ12859	Spicer 1710
	7.000" (7")	Yes[5]	**UJ376**	UJ12859	Spicer 1760
	7.547" (7 35/64")	Yes[5]	**UJ381**	UJ12859	Spicer 1810
2.186" (2 3/16")	8.094" (8 3/32")	Yes[1]	**UJ388**		Spicer 1880
2.312" (2 5/16")	6.594" (6 19/32")	Yes[5]	**UJ335**		Spicer 1800

1 Regular lube fitting in cross
5 Two regular lube fittings in cross

U-joints with 2 welded plate type & 2 plain round bearings

Dimension D Bearing Diameter	Dimension L Between Plates	Dimension L Back to Back	Lube Fitting	Part Number	Lock Plate Kit w/Cap Screws	OE Series
1.875" (1 7/8")	5.312" (5 5/16")	5.312" (5 5/16")	Yes[5]	**UJ475 or UJ875[21]**	UJ12858	Spicer 1610
1.937" (1 15/16")	6.094" (6 3/32")	6.187" (6 3/16")	Yes[5]	**UJ476 or UJ876[21]**	UJ12859	Spicer 1710
	7.000" (7")	7.093" (7 3/32")	Yes[5]	**UJ477 or UJ877[21]**	UJ12859	Spicer 1760
	7.547" (7 35/64")	7.640" (7 41/64")	Yes[5]	**UJ478 or UJ878[21]**	UJ12859	Spicer 1810

5 Two regular lube fittings in cross
21 Includes Clamp Kit

U-joints with 4 wing bearings

Measure across the assembled kit from the machined radius on the back of one bearing to the same position on the opposite bearing. Locate this dimension in the first column. Measure the center to center distance of the bolt holes on any one bearing and locate this dimension in the second column. Note that there are some kits that combine the dimensions of Mechanics sizes 6 and 7 on the same u-joint. Find the quantity and type of bearings in the third column.





LWT Low Wing Threaded



DWT Delta Wing Threaded



LWD Low Wing Drilled



HWD High Wing Drilled

Dimension A Across Bearing	Dimension B Across U-joint	Bearing Quantity and Type	Lube Fitting	Part Number	OE Series
1.31" (1 5/16")	2.34" (2 11/32")	4 LWT	Yes[1]	**UJ951**	Mechanics 2C
			Yes[8]	**UJ453**	
		4 LWD	Yes[1]	**UJ994**	
			Yes[8]	**UJ454**	
		2 LWT & 2 LWD	Yes[1]	**UJ952**	
			Yes[8]	**UJ452**	
1.44" (1 7/16")	2.75" (2 3/4")	4 LWT	No	**UJ530**	Mechanics 3C
			Yes[1]	**UJ536**	
		4 LWD	Yes[1]	**UJ495**	
		2 LWT & 2 LWD	Yes[1]	**UJ535**	
		2 LWD & 2 HWD	Yes[8]	**UJ539**	
1.44" (1 7/16")	3.44" (3 7/16")	4 LWT	Yes[1]	**UJ540**	Mechanics 4C
		4 LWD	Yes[1]	**UJ549**	
		4 HWD	Yes[1]	**UJ969**	
		2 LWT & 2 LWD	Yes[1]	**UJ541**	
		2 LWT & 2 HWD	Yes[1]	**UJ929**	

(Continued)

1 Regular lube fitting in cross
3 Long lube fitting in cross
5 Two regular lube fittings in cross
6 Two angled lube fittings in cross
7 Four long lube fittings in cross
8 Regular lube fitting in bearing
14 Two HWD bearings double keyed for CV
15 Our production uses delta wing brgs. in place of low wing bearings
23 Includes 12 pt cap screws

U-joints with 4 wing bearings

Dimension A Across Bearing	Dimension B Across U-joint	Bearing Quantity and Type	Lube Fitting	Part Number	OE Series
1.688	4.529″	4 HWD	No	**UJ45262**	Mechanics 5C
1.69	3.50″ (3 1/2″)	4 LWD	Yes[3]	**UJ999**	Mechanics 5C
1.69″ (1 11/16″)	3.50″ (3 1/2″)	4 LWT	Yes[1]	**UJ550**	Mechanics 5C
		4 DWT	Yes[3]	**UJ550**	
		4 HWD	Yes[3]	**UJ968**	
		2 LWT & 2 LWD	Yes[3]	**UJ552[15]**	
		2 LWT & 2 HWD	Yes[3]	**UJ933[15]**	
		2 LWD & 2 HWD	Yes[3]	**UJ558[15]**	
1.69″ (1 11/16″)	4.50″ (4 1/2″)	4 LWT	Yes[1]	**UJ560[15]**	Mechanics 6C Rockwell 62N
		4 DWT	Yes[1]	**UJ760**	
		4 LWD	Yes[1]	**UJ566[15]**	
		4 HWD	Yes[1]	**UJ905**	
		4 HWD[14]	Yes[1]	**UJ481**	
		2 LWT & 2 LWD	Yes[1]	**UJ561[15]**	
		2 LWT & 2 HWD	Yes[1]	**UJ563[15]**	
		2 DWT & 2 HWD	Yes[1]	**UJ763**	
1.69″ (1 11/16″) X 1.94″ (1 15/16″)	4.50″ (4 1/2″) X 4.62″ (4 5/8″)	2 LWT & 2 LWT	Yes[1]	**UJ568[15]**	Mechanics 6C X Mechanics 7C
		2 LWT & 2 HWD	Yes[1]	**UJ569[15]**	
		2 HWD & 2 LWT	Yes[1]	**UJ924[15]**	
		2 HWD & 2 HWD	Yes[1]	**UJ926**	
1.93″ (49mm)	4.10″ (104mm)	4 HWD	Yes[1]	**UJ486**	Sige Axle
1.938″	5.841″	4 HWD	No	**UJ57956**	Mechanics 7C
1.94″ (1 15/16″)	4.25″ (4 1/4″)	4 DWT	Yes[5]	**UJ895[23]**	Rockwell 58WB Mechanics 6.5C
		4 HWD	Yes[5]	**UJ894[23]**	
		2 DWT & 2 HWD	Yes[5]	**UJ896[23]**	
1.94″ (1 15/16″)	4.62″ (4 5/8″)	4 LWT	Yes[1]	**UJ570[15]**	Mechanics 7C Rockwell 72N
		4 DWT	Yes[1]	**UJ770**	
		4 LWD	Yes[1]	**UJ575[15]**	
		4 HWD	Yes[1]	**UJ927**	
		4 HWD	Yes[7]	**UJ482**	
		2 LWT & 2 LWD	Yes[1]	**UJ572[15]**	
		2 LWT & 2 HWD	Yes[1]	**UJ574[15]**	
		2 DWT & 2 HWD	Yes[1]	**UJ774**	

(Continued)

1 Regular lube fitting in cross
3 Long lube fitting in cross
5 Two regular lube fittings in cross
6 Two angled lube fittings in cross
7 Four long lube fittings in cross
8 Regular lube fitting in bearing
14 Two HWD bearings double keyed for CV
15 Our production uses delta wing brgs. in place of low wing bearings
23 Includes 12 pt cap screws

U-joints with 4 wing bearings

Dimension A Across Bearing	Dimension B Across U-joint	Bearing Quantity and Type	Lube Fitting	Part Number	OE Series
1.94" (1 15/16")	6.88" (6 7/8")	4 LWT	Yes[1]	**UJ581**[15]	Mechanics 8C Rockwell 82N
		4 HWD	Yes[1]	**UJ928**	
		4 DWT	Yes[1]	**UJ781**	
		2 DWT & 2 HWD	Yes[1]	**UJ783**	
		2 LWT & 2 HWD	Yes[1]	**UJ583**[15]	
2.81" (2 13/16")	4.88" (4 7/8")	4 LWT	Yes[6]	**UJ785**[15]	Rockwell 85WB Mechanics 8.5C
		4 DWT	Yes[6]	**UJ785**	
		4 LWD	Yes[6]	**UJ787**[15,23]	
		4 HWD	Yes[6]	**UJ963**	
2.81" (2 13/16")	6.44"	4 LWT	Yes[1]	**UJ69014**	Mechanics 9C
		2 LWT & 2 HWD	Yes[1]	**UJ69017**	
2.81" (2 13/16")	6.62" (6 5/8")	4 LWD	Yes[1]	**UJ911CB**[23]	Mechanics 9C Rockwell 92N
		4 HWD	Yes[1]	**UJ911**	
		2 DWT & 2 HWD	Yes[5]	**UJ792**	
3.62"	6.50" (6 1/2")	4 HWD	No	**UJ61076**	

1 Regular lube fitting in cross
3 Long lube fitting in cross
5 Two regular lube fittings in cross
6 Two angled lube fittings in cross
7 Four long lube fittings in cross
8 Regular lube fitting in bearing
14 Two HWD bearings double keyed for CV
15 Our production uses delta wing brgs. in place of low wing bearings
23 Includes 12 pt cap screws

U-joints with 2 wing bearings & 2 grooved round bearings



Dimension A Across U-joint	Bearing Diameter & Type	Lube Fitting	Part Number	OE Series
2.34″ (2 11/32″)	2 1.000″ Round Grooved and 2 Low Wing Drilled	Yes[8]	**UJ522**	Mechanics 2
2.75″ (2 3/4″)	2 1.125″ Round grooved and 2 Low Wing Threaded	Yes[1]	**UJ531G**	Mechanics 3
3.44″ (3 7/16″)	2 1.125″ Round Grooved and 2 Low Wing Threaded	Yes[1]	**UJ544**	Mechanics 4
	2 Low Wing Drilled	Yes[1]	**UJ546**	
	2 High Wing Drilled	Yes[1]	**UJ494**	
3.50″ (3 1/2″)	2 1.313″ Round Grooved and 2 Low Wing Threaded	Yes[3]	**UJ554**[15]	Mechanics 5
	2 Low Wing Drilled	Yes[3]	**UJ557**[15]	
4.50″ (4 1/2″)	2 1.313″ Round Grooved and 2 High Wing Drilled	Yes[1]	**UJ565**	Mechanics 6
4.62″ (4 5/8″)	2 1.625″ Round Grooved and 2 High Wing Drilled	Yes[3]	**UJ483**	Mechanics 7

1 Regular lube fitting in cross
3 Long lube fitting in cross
8 Regular lube fitting in bearing
15 Our production uses delta wing brgs. in place of low wing bearings

U-joints with 2 wing bearings & 2 plain round bearings or 2 welded plate round bearings
(Mechanics & Rockwell to Spicer)





Bearing Type & Diameter	Dimensions A & B / C	Lube Fitting	Part Number	OE Series
2 Low Wing Threaded and 2 1.063" Round Plain	A 2.34" (2 11/32") and B 3.22" (3 7/32")	Yes[8]	**UJ506**	Mechanics 2C to Spicer 1310
2 Low Wing Threaded and 2 1.188" Round Plain	A 3.44" (3 7/16") and B 4.19" (4 3/16")	Yes[1]	**UJ547**	Mechanics 4C to Spicer 1410
2 High Wing Drilled and 2 1.375" Round Plain	A 3.50" (3 1/2") and B 4.19" (4 3/16")	Yes[1]	**UJ559**	Mechanics 5C to Spicer 1480
2 High Wing Drilled and 2 1.375" Round Plain	A 4.25" (4 1/4") and B 4.97" (4 31/32")	Yes[1]	**UJ484**	Rockwell 58WB to Spicer 1550
2 High Wing Drilled and 2 1.375" Round Plain	A 4.50" (4 1/2") and B 4.97" (4 31/32")	Yes[1]	**UJ470**	Mechanics 6C to Spicer 1550
2 Delta Wing Threaded and 2 1.375" Round Plain	A 4.50" (4 1/2") and B 4.97" (4 31/32")	Yes[1]	**UJ474**	
2 High Wing Drilled and 2 2.06" Round Plain	A 6.63" and B 8.20"	No	**UJ60025**	Meritor 25R
2 High Wing Drilled and	A 6.62" (6 5/8") and			Mechanics 9C to
2 1.937" Round w/Welded Plate	C 7.55" (7 35/64v)	Yes[5]	**UJ480**	Spicer 1810
2 2.186" Round w/ Welded Plate	C 8.09" (8 3/32")	Yes[1]	**UJ488**	Spicer 1880

1 Regular lube fitting in cross
5 Two regular lube fittings in cross
8 Regular lube fitting in bearing

Notes

SKF is your source for a wide range of products covering various industries. From automotive to heavy duty to industrial applications, SKF offers a solution to keep your machines operating and your business profitable.

View detailed technical and product videos at www.skfpartsinfo.tv

Follow us on Twitter @skfpartsinfo to stay on top of all the latest technical and product information.

www.vsm.skf.com

Download literature, access technical tips and view product information

Mobile parts look up

Access our mobile parts look up website for all the latest part numbers at www.skfpartsinfo.com

SKF Parts Info Apps

Download SKF apps for access to product information, cross reference, instruction sheets, application data and brochures.

® SKF is a registered trademark of the SKF Group.

© SKF Group 2018
The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

Publication 457285 Printed in U.S.A.

Certain image(s) used under license from Shutterstock.com

SKF VSM NA
890 N. State Street
Suite 200
Elgin, IL 60123
800-882-0008
www.skfpartsinfo.com